

*diabolicum* Roubal, 1914a: 164 (*Anthobium*; aberration of *zolutarevi*; [**Note: Nomen nudum** (Articles 1.3.4, 45.5)]; locality cited: Nordkaukasus, Kluchorpass).

- Scheerpeltz, 1933: 1038 (*Anthobium*; aberration of *zolutarevi*).
- Zanetti, 1993: 259 (*Eusphalerum*; aberration of *zolutarevi*).

### Tribe Hadrognathini

Hadrognathini Portevin, 1929: 431 (genera included: *Hadrognathus*, *Oncognathus*). **TYPE GENUS:** *Hadrognathus* (see Newton and Thayer, 1992: 58).

- Zerche, 1991a: 366 (characters; revision; key to species; phylogeny).
- Newton and Thayer, 1992: 58 (tribe of Omaliinae).
- Newton and Thayer, 1995: 247–286, 293 (phylogenetic relationships; characters; discussion; includes *Hadrognathus* and *Brachygnathellus*; may be part of Omaliini).

Eugnathates Mulsant and Rey, 1880: 386 (genera included: *Eugnathus*). **TYPE GENUS:** *Eugnathus* (see Newton and Thayer, 1992: 58).

- Newton and Thayer, 1992: 58 (synonym of Hadrognathini).

### Brachygnathellus

[1 species; Palaearctic Region]

*Brachygnathellus* Zerche, 1991a: 368 (species included: *loebli*). **TYPE SPECIES:** *Brachygnathellus loebli* Zerche, fixed by original designation and monotypy.

**loebli** Zerche, 1991a: 371 (*Brachygnathellus*; Type locality: Turquie Artvin: 5 km E Hopa, 100 m).

- ▲ **DISTRIBUTION:** Turkey.

### Hadrognathus

[2 species; Palaearctic Region]

*Hadrognathus* Schaum, 1852: 31 (replacement name for *Eugnathus*). **TYPE SPECIES:**

*Eugnathus longipalpis* Mulsant and Rey, fixed by objective synonymy with for which the type had been fixed.

- Kraatz, 1857: 43 (characters).
- Jacquelin du Val, 1857: 77 (characters).
- Redtenbacher, 1857: 253 (characters).
- Schaum, 1859: 32 (catalog; European species).
- Jacquelin du Val, 1868: 81 (catalog; European species).
- Gemminger and Harold, 1868: 665 (catalog).
- Fauvel, 1871a: 80 [= 1872: 54] (characters).
- Redtenbacher, 1874: 273 (characters).
- Fauvel, 1875a: IV [= 1875b: 206] (catalog).
- Ganglbauer, 1895: 703 (characters).
- Heyden, Reitter, and Weise, 1906: 136 (list of species of Europe and Caucasus).
- Bernhauer and Schubert, 1910: 81 (world catalog; 1 species).
- Winkler, 1925: 336 (catalog for Palaearctic region).
- Porta, 1926: 33 (characters; species of Italy).
- Scheerpeltz, 1933: 1070 (world catalog supplement).
- Tikhomirova, 1973a: 141 (checklist of species of USSR).
- Zanetti, 1987: 422 (characters; habitus; species of Italy).
- Zerche, 1991a: 373 (characters; revision of and key to species; character analysis; phylogenetic relationships).
- Zanetti, 1995: 10 (list of species of Italy).

*Eugnathus* Mulsant and Rey, 1851: 141 [= 1852: 1] (species included: *longipalpis*; **pre-occupied** by Schönherr, 1833, and Agassiz, 1836). **TYPE SPECIES:** *Eugnathus longipalpis* Mulsant and Rey, fixed by monotypy.

- Lacordaire, 1854: 144 (preoccupied; replaced by *Oncognathus*).
- Jacquelin du Val, 1857: 77 (synonym of *Hadrognathus*).
- Schaum, 1859: 32 (synonym of *Hadrognathus*).

- Gemminger and Harold, 1868: 665 (synonym of *Hadrognathus*).
- Fauvel, 1871a: 80 [= 1872: 54] (synonym of *Hadrognathus*).
- Mulsant and Rey, 1880: 386 (characters).
- Ganglbauer, 1895: 703 (synonym of *Hadrognathus*).
- Bernhauer and Schubert, 1910: 82 (synonym of *Hadrognathus*).
- Blackwelder, 1952: 155 (type species: *longipalpis*).
- Zanetti, 1987: 422 (synonym of *Hadrognathus*).
- Zerche, 1991a: 373 (synonym of *Hadrognathus*).

*Oncognathus* Lacordaire, 1854: 144 (replacement name for *Eugnathus* Mulsant and Rey).

**TYPE SPECIES:** *Eugnathus longipalpis* Mulsant and Rey, fixed by objective synonymy with *Eugnathus*.

- Fairmaire and Laboulbène, 1856: 646 (characters).
- Jacquelin du Val, 1857: 77 (synonym of *Hadrognathus*).
- Schaum, 1859: 32 (synonym of *Hadrognathus*).
- Gemminger and Harold, 1868: 665 (synonym of *Hadrognathus*).
- Fauvel, 1871a: 80 [= 1872: 54] (synonym of *Hadrognathus*).
- Heyden, Reitter, and Weise, 1891: 121 (list of species of Europe and Caucasus).
- Ganglbauer, 1895: 703 (synonym of *Hadrognathus*).
- Bernhauer and Schubert, 1910: 82 (synonym of *Hadrognathus*).
- Blackwelder, 1952: 275 (type species: *longipalpis*).
- Zerche, 1991a: 373 (synonym of *Hadrognathus*).

**cantabricus** Scheerpeltz, 1933a: 9 (*Hadrognathus*; Type locality: Caboalles, Nordspanien; [Note: See lectotype designation by Zerche, 1991a]).

- Zerche, 1991a: 380 (*Hadrognathus*; lectotype designation; characters; Spain; Portugal).

▲ **DISTRIBUTION:** Portugal, Spain.

**longipalpis** Mulsant and Rey, 1851: 143 [= 1852: 3] (*Eugnathus*; Type locality: montagnes du Lyonnais, sur celles du Pilat, au mont-Dore).

- Fairmaire and Laboulbène, 1856: 646 (*Oncognathus*; characters; France).
- Redtenbacher, 1857: 254 (*Hadrognathus*; characters; France).
- Hochhuth, 1872: 172 (*Hadrognathus*; notes; Ukraine [Note: Misidentified according to Zerche (pers. comm.)]).
- Fauvel, 1871a: 81 [= 1872: 55] (*Hadrognathus*; characters; France).
- Fauvel, 1873b: 112 [= 1873c: 5] (*Hadrognathus*; Spain; Russia [Note: Misidentified according to Zerche (pers. comm.)]).
- Redtenbacher, 1874: 273 (*Hadrognathus*; characters; France).
- Mulsant and Rey, 1880: 389 (*Eugnathus*; characters; France).
- Ganglbauer, 1895: 704 (*Hadrognathus*; characters; France; Pyrenees).
- Jakobson, 1908: 462 (*Hadrognathus*; Kiev doubtful).
- Bernhauer and Schubert, 1910: 81 (*Hadrognathus*; catalog).
- Portevin, 1929: 431 (*Hadrognathus*; characters; France).
- Scheerpeltz, 1933: 1070 (*Hadrognathus*; catalog).
- Scheerpeltz, 1933a: 11, 13 (*Hadrognathus*; illustration; France; Spain).
- Español, 1945: 90 (*Hadrognathus*; Spain).
- Tikhomirova, 1973a: 141 (*Hadrognathus*; checklist; Kiev doubtful; Mediterranean region).
- Zanetti, 1987: 424 (*Hadrognathus*; characters; Italy).
- Zerche, 1991a: 375 (*Hadrognathus*; characters; Spain; France; Switzerland; Italy).
- Hodge and Jones, 1995: 31 (*Hadrognathus*; characters; Britain).
- Zanetti, 1995: 10 (*Hadrognathus*; Italy).

▲ **DISTRIBUTION:** Britain, Spain, France, Switzerland, Italy.

### Tribe Omaliini

Omaliini W. S. MacLeay, 1825.

- Eichelbaum, 1909: 96 (list of genera with some references; generic synonyms; number of genera; number of species in each genus; general distribution of genera).
- Bernhauer and Schubert, 1910: 37 (world catalog; *Tanyrhinus*, *Trigonodemus*, *Anthobium*, *Acruia*, *Pycnoglypta*, *Acrolocha*, *Phyllodrepa*, *Omalissus*, *Eunonia*, *Haida*, *Omalium*,

*Phloeonomus*, *Xylodromus*, *Carcinocephalus*, *Philorinum*, *Micralymma*, *Cylletron*, *Porrhodites*, *Orochares*, *Mannerheimia*, *Phyllodrepoidea*, *Deliphrum*, *Lathrimaeum*, *Camioleum*, *Olophrum*, *Arpedium*, *Acidota*, *Amphichrom*, *Lesteva*, *Paralesteva*, *Tevales*, *Unamis*, *Artochia*, *Vellica*, *Tilea*, *Brathinus*, *Orobanus*, *Microedus*, *Pelecomalium*, *Geodromicus*, *Hygrogeus*, *Anthophagus*, *Hadroganthus*, *Tetradelus*, *Eupsorus*, *Ischnoderus*, *Eudectus*, *Ephelinus*, *Coryphium*, *Coryphoides*, *Boreaphilus*, *Niphetodes*, *Physognatus*).

- Blatchley, 1910: 474 (characters; key to Indiana genera).
- Johansen, 1914: 582 (characters; key to Danish genera).
- Porta, 1926: 10 (characters; species of Italy).
- Portevin, 1929: 444 (key to French genera).
- Cameron, 1930: 133 (characters; key to British Indian genera).
- Joy, 1932: 99 (key to British genera).
- Scheerpeltz, 1940: 14 (key to Palaearctic genera).
- Hatch, 1957: 49 (characters; key to genera of Pacific Northwest).
- Arnett, 1963: 241, 260 (key to North American genera; characters; list of North American genera).
- Pototskaia, 1967: 18, 19 (larval characters; key to some genera).
- Moore and Legner, 1979: 203 (characters; tabular key to genera of North America north of Mexico).
- Muona, 1979: 17 (list of Scandinavian species).
- Thayer, 1985a: 182 (characters).
- Newton, 1985: 198, 200 (notes on austral distribution and genera).
- Outerelo and Gamarra, 1985: 82 (key to genera of Iberian Peninsula).
- Watanabe, 1990: 64, 377 (characters; key to genera and species of Japan; relationships of genera).
- Thayer, 1992: 545 (characters).
- Newton and Thayer, 1992: 58 (tribe of Omaliinae).
- Newton and Thayer, 1995: 247–286, 292 (phylogenetic relationships; discussions; characters; list of synonyms; may not be monophyletic).
- Klimaszewski, Newton, and Thayer, 1996: 146 (list of New Zealand genera; number of New Zealand species).
- M. Hansen, 1996: 93 (list of Danish species).
- Newton, Thayer, Ashe, and Chandler, 2000: 282, 335 (key to Nearctic genera; characters; notes).

#### Omalina:

- Heer, 1839a: 6 (cited as tribe of Omalida).

#### Omalini:

- Thomson, 1858: 37 (characters; key to genera).

#### Micralymmini Mulsant and Rey, 1880.

- Newton and Thayer, 1992: 58 (tribe of Omaliinae).
- Newton and Thayer, 1995: 293 (synonym of Omaliini).

Micralymmates Mulsant and Rey, 1880: 3 (genera included: *Micralymma*). **TYPE GENUS:** *Micralymma* (see Newton and Thayer, 1992: 58).

#### Tetradelini Fauvel, 1904.

- Newton and Thayer, 1992: 59 (tribe of Omaliinae).
- Newton and Thayer, 1995: 293 (synonym of Omaliini).

Tetradeli Fauvel, 1904b: 90 (genera included: *Tetradelus*). **TYPE GENUS:** *Tetradelus* (see Newton and Thayer, 1992: 59).

#### Tetradelina Fauvel, 1904.

- Jakobson, 1908: 453 (characters).

Arpediomimini Cameron, 1917b: 277 (replacement name for Arpediopsini). **TYPE GENUS:** *Arpediomimus* (see Newton and Thayer, 1992: 58).

- Scheerpeltz, 1933: 1031 (world catalog supplement).
- Newton and Thayer, 1992: 57 (tribe of Omaliinae).
- Newton and Thayer, 1995: 293 (synonym of Omaliini).

## Arpediomiminae Cameron, 1917.

- Blackwelder, 1944: 101 (checklist of species from Mexico, Central and South America, and the West Indies).

Arpediopsini Cameron, 1917: 123 (new taxon with one genus *Arpediopsis*).

- Scheerpeltz, 1933: 1031 (synonym of Arpediomimini).
- Newton and Thayer, 1992: 58 (synonym of Arpediomimini).

**Acrolocha**

[15 species; Nearctic and Palaearctic Regions]

*Acrolocha* Thomson, 1858: 38 (species included: *striata*). **TYPE SPECIES:** *Omalium striatum* Gravenhorst, fixed by original designation as determined by action of the Commission in Opinion 1722 and generic name conserved (ICZN, 1993a).

- Thomson, 1859: 50 (characters; type species: *striata*).
- Thomson, 1861: 201 (characters).
- Fauvel, 1871a: 85 [= 1872: 59] (subgroup of *Omalium*, cited as *Homalium*).
- Fauvel, 1875a: IV [= 1875b: 206] (catalog; group of *Omalium*, cited as *Homalium*).
- Mulsant and Rey, 1880: 259 (characters; key to French species).
- Heyden, 1880: 83 (subgenus of *Omalium*, cited as *Homalium*; list of species of Siberian region).
- Fowler, 1888: 423 (notes; group of *Omalium*).
- Seidlitz, 1891: 342 (key to some European species).
- Seidlitz, 1891a: 364 (key to some European species).
- Heyden, Reitter, and Weise, 1891: 120 (subgenus of *Omalium*; list of species of Europe and Caucasus).
- Ganglbauer, 1895: 743 (characters; key to middle European species).
- Heyden, Reitter, and Weise, 1906: 130 (list of species of Europe and Caucasus).
- Sainte-Claire Deville, 1907: 27 (characters; key to species of Seine Basin, France).
- Reitter, 1909: 194 (characters; key to German species).
- Bernhauer and Schubert, 1910: 45 (world catalog; 3 species).
- Petri, 1912: 52 (list of species of Siebenbürgen).
- Johansen, 1914: 618 (characters; key to Danish species).
- Winkler, 1925: 328 (catalog for Palaearctic region).
- Porta, 1926: 20 (characters; key to species of Italy).
- Portevin, 1929: 449 (characters; key to French species).
- Roubal, 1930: 305 (catalog; Slovakia).
- Joy, 1932: 100 (key to British species).
- Scheerpeltz, 1933: 1039 (world catalog supplement).
- Normand, 1935: 357 (list of species of Tunisia).
- Scheerpeltz, 1937a: 121 (key to species).
- Kloet and Hincks, 1945: 160 (list of British species).
- Palm, 1948: 64 (characters; key to species of Sweden).
- Tottenham, 1949: 354, 406 (type species: *striatum* Gravenhorst; list of British species).
- Blackwelder, 1952: 36 (type species: *striata*).
- Tottenham, 1954: 19 (characters; British species).
- Hatch, 1957: 52, 76 (characters; key to species of Pacific Northwest).
- Steel, 1957 (characters; revision of and key to species; habitat of species; type species: *striata*).
- Székessy, 1963: 13 (characters).
- Lohse, 1964: 36 (characters; key to central European species).
- Scheerpeltz, 1968a: 8 (catalog of Austrian species).
- Steel, 1970a: 9 (larval characters; biological notes).
- Tikhomirova, 1973a: 137 (checklist of species of USSR).
- Moore and Legner, 1975: 187 (catalog; genus cited as *Elonium* with *Acrolocha* listed as a synonym; North America north of Mexico).
- Tóth, 1976: 87 (key to species of Palaearctic region).
- Pope, 1977: 23 (list of British species).

- Topp, 1978: 309 (larval characters).
- Zanetti, 1979: 547, 548 (characters; notes; key to species of Italy).
- Burakowski, Mroczkowski, and Stefańska, 1979: 29 (catalog; Poland).
- Moore and Legner, 1979: 205 (cited as *Elonium*; characters; notes).
- Muona, 1979: 17 (list of Scandinavian species).
- Uhlig, Vogel, and Sieber, 1980: 241 (some species collected in Germany).
- Uhlig and Vogler, 1981: 84 (cited as *Elonium*; list of some species collected in Germany; habitat and collecting notes).
- Tóth, 1982: 48 (characters; habitus; key to species of Hungary).
- Segers, 1986: 19 (checklist of species; Belgium).
- Zanetti, 1987: 160 (characters; habitus; key to species of Italy).
- Lohse and Lucht, 1989: 125 (notes).
- Watanabe, 1990: 65 (characters; species of Japan).
- M. Hansen, Kristensen, Mahler, Pedersen, 1991: 106 (list of Danish species).
- Silfverberg, 1992: 21 (list of species of Fennoscandia, Denmark, and the Baltic States).
- Thayer, 1992a: 25 (requested placing name on Official List of Generic Names in Zoology with *Omalium striatum* Gravenhorst as type species).
- ICZN, 1993a (name conserved and type species designation fixed).
- Boháč, 1993: 40 (list of species of Czech Republic and Slovakia).
- M. Hansen, Liljehult, Mahler, and Pedersen, 1995: 27 (additional records to Danish list of species).
- Zanetti, 1995: 6 (list of species of Italy).
- M. Hansen, 1996: 93 (list of Danish species).
- M. Hansen, Mahler, Palm, and Pedersen, 1996: 240 (additions to list of Danish species).
- Downie and Arnett, 1996: 436 (characters; cited as *Elonium*; key to species of Northeastern North America).
- M. Hansen, Palm, Pedersen, and Runge, 1998: 69 (list of species collected in 1997; Denmark).
- Assing, Frisch, Kahlen, et al., 1998: 120, 122 (valid name, not *Elonium*).
- Newton, Thayer, Ashe, and Chandler, 2000: 336 (3 Nearctic species; notes; characters in key).

*Elonium* Leach, 1819: 175 (species included: *striatum*). **TYPE SPECIES:** *Omalium striatum* Gravenhorst, fixed by original designation and monotypy.

- Westwood, 1827: 64, 65 (characters; type species).
- Curtis, 1829: 29 (catalog; Britain).
- Stephens, 1829a: 25 (catalog; Britain).
- Stephens, 1829: 296 (catalog; Britain).
- Gistel, 1856: 389 (list of species).
- Fauvel, 1871a: 152 [= 1872: 126] (synonym of *Acrognathus*).
- Fauvel, 1875a: VIII [= 1875b: 210] (synonym of *Acrognathus*).
- Bernhauer and Schubert, 1911: 89 (synonym of *Coprophilus*).
- Tottenham, 1949: 359, 408 (type species: *striatulus* Fabricius; list of British species).
- Blackwelder, 1952: 146 (type species: *striatulum*).
- Herman, 1970: 427 (notes; moved to Omaliinae).
- Campbell and Davies, 1991: 88 (checklist of species; Canada).
- Thayer, 1992a: 24, 25 (requested suppression of name for purposes of Priority but not for Homonymy and inclusion in list of Rejected and Invalid Generic Names in Zoology).
- ICZN, 1993a (*Elonium* is rejected for purposes of Priority but not Homonymy and is placed on the Official Index of Rejected and Invalid Generic Names in Zoology by action of the Commission in Opinion 1722).

**amabilis** Heer, 1841: 567 (*Omalium*; Type locality: Jorat, Chalet à Gobet).

- Kraatz, 1857d: 999 (*Omalium*; characters; Austria).
- Fauvel, 1871a: 85 [= 1872: 59] (*Omalium*, cited as *Homalium*; subgroup *Acrolocha*; characters; France; Switzerland; Austria; Turkey).
- Redtenbacher, 1874: 276 (*Omalium*; characters).
- Mulsant and Rey, 1880: 268 (*Acrolochas*; characters; France).
- Ganglbauer, 1895: 744 (*Acrolocha*; characters; middle Europe; Asia Minor).

- Reitter, 1909: 194 (*Acrolocha*; characters; Germany).
- Bernhauer and Schubert, 1910: 45 (*Acrolocha*; catalog).
- Portevin, 1929: 450 (*Acrolocha*; characters; France).
- Scheerpeltz, 1933: 1039 (*Acrolocha*; catalog).
- Scheerpeltz, 1937a: 122 (*Acrolocha*; characters in key; central and southern Europe; Mediterranean region; Asia Minor; Caucasus).
- Steel, 1957: 163 (*Acrolocha*; characters; South Europe, Asia Minor, Caucasus).
- Horion, 1963: 58 (*Acrolocha*; Turkey; Bosnia; Hungary; Czech Republic; Switzerland; Austria; Germany).
- Lohse, 1964: 37 (*Acrolocha*; characters; central Europe).
- Tóth, 1976: 87 (*Acrolocha*; characters).
- Tóth, 1976a: 117 (*Acrolocha*; Hungary).
- Zanetti, 1979: 548, 551 (*Acrolocha*; characters; notes; Italy).
- Tóth, 1982: 49 (*Acrolocha*; characters).
- Zanetti, 1984: 76 (*Acrolocha*; Bulgaria).
- Zanetti, 1987: 165 (*Acrolocha*; characters; Italy).
- Lucht, 1987: 86 (*Acrolocha*; checklist; Germany; Poland; Czechoslovakia; Austria; Switzerland; Benelux).
- Boháč, 1993: 40 (*Acrolocha*; Czech Republic; Slovakia).
- Zanetti, 1995: 6 (*Acrolocha*; Italy).
- ▲ **DISTRIBUTION:** Germany, France, Switzerland, Austria, Italy, Hungary, Turkey, Caucasus.

*hampei* Redtenbacher, 1857: 250 (*Omalium*; Type locality: Not cited, presumably Austria).

- Kraatz, 1857d: 999 (*Omalium*; synonym of *amabile*).
- Redtenbacher, 1874: 274 (*Omalium*; characters; Austria).
- Mulsant and Rey, 1880: 268 (*Acrolocha*; synonym of *amabilis*).
- Ganglbauer, 1895: 744 (*Acrolocha*; synonym of *amabilis*).
- Bernhauer and Schubert, 1910: 45 (*Acrolocha*; synonym of *amabilis*).
- Scheerpeltz, 1933: 1039 (*Acrolocha*; synonym of *amabilis*).
- Steel, 1957: 163 (*Acrolocha*; synonym of *amabilis*).

**angustior** Hatch, 1957: 77 (*Acrolocha*; Type locality: B. C. [British Columbia]: Terrace).

▲ **DISTRIBUTION:** Canada.

**asperata** Hatch, 1957: 78 (*Acrolocha*; Type locality: Washington: Ocean Park. Also cited from Oregon).

▲ **DISTRIBUTION:** USA.

*barri* Hatch, 1957, see: *hamata* Fauvel, 1878.

**caucasica** Tóth, 1976: 85 (*Acrolocha*; Type locality: Kaukasus).

▲ **DISTRIBUTION:** Caucasus.

**crenulata** Hatch, 1957: 78 (*Acrolocha*; Type locality: Oregon: Peavine Ridge near McMinnville. Also cited from Washington and British Columbia).

▲ **DISTRIBUTION:** USA.

**daccordii** Zanetti, 1979: 549 (*Acrolocha*; Type locality: Brindisi di Montagna).

- Zanetti, 1987: 166 (*Acrolocha*; characters; Italy).
- Zanetti, 1995: 6 (*Acrolocha*; Italy).

▲ **DISTRIBUTION:** Italy.

**diffusa** Fauvel, 1878d: 207 [= 1878e: 43] (*Omalium*, cited as *Homalium*; Type locality: Lac Supérieur, Bachewauung Bay).

- Bernhauer and Schubert, 1910: 52 (*Omalium*; subgenus *Omalium*; catalog).
- Notman, 1919a: 96 (*Acrolocha*; Ontario).
- Steel, 1957: 163 (*Acrolocha*; characters; Michigan and Canada).
- Moore and Legner, 1975: 187 (*Elonium*; catalog; North America north of Mexico).
- Downie and Arnett, 1996: 437 (*Elonium*; characters; USA).

▲ **DISTRIBUTION:** Canada, USA.

**exsculpta** Mäklin, 1852: 321 (*Omalium*; Type locality: insula Sitkha).

- Fauvel, 1878d: 218 [= 1878e: 54] (*Omalium*, cited as *Homalium*; characters; Alaska).
- Bernhauer and Schubert, 1910: 53 (*Omalium*; subgenus *Omalium*; catalog).
- Hatch, 1957: 79 (*Acrolocha*; cited as *exsculptatum*; characters; British Columbia; Washington; Oregon).
- Newton, Thayer, Ashe, and Chandler, 2000: 336 (*Carcinocephalus* ?).

▲ **DISTRIBUTION:** Canada, USA.

*rugosa* Hatch, 1957: 79 (*Acrolocha*; Type locality: Oregon: McMinnville. Also cited from Washington and British Columbia).

- Newton, Thayer, Ashe, and Chandler, 2000: 336 (*Carcinocephalus* ?; synonym of *exsculptum*).

▲ **DISTRIBUTION:** USA.

**fracta** Fauvel, 1878d: 212 [= 1878e: 48] (*Omalium*, cited as *Homalium*; Type locality: California; Pennsylvanie; Missouri; Caroline du Sud).

- Bernhauer and Schubert, 1910: 53 (*Omalium*; subgenus *Omalium*; catalog).
- Blatchley, 1910: 480 (*Omalium*, cited as *Homalium*; characters; Indiana).
- Moore and Legner, 1975: 187 (*Elonium*; catalog; North America north of Mexico).
- Downie and Arnett, 1996: 436 (*Elonium*; characters; USA).

▲ **DISTRIBUTION:** USA.

*hampei* Redtenbacher, 1857, see: *amabilis* Heer, 1841.

**helferi** Steel, 1957: 161 (*Acrolocha*; Type locality: California: Lake Co.: Scott Valley).

▲ **DISTRIBUTION:** USA.

**leechi** Hatch, 1957: 79 (*Acrolocha*; Type locality: B. C. [British Columbia]: Salmon Arm).

▲ **DISTRIBUTION:** Canada.

**minuta** Olivier, 1795:(42): 38 (*Staphylinus*; Type locality: Paris).

- Gyllenhal, 1810: 231 (*Omalium*; synonym of *striata* Gravenhorst).
- Olivier, 1811: 479 (*Omalium*; synonym of *striatum*).
- Erichson, 1839a: 632 (*Omalium*; synonym of *striatum*).
- Heer, 1839: 177 (*Omalium*; synonym of *striatum*).
- Erichson, 1840: 882 (*Omalium*; synonym of *striatum*).
- Laporte, 1840: 192 (*Anthobium*; synonym of *striatum*).
- Kraatz, 1857d: 1000 (*Omalium*; synonym of *striatum*).
- Ganglbauer, 1895: 743 (*Acrolocha*; synonym of *striata*).
- Bernhauer and Schubert, 1910: 45 (*Acrolocha*; synonym of *striata*).
- Steel, 1957: 159 (*Acrolocha*; valid species; characters).
- Pope, 1977: 23 (*Acrolocha*; Britain).
- Zanetti, 1987: 162 (*Acrolocha*; characters; Italy).
- Boháč, 1993: 40 (*Acrolocha*; Czech Republic; Slovakia).
- Hodge and Jones, 1995: 30 (*Acrolocha*; characters; Britain).
- Zanetti, 1995: 6 (*Acrolocha*; Italy).
- Assing, Frisch, Kahlen, et al., 1998: 122 (note).

▲ **DISTRIBUTION:** Europe, Russia, Canada, USA.

*striata* Gravenhorst, 1802: 119 (*Omalium*; Type locality: Not cited, but presumably Brunsvigae).

- Latreille, 1804: 374 (*Omalium*; characters; Germany).
- Gravenhorst, 1806: 216 (*Omalium*; notes).
- Gyllenhal, 1810: 231 (*Omalium*; characters; Sweden).
- Olivier, 1811: 479 (*Omalium*; characters).
- Gyllenhal, 1813: 702 (*Omalium*; characters for variety; Sweden).
- Mannerheim, 1830: 55 (*Anthobium*; Sweden).
- Mannerheim, 1831: 469 (*Anthobium*; Sweden).
- Erichson, 1839a: 632 (*Omalium*; characters; Germany).
- Heer, 1839: 177 (*Omalium*; characters; Switzerland).
- Erichson, 1840: 882 (*Omalium*; characters; Europe).
- Laporte, 1840: 192 (*Anthobium*; characters; France).

- Redtenbacher, 1849: 750 (*Omalium*; characters; Austria).
- Thomson, 1857a: 226 (*Omalium*; characters).
- Fairmaire and Laboulbène, 1856: 641 (*Omalium*; characters; France).
- Redtenbacher, 1857: 250 (*Omalium*; characters; Austria).
- Kraatz, 1857d: 1000 (*Omalium*; characters; Germany).
- Thomson, 1858: 38 (*Acrolocha*; type species).
- Thomson, 1859: 50 (type species of *Acrolocha*).
- Thomson, 1861: 202 (*Acrolocha*; characters; Scandinavia).
- Fauvel, 1871a: 86 [= 1872: 60] (*Omalium*, cited as *Homalium*; subgroup *Acrolocha*; characters; France; Britain; Germany; Switzerland; Austria; Corsica).
- Fauvel, 1873b: 113 [= 1873c: 6] (*Omalium*, cited as *Homalium*; characters; France; Scandinavia).
- Redtenbacher, 1874: 274 (*Omalium*; characters; Austria).
- Seidlitz, 1875: 236 (*Acrolocha*; characters; Baltic region).
- Mulsant and Rey, 1880: 262 (*Acrolocha*; characters; France).
- Ganglbauer, 1895: 743 (*Acrolocha*; characters; Europe).
- Montandon, 1908: 77 (*Acrolocha*; Romania).
- Reitter, 1909: 194 (*Acrolocha*; characters; Germany).
- Bernhauer and Schubert, 1910: 45 (*Acrolocha*; catalog).
- Johansen, 1914: 619 (*Acrolocha*; characters; Denmark).
- Eichelbaum, 1914: 95 (*Acrolocha*; abdominal segmentation; apical segments).
- Portevin, 1929: 450 (*Acrolocha*; characters; France).
- Scheerpeltz, 1933: 1039 (*Acrolocha*; catalog).
- Scheerpeltz, 1937a: 121 (*Acrolocha*; characters in key; Europe; Siberia).
- Palm, 1948: 65 (*Acrolocha*; characters; Sweden; Denmark).
- Hatch, 1957: 78 (*Acrolocha*; characters; British Columbia; Idaho; Washington; Oregon).
- Steel, 1957: 159 (*Acrolocha*; synonym of *minuta*).
- Horion, 1963: 55 (*Acrolocha*; Denmark; Sweden; Russia; Britain; Holland; Belgium; France; Iberian Peninsula; Switzerland; Corsica; Italy; Romania; Hungary; Czechoslovakia; Poland; Germany; Austria).
- Lohse, 1964: 36 (*Acrolocha*; characters; central Europe).
- Tóth, 1976: 87 (*Acrolocha*; cited as valid species; characters).
- Tóth, 1976a: 116 (*Acrolocha*; cited as valid species; Hungary).
- Pope, 1977: 23 (*Acrolocha*; synonym of *minuta*).
- Zanetti, 1979: 548 (*Acrolocha*; cited as valid species; notes; Italy).
- Tóth, 1982: 49 (*Acrolocha*; cited as valid species; characters; Hungary).
- Zanetti, 1987: 162 (*Acrolocha*; synonym of *minuta*).
- Lucht, 1987: 86 (*Acrolocha*; checklist; Germany; Poland; Czechoslovakia; Austria; Switzerland; France; Benelux; Denmark; Sweden).
- Boháč, 1993: 40 (*Acrolocha*; synonym of *minuta*).
- Zanetti, 1995: 6 (*Acrolocha*; synonym of *minuta*).
- Thayer, 1992a: 25 (requested to place name on Official List of Specific Names in Zoology).
- ICZN, 1993a: 164 (name placed on Official List of Specific Names in Zoology).
- Assing, Frisch, Kahlen, et al., 1998: 122 (*Acrolocha*; synonym of *minuta*).

**miyamorii** Watanabe, 1990: 68 (*Acrolocha*; Type locality: Japan: Hokkaido: near Lake Kuttara-ko, Iburi).

▲ **DISTRIBUTION:** Japan.

**pliginskii** Bernhauer, 1912k: 259 (*Acrolocha*; Type locality: Krim, Sebastopol).

- Scheerpeltz, 1937a: 123 (*Acrolocha*; characters in key; north Europe; Russia; Caucasus).
- Palm, 1948: 66 (*Acrolocha*; characters; Sweden; Denmark; Finland).
- Steel, 1957: 164 (*Acrolocha*; characters; Crimea; Finland; Sweden; Denmark; Caucasus).
- Horion, 1963: 57 (*Acrolocha*; Ukraine; Georgia; Urals; Sweden; Finland; Russia; Denmark; Germany).
- Lohse, 1964: 37 (*Acrolocha*; characters; central Europe).
- Tóth, 1976: 88 (*Acrolocha*; characters).



- Tóth, 1976a: 115, 117 (*Acrolocha*; notes; Hungary).
- Zanetti, 1979: 548 (*Acrolocha*; notes; Italy).
- Tóth, 1982: 50 (*Acrolocha*; characters; Hungary).
- Zanetti, 1987: 167 (*Acrolocha*; characters; Italy).
- Ádám, 1987: 137 (*Elonium*; collecting notes; Hungary).
- Lucht, 1987: 86 (*Acrolocha*; checklist; Germany; Denmark; Sweden).
- Zanetti, 1995: 6 (*Acrolocha*; Italy).

▲ **DISTRIBUTION:** Finland, Sweden, Denmark, Hungary, Italy, Ukraine, Caucasus.

*rugosa* Hatch, 1957, see: *exsculptum* Mäklin, 1852.

*striata* Gravenhorst, 1802, see: *minuta* Olivier, 1795.

**sulcula** Stephens, 1834: 336 (*Anthobium*; Type locality: Somersetshire; Norfolk).

- Curtis, 1829: 29 (*Omalium*; cited as *striatum*; [**Note:** Misidentification: *A. striata* of British authors prior to 1954 refer to *A. sulcula* according to Pope, 1977]; catalog; Britain).
- Stephens, 1834: 349 (*Omalium*; characters; cited as *striatum*; [**Note:** Misidentification: *A. striata* of British authors prior to 1954 refer to *A. sulcula* according to Pope, 1977]; England).
- Lacordaire, 1835: 475 (*Anthobium*; [**Note:** Misidentification: Bernhauer and Schubert, 1910: 45 cited *striata* Lacordaire as a synonym of *sulculus* Stephens; Lacordaire did not describe the species as new, he attributed it to Gravenhorst]; characters; France).
- Stephens, 1839: 425 (*Anthobium*; characters; England).
- Stephens, 1839: 428 (*Omalium*; characters; cited as *striatum*; [**Note:** Misidentification: *A. striata* of British authors prior to 1954 refer to *A. sulcula* according to Pope, 1977]; England).
- G. Waterhouse, 1858: 32 (*Omalium*; synonym of *striatum*).
- Fauvel, 1873b: 113 [= 1873c: 6] (*Omalium*, cited as *Homalium*; characters; France; Britain; Corsica).
- J. Sahlberg, 1876: 428 (*Acrolocha*; characters; Finland).
- Mulsant and Rey, 1880: 265 (*Acrolocha*; characters; France).
- Fowler, 1888: 423 (*Omalium*, cited as *Homalium*; subgenus *Acrolocha*; characters; cited as *striatum*; [**Note:** Misidentification: *A. striata* of British authors prior to 1954 refer to *A. sulcula* according to Pope, 1977]; Britain).
- Ganglbauer, 1895: 744 (*Acrolocha*; characters; west Europe; Corsica; Caucasus).
- Fauvel, 1902b: 52 (*Omalium*, cited as *Homalium*; Tunisia).
- Sainte-Claire Deville, 1906: 69 (*Omalium*, cited as *Homalium*; Corsica).
- Reitter, 1909: 194 (*Acrolocha*; characters; Germany).
- Bernhauer and Schubert, 1910: 45 (*Acrolocha*; catalog).
- Johansen, 1914: 619 (*Acrolocha*; cited as *sulcatula*; [**Note:** Misspelling: Scheerpeltz, 1933: 1039 cited *sulcatula* Johansen as a synonym of *sulculus*]; characters; Denmark).
- Portevin, 1929: 450 (*Acrolocha*; characters; France).
- Scheerpeltz, 1933: 1039 (*Acrolocha*; catalog).
- Horion, 1935: 176 (*Acrolocha*; note on spelling; Netherlands; Germany).
- Scheerpeltz, 1937a: 122 (*Acrolocha*; characters in key; Europe; Mediterranean region; Caucasus).
- Palm, 1948: 65 (*Acrolocha*; characters; Sweden; Finland).
- Steel, 1957: 164 (*Acrolocha*; characters; Europe and Caucasus).
- V. Hansen, 1962: 242 (*Acrolocha*; Denmark).
- Horion, 1963: 56 (*Acrolocha*; Britain; Norway; Sweden; Finland; Russia; Denmark; Holland; Belgium; France; Spain; Corsica; Sardinia; Germany; Austria).
- Lohse, 1964: 37 (*Acrolocha*; characters; central Europe).
- Tóth, 1976: 87 (*Acrolocha*; characters).
- Tóth, 1976a: 116, 117 (*Acrolocha*; notes; Hungary).
- Pope, 1977: 23 (*Acrolocha*; Britain).
- Hammond, 1980: 138 (*Acrolocha*; Ireland).
- Zanetti, 1979: 549 (*Acrolocha*; notes; Italy).
- Tóth, 1982: 50 (*Acrolocha*; characters; Hungary).
- Zanetti, 1987: 167 (*Acrolocha*; characters; Italy).
- Lucht, 1987: 86 (*Acrolocha*; checklist; Germany; Poland; Austria; France; Benelux; Denmark; Sweden).

- Wittwer, 1993: 247 (*Elonium*; Switzerland).
- Boháč, 1993: 40 (*Acrolocha*; Czech Republic).
- Cuccodoro, 1995: 262 (*Acrolocha*; water loading behavior).
- Sparacio, 1995: 140 (*Acrolocha*; characters; notes; Sicily).
- Zanetti, 1995: 6 (*Acrolocha*; Italy).

▲ **DISTRIBUTION:** Europe, Caucasus.

### **Acrulia**

[5 species; Nearctic and Palaearctic Regions]

*Acrulia* Thomson, 1858: 38 (species included: *inflata*). **TYPE SPECIES:** *Omalium inflatum* Gyllenhal, fixed by monotypy.

- Thomson, 1859: 50 (characters; type species).
- Thomson, 1861: 199 (characters).
- Fauvel, 1871a: 82 [= 1872: 56] (characters).
- Fauvel, 1875a: IV [= 1875b: 206] (catalog).
- Mulsant and Rey, 1880: 285 (characters).
- Heyden, 1880: 83 (list of species of Siberian region).
- Fowler, 1888: 424 (notes).
- Heyden, Reitter, and Weise, 1891: 121 (list of species of Europe and Caucasus).
- Ganglbauer, 1895: 745 (characters).
- Heyden, Reitter, and Weise, 1906: 129 (list of species of Europe and Caucasus).
- Reitter, 1909: 194 (characters).
- Bernhauer and Schubert, 1910: 44 (world catalog; 3 species).
- Petri, 1912: 52 (list of species of Siebenbürgen).
- Johansen, 1914: 621 (characters).
- Leng, 1920: 94 (catalog of North American species).
- Winkler, 1925: 328 (catalog for Palaearctic region).
- Porta, 1926: 18 (characters; species of Italy).
- Roubal, 1930: 304 (catalog; Slovakia).
- Joy, 1932: 95 (key to British species).
- Scheerpeltz, 1933: 1038 (world catalog supplement).
- Scheerpeltz, 1937b: 186 (list of Bulgarian species).
- Kloet and Hincks, 1945: 160 (list of British species).
- Palm, 1948: 62 (characters; species of Sweden).
- Tottenham, 1949: 354, 405 (type species: *inflata* Gyllenhal; list of British species).
- Tottenham, 1954: 19 (characters; British species).
- Hatch, 1957: 52, 81 (characters; species of Pacific Northwest).
- Horion, 1963: 53 (list of central European species).
- Székessy, 1963: 13 (characters).
- Lohse, 1964: 36 (characters; key to central European species).
- Scheerpeltz, 1968a: 7 (catalog of Austrian species).
- Steel, 1970a: 10 (larval characters; biological notes).
- Tikhomirova, 1973a: 137 (checklist of species of USSR).
- Moore and Legner, 1975: 179 (catalog; North America north of Mexico).
- Pototskaia, 1976: 165 (larval characters).
- Pope, 1977: 23 (list of British species).
- Topp, 1978: 308 (larval characters).
- Burakowski, Mroczkowski, and Stefańska, 1979: 27 (catalog; Poland).
- Moore and Legner, 1979: 204 (characters; notes).
- Muona, 1979: 17 (list of Scandinavian species).
- Tóth, 1982: 46 (characters; habitus; key to species of Hungary).
- Zanetti, 1987: 155 (characters; habitus; species of Italy).
- Muona and Viramo, 1986: 15 (list of species of northeastern Finland).
- M. Hansen, Kristensen, Mahler, Pedersen, 1991: 106 (list of Danish species).
- Campbell and Davies, 1991: 88 (checklist of species; Alaska and Canada).

- Silfverberg, 1992: 21 (list of species of Fennoscandia, Denmark, and the Baltic States).
- Boháč, 1993: 40 (list of species of Czech Republic and Slovakia).
- Zanetti, 1995: 6 (list of species of Italy).
- M. Hansen, 1996: 93 (list of Danish species).
- M. Hansen, Palm, Pedersen, and Runge, 1998: 69 (list of species collected in 1997; Denmark).
- Newton, Thayer, Ashe, and Chandler, 2000: 336 (1 Nearctic species; notes; characters in key).

**angusticollis** Reitter, 1909: 194 (*Acrulia*; Type locality: Kroatien: Velebitgebirge).

- Bernhauer and Schubert, 1910: 44 (*Acrulia*; catalog).
- Székessy, 1939b: 375 (*Acrulia*; characters in key).
- Tóth, 1982: 47 (*Acrulia*; characters).

▲ **DISTRIBUTION:** Croatia.

**armeniaca** Székessy, 1939b: 374 (*Acrulia*; Type locality: Lenkoran).

- Tikhomirova, 1973a: 140 (*Acidota*; checklist; Transcaucasia).

▲ **DISTRIBUTION:** Azerbaijan.

*corticalis* Heer, 1834 [**Note: Nomen nudum**], see: *inflata* Gyllenhal, 1813.

*egregia* Redtenbacher, 1874, see: *inflata* Gyllenhal, 1813.

**inflata** Gyllenhal, 1813: 700 (*Omalium*; Type locality: Smolandia; Westrogothia: Mysseberg).

- Gyllenhal, 1827: 466 (*Omalium*).
- Zetterstedt, 1828: 53 (*Omalium*; characters; Lapland).
- C. Sahlberg, 1830: 285 (*Omalium*; characters; Finland).
- Mannerheim, 1830: 51 (*Omalium*; Sweden).
- Mannerheim, 1831: 465 (*Omalium*; Sweden).
- Stephens, 1834: 343 (*Anthobium*; characters; England).
- Zetterstedt, 1838: 52 (*Omalium*; characters; habitat; Lapland; Sweden).
- Heer, 1839: 185 (*Phloeonomus*; characters; Switzerland).
- Stephens, 1839: 426 (*Lathrimaeum*; characters; England).
- Erichson, 1840: 883 (*Omalium*; characters; Sweden; Finland; Germany).
- Redtenbacher, 1849: 829 (*Omalium*; characters; Austria).
- Hardy, 1851: 58 (*Phloeonomus*; notes; England).
- Thomson, 1857a: 227 (*Omalium*; characters).
- Fairmaire and Laboulbène, 1856: 645 (*Omalium*; characters; France).
- Redtenbacher, 1857: 252 (*Omalium*; characters; Austria).
- Kraatz, 1857d: 1002 (*Omalium*; characters; Germany).
- Thomson, 1858: 38 (*Acrulia*; type species).
- Thomson, 1859: 50 (type species of *Acrulia*).
- Thomson, 1861: 200 (*Acrulia*; characters; Scandinavia).
- Fauvel, 1865a: 319 [= 1865b: 69] (*Omalium*; habitat; France).
- Fauvel, 1871a: 82 [= 1872: 56] (*Acrulia*; characters; France; Lapland; Scandinavia; Britain; Germany; Switzerland; Italy; Austria).
- Redtenbacher, 1874: 276 (*Omalium*; characters; Austria).
- Seidlitz, 1875: 239 (*Acrulia*; cited as *Arculia*; characters; Baltic region).
- J. Sahlberg, 1876: 215 (*Acrulia*; Finland).
- Mulsant and Rey, 1880: 287 (*Acrulia*; characters; France).
- Fowler, 1888: 424 (*Acrulia*; characters; Britain).
- Seidlitz, 1891: 344 (*Acrulia*; characters; Europe).
- Seidlitz, 1891a: 366 (*Acrulia*; characters; Europe).
- Ganglbauer, 1895: 745 (*Acrulia*; characters; north and middle Europe).
- Reitter, 1909: 194 (*Acrulia*; characters; Germany).
- Bernhauer and Schubert, 1910: 44 (*Acrulia*; catalog).
- Johansen, 1914: 621 (*Acrulia*; characters; Denmark).
- Portevin, 1929: 450 (*Acrulia*; characters; France).
- Scheerpeltz, 1933: 1038 (*Acrulia*; catalog).
- Székessy, 1939b: 375 (*Acrulia*; characters in key).
- Palm, 1948: 63 (*Acrulia*; characters; Sweden; Denmark; Norway; Finland).

- Horion, 1963: 53 (*Acrulia*; Britain; Norway; Sweden; Finland; Russia; Denmark; Holland; Belgium; France; Switzerland; Italy; Croatia; Bosnia-Herzegovina; Bulgaria; Romania; Czechoslovakia; Poland; Russia; Germany; Austria).
- Lohse, 1964: 36 (*Acrulia*; characters; central Europe).
- Steel, 1970a: 10 (*Acrulia*; larval characters; biological notes).
- Legner and Moore, 1977: 175 (*Acrulia*; found under bark).
- Pope, 1977: 23 (*Acrulia*; Britain).
- Hammond, 1980: 137 (*Acrulia*; Ireland).
- Tóth, 1982: 47 (*Acrulia*; characters; Hungary).
- Segers, 1986: 19 (*Acrulia*; checklist of species; Belgium).
- Zanetti, 1987: 156 (*Acrulia*; characters; Italy).
- Lucht, 1987: 86 (*Acrulia*; checklist; Germany; Poland; Czechoslovakia; Austria; France; Benelux; Denmark; Sweden).
- Boháč, 1993: 40 (*Acrulia*; Czech Republic; Slovakia).
- Zanetti, 1995: 6 (*Acrulia*; Italy).
- Fowles, Alexander, and Key, 1999: 129 (*Acrulia*; saproxylic species; status as endangered or threatened species; Britain).
- Cibulskis, 1999: 34 (*Acrulia*; list; Latvia).
- ▲ **DISTRIBUTION:** Europe.

*corticalis* Heer, 1834: 76 (*Omaliium*; subgenus *Anthobium*; [Note: **Nomen nudum**, cited without characters]; elevational listing).

- Fauvel, 1871a: 82 [= 1872: 56] (*Acrulia*; synonym of *inflata*).
- Ganglbauer, 1895: 745 (*Acrulia*; synonym of *inflata*).
- Bernhauer and Schubert, 1910: 44 (*Acrulia*; synonym of *inflata*).

*longicollis* Gredler, 1874: 52 (*Proteinus*; Type locality: Südtirol).

- Ganglbauer, 1895: 745 (*Acrulia*; synonym of *inflata*).
- Bernhauer and Schubert, 1910: 44 (*Acrulia*; synonym of *inflata*).

*egregia* Redtenbacher, 1874: 550 (*Proteinus*; Type locality: Rax-Alpe).

- Ganglbauer, 1895: 745 (*Acrulia*; synonym of *inflata*).
- Bernhauer and Schubert, 1910: 44 (*Acrulia*; synonym of *inflata*).

*longicollis* Gredler, 1874, see: *inflata* Gyllenhal, 1813.

**punctata** Coiffait, 1978f: 272 (*Acrulia*; Type locality: Aude, environs de Carcassonne).

- Zanetti, 1986: 95 (*Acrulia*; probably synonym of *Dialycera distincticornis*).

▲ **DISTRIBUTION:** France.

**tumidula** Mäklin, 1853: 199 (*Omaliium*; Type locality: insula Sitkha; insula Afognak).

- Fauvel, 1878d: 205 [= 1878e: 41] (*Acrulia*; characters; Alaska).
- Bernhauer and Schubert, 1910: 44 (*Acrulia*; catalog).
- Hatch, 1957: 81 (*Acrulia*; characters; British Columbia; Washington).
- Legner and Moore, 1977: 175 (*Acrulia*; found under bark).

▲ **DISTRIBUTION:** Canada, USA.

### **Allodrepa**

[2 species; Antarctic Region]

*Allodrepa* Steel, 1964: 359 (species included: *decipiens*, *subcylindrica*). **TYPE SPECIES:** *Allodrepa decipiens* Steel, fixed by original designation.

- Steel, 1970a: 23 (larval characters; biological notes).
- Klimaszewski, Newton, and Thayer, 1996: 146 (endemic to New Zealand).

**decipiens** Steel, 1964: 360 (*Allodrepa*; also larval characters; Type locality: Campbell Island; Shoal Point).

- Steel, 1970a: 23 (*Allodrepa*; larval characters; biological notes).
- Marris, 2000: 174 (*Allodrepa*; collecting notes; Bollons Island [Antipodes]; also known from Campbell Island).

▲ **DISTRIBUTION:** Campbell Island, Antipodes Islands.

- subcylindrica** Kiesenwetter, 1877: 164 (*Omalium*; Type locality: Auckland Islands).  
 — Fauvel, 1877: 190 (*Omalium*, cited as *Homalium*; characters; Auckland Islands).  
 — Bernhauer and Schubert, 1910: 57 (*Omalium*; subgenus *Omalium*; catalog).  
 — Gourlay, 1950: 184 (*Omalium*; may not be in *Omalium*; republication of original description; collecting notes).  
 — Steel, 1964: 363 (*Allodrepa*; characters; Auckland, French, and Ewing Islands).  
 ▲ **DISTRIBUTION:** Auckland Islands.

#### **Antarctotachinus**

[1 species; Antarctic Region]

- Antarctotachinus* Enderlein, 1909: 379 (species included: *crozetensis*). **TYPE SPECIES:** *Antarctotachinus crozetensis* Enderlein, fixed by monotypy.  
 — Bernhauer and Schubert, 1916: 487 (world catalog; 1 species).  
 — Scheerpeltz, 1934: 1514 (world catalog supplement).  
 — Jeannel, 1940: 116, 120 (characters; type species: *crozetensis* Enderlein).  
 — Blackwelder, 1952: 55 (type species: *crozetensis*).  
**crozetensis** Enderlein, 1909: 380 (*Antarctotachinus*; also larval description on page 381; Type locality: Crozet-Inseln: Possession Island: Weihnachts-Bucht).  
 — Bernhauer and Schubert, 1916: 487 (*Antarctotachinus*; catalog).  
 — Scheerpeltz, 1934: 1514 (*Antarctotachinus*; catalog).  
 — Jeannel, 1940: 123 (*Antarctotachinus*; adult, larval, and pupal characters).  
 — Paulian, 1941: 149 (*Antarctotachinus*; larval characters; Crozet Islands).  
 ▲ **DISTRIBUTION:** Crozet Islands.

#### **Anthobiomimus**

[2 species; Australian Region]

- Anthobiomimus* Steel, 1953b: 171 (species included: *unicolor*, *differens*). **TYPE SPECIES:** *Anthobiomimus unicolor* Steel, fixed by original designation.  
**differens** Steel, 1953b: 174 (*Anthobiomimus*; Type locality: Western Australia: Fremantle).  
 ▲ **DISTRIBUTION:** Australia.  
**unicolor** Steel, 1953b: 173 (*Anthobiomimus*; Type locality: Western Australia: Fremantle).  
 ▲ **DISTRIBUTION:** Australia.

#### **Austrolophrum**

[2 species; Australian Region]

- Austrolophrum* Steel, 1938a: 28 (species included: *cribriceps*). **TYPE SPECIES:** *Amphichroum cribriceps* Fauvel, by original designation and monotypy.  
 — Steel, 1949b: 232 (characters; illustrations; notes; key to species).  
 — Blackwelder, 1952: 70 (type species: *cribriceps*).  
 — Steel, 1970a: 23 (larval characters; biological notes).  
*adelaidae* Blackburn, 1892, see: *cribriceps* Fauvel, 1878.  
**australe** Fauvel, 1877: 191 (*Amphichroum*; Type locality: Nouvelle Galles du Sud, Sydney).  
 — Fauvel, 1878g: 486 (*Amphichroum*; characters).  
 — Bernhauer and Schubert, 1910: 70 (*Amphichroum*; catalog).  
 — Steel, 1949b: 238 (*Austrolophrum*; characters; Australia).  
 ▲ **DISTRIBUTION:** Australia.  
**cribriceps** Fauvel, 1878g: 486 (*Amphichroum*; Type locality: Australie du Sud, Nouvelle-Galles, Angas).  
 — Blackburn, 1892: 23 (*Amphichroum*; notes; Australia).  
 — Bernhauer and Schubert, 1910: 70 (*Amphichroum*; catalog).  
 — Steel, 1938a: 28 (*Austrolophrum*).  
 — Steel, 1949b: 235 (*Austrolophrum*; characters; illustrations; Australia).  
 — Steel, 1970a: 23 (*Austrolophrum*; biological notes).  
 ▲ **DISTRIBUTION:** Australia.

*guichardi* Steel, 1949b: 237 (*Austrolophrum*; variety of *cribriceps*; Type locality: Mt. Martha, Victoria).

*adelaidae* Blackburn, 1892: 23 (*Amphichroum*; cited as *Amphicroum*; Type locality: S. Australia; near Adelaide).

— Bernhauer and Schubert, 1910: 70 (*Amphichroum*; catalog).

— Steel, 1949b: 235 (*Austrolophrum*; synonym of *cribriceps*).

*guichardi* Steel, 1949, see: *cribriceps* Fauvel, 1878.

### **Brouniellum**

[7 species; Australian Region]

*Brouniellum* Bernhauer, 1939f: 198 (species included: *sagoloide*, *australe*, *majus*, *hirtellum*, *parcum*). **TYPE SPECIES:** *Brouniellum hirtellum* Bernhauer, fixed by original designation.

— Cameron, 1947d: 701 (characters).

— Blackwelder, 1952: 86 (type species: *hirtellum*).

— Klimaszewski, Newton, and Thayer, 1996: 146 (endemic to New Zealand).

**australe** Broun, 1894: 426 (*Omalium*; Type locality: West Plains, Invercargill).

— Bernhauer and Schubert, 1910: 51 (*Omalium*; subgenus *Omalium*; catalog).

— Bernhauer, 1939f: 200 (*Brouniellum*).

▲ **DISTRIBUTION:** New Zealand.

**hilarum** Broun, 1914: 90 (*Omalium*; Type locality: Erua, near Waimarino).

— Scheerpeltz, 1933: 1045 (*Omalium*; catalog).

— Kuschel, 1990: 25, 43 (*Brouniellum*; endemic; winged; habitat; New Zealand).

▲ **DISTRIBUTION:** New Zealand.

**hirtellum** Bernhauer, 1939f: 200 (*Brouniellum*; Type locality: Neu-Seeland: North Island: Pudding Hill, near Methven; Auckland).

▲ **DISTRIBUTION:** New Zealand.

**majus** Bernhauer, 1939f: 201 (*Brouniellum*; Type locality: New Zealand).

▲ **DISTRIBUTION:** New Zealand.

**parcum** Bernhauer, 1939f: 201 (*Brouniellum*; Type locality: Neu-Seeland: North Island: Pudding Hill, near Methven; Howick).

▲ **DISTRIBUTION:** New Zealand.

**sagoloide** Sharp, 1886a: 381 (*Omalium*; Type locality: New Zealand: Picton).

— Broun, 1893: 1035 (*Omalium*; characters; New Zealand).

— Bernhauer and Schubert, 1910: 56 (*Omalium*; subgenus *Omalium*; catalog).

— Bernhauer, 1939f: 200 (*Brouniellum*).

▲ **DISTRIBUTION:** New Zealand.

**zealandicum** Cameron, 1947d: 702 (*Brouniellum*; Type locality: New Zealand: Canterbury: Mistake Creek. Also cited from Stewart Island).

▲ **DISTRIBUTION:** New Zealand.

### **Carcinocephalus**

[4 species; Palaearctic Region]

*Carcinocephalus* Bernhauer, 1903c: 592 (replacement name for *Astacops* Bernhauer). **TYPE SPECIES:** *Omalium merkli* Eppelsheim, fixed by R. Lucas, 1920: 164, by subsequent designation.

— Heyden, Reitter, and Weise, 1906: 132 (list of species of Europe and Caucasus).

— Bernhauer and Schubert, 1910: 61 (world catalog; 2 species).

— Winkler, 1925: 332 (catalog for Palaearctic region).

— Scheerpeltz, 1934b: 81 (characters; notes; key to species).

— Székessy, 1963: 15 (characters).

— Tikhomirova, 1973a: 139 (cited as *Carinocephalus*; checklist of species of USSR).

- Tóth, 1982: 68 (*Carcinocephalus*; characters; Hungary).
- Zanetti, 1987: 240 (characters; habitus; species of Italy).
- Zanetti, 1995: 7 (list of species of Italy).
- Newton, Thayer, Ashe, and Chandler, 2000: 336 (3 ? Nearctic species; placement of species uncertain; notes; characters in key).

*Astacops* Bernhauer, 1902c: 61 (species included: *merkli*, *mehadiensis*; **preoccupied** by Boisduval, 1835). **TYPE SPECIES:** *Omalium merkli* Eppelsheim, fixed by objective synonymy with *Carcinocephalus* for which R. Lucas had fixed the type species.

- Blackwelder, 1952: 64 (type species).
- Zanetti, 1987: 240 (synonym of *Carcinocephalus*).

*Scribaia* Luze, 1906: 505 (subgenus of *Omalium*; species included: *blandum*). **TYPE SPECIES:** *Omalium (Scribaia) blandum* Luze, fixed by monotypy.

- Bernhauer and Schubert, 1910: 57 (subgenus of *Omalium*).
- Scheerpeltz, 1934b: 81, 89 (subgenus of *Carcinocephalus*; characters; notes).
- Blackwelder, 1952: 349 (type species: *blanda*).
- Zanetti, 1987: 242 (subgenus of *Carcinocephalus*; characters; habitus; species of Italy).

**blandus** Luze, 1906: 546 (*Omalium*; subgenus *Scribaia*; Type locality: Italien, etruskischer Apennin, Porretta; Veltlin).

- Bernhauer and Schubert, 1910: 57 (*Omalium*; subgenus *Scribaia*; catalog).
- Scheerpeltz, 1934b: 81, 89 (*Carcinocephalus*; subgenus *Scribaia*; characters; notes; Italy).
- Zanetti, 1987: 242 (*Carcinocephalus*; subgenus *Scribaia*; characters; Italy).
- Zanetti, 1995: 7 (*Carcinocephalus*; Italy).

▲ **DISTRIBUTION:** Italy.

**bosnicus** Scheerpeltz, 1934b: 86 (*Carcinocephalus*; subgenus *Carcinocephalus*; Type locality: Ilidze, Bosnien, im Tale der Bosna westlich von Sarajevo).

▲ **DISTRIBUTION:** Bosnia Hercegovina.

**mehadiensis** Bernhauer, 1902c: 62 (*Astacops*; Type locality: Graz bei Mehadia in Südungarn).

- Bernhauer and Schubert, 1910: 61 (*Carcinocephalus*; catalog).
- Scheerpeltz, 1934b: 90 (*Carcinocephalus*; subgenus *Carcinocephalus*; characters).
- Tikhomirova, 1973a: 139 (*Carcinocephalus*, cited as *Carinocephalus*; checklist; southern Carpathians).
- Tóth, 1982: 69 (*Carcinocephalus*; characters).

▲ **DISTRIBUTION:** Romania.

**merkli** Eppelsheim, 1883: 305 (*Omalium*, cited as *Homalium*; Type locality: Kodscha-Balkan).

- Bernhauer and Schubert, 1910: 61 (*Carcinocephalus*; catalog).
- Petri, 1912: 171 (*Carcinocephalus*; Romania).
- Scheerpeltz, 1934b: 91 (*Carcinocephalus*; subgenus *Scribaia*; characters; Balkan region).
- Tikhomirova, 1973a: 139 (*Carcinocephalus*, cited as *Carinocephalus*; checklist; northern Balkans).
- Tóth, 1982: 69 (*Carcinocephalus*; characters).

▲ **DISTRIBUTION:** Romania, Balkan region.

### **Crymus**

[2 species; Neotropical, Antarctic, and Australian Regions]

*Crymus* Fauvel, 1904b: 92 (species included: *antarcticus*). **TYPE SPECIES:** *Crymus antarcticus* Fauvel, fixed by monotypy.

- Bernhauer and Schubert, 1911: 91 (world catalog; 1 species).
- Scheerpeltz, 1933: 1078 (world catalog supplement).
- Herman, 1970: 397 (notes).
- Steel, 1970: 240 (synonyms).
- Steel, 1970a: 24 (larval characters; notes).
- Newton, 1985: 198 (notes on austral distribution).

*Arpediomimus* Cameron, 1917b: 277 (replacement name for *Arpediopsis* Cameron). **TYPE SPECIES:** *Arpediopsis falklandicus* Cameron, fixed by objective synonymy with *Arpediopsis*.

- Scheerpeltz, 1933: 1031 (world catalog supplement).
- Jeannel, 1940: 116, 117 (characters; type species: *falklandicus* Cameron).
- Gourlay, 1950: 182 (notes).
- Blackwelder, 1952: 62 (type species: *falklandicus*).
- Steel, 1964: 348 (characters; key to species).
- Steel, 1970: 240 (synonym of *Crymus*).
- Moore and Legner, 1976: 536 (includes seashore species; notes).

*Arpediopsis* Cameron, 1917: 124 (species included: *falklandicus*; **Preoccupied** by Ganglbauer, 1895). **TYPE SPECIES:** *Arpediopsis falklandica* Cameron, fixed by monotypy.

- Scheerpeltz, 1933: 1031 (synonym of *Arpediomimus*).
- Gourlay, 1950: 182 (synonym of *Arpediomimus*).
- Blackwelder, 1952: 62 (type species: *falklandica*).
- Steel, 1964: 348 (synonym of *Arpediomimus*).
- Steel, 1970: 240 (synonym of *Crymus*).

**antarcticus** Fauvel, 1904b: 93 (*Crymus*; Type locality: Nouvelle-Georgie du Sud).

- Bernhauer and Schubert, 1911: 91 (*Crymus*; catalog).
- Holdhaus, 1932: 166 (*Crymus*; notes; South Georgia Island).
- Scheerpeltz, 1933: 1078 (*Crymus*; catalog).
- Steel, 1970: 240 (*Crymus*; characters; South Georgia).
- Steel, 1970a: 24 (*Crymus*; larval characters).

▲ **DISTRIBUTION:** South Georgia, Falkland Islands.

*falklandicus* Cameron, 1917: 124 (*Arpediopsis*; Type locality: Sandy Beaches in vicinity of Port Stanley, Falkland Islands).

- Scheerpeltz, 1933: 1031 (*Arpediomimus*; catalog).
- Steel, 1964: 349 (*Arpediomimus*; characters; Falkland Islands; South Georgia).
- Steel, 1970: 240 (*Crymus*; synonym of *antarcticus*).

*falklandicus* Cameron, 1917, see: *antarcticus* Fauvel, 1904.

**kronii** Kiesenwetter, 1877: 161 (*Omalium*; Type locality: Auckland Inseln).

- Fauvel, 1877: 188 (*Omalium*, cited as *Homalium*; cited as *kroni*; characters; Auckland Islands).
- Bernhauer and Schubert, 1910: 54 (*Omalium*; subgenus *Omalium*; cited as *kroni*; catalog).
- Scheerpeltz, 1933: 1045 (*Omalium*; cited as *kroni*; catalog).
- Gourlay, 1950: 182 (*Arpediomimus*; cited as *kronii*; collecting notes and range extension).
- Steel, 1964: 350 (*Arpediomimus*; cited as *kroni*; adult and larval characters; Campbell Island; Auckland Island; South Island).
- Klimaszewski, Newton, and Thayer, 1996: 146 (*Crymus*; New Zealand).
- Marris, 2000: 175 (*Crymus*; habitat; Bollons Island [Antipodes]; also known from Auckland Islands; Campbell Island; New Zealand).

▲ **DISTRIBUTION:** New Zealand, Auckland Island, Campbell Island; Antipodes Islands.

*longiceps* Broun, 1914: 89 (*Omalium*; Type locality: Hakapoua, Southland).

- Scheerpeltz, 1933: 1046 (*Omalium*; catalog).
- Gourlay, 1950: 182 (*Arpediomimus*; synonym of *kronii*, cited as *kroni*).
- Steel, 1964: 350 (*Arpediomimus*; synonym of *kronii*, cited as *kroni*).

*longiceps* Broun, 1914, see: *kronii* Kiesenwetter, 1877.

### Dialycera

[5 species; Palaearctic Region]

*Dialycera* Ganglbauer, 1895: 739, 743 (subgenus of *Phyllodrepa*; species included: *distincticornis*). **TYPE SPECIES:** *Omalium distincticornis* Baudi, fixed by monotypy.

- Luze, 1906: 576 (characters; key to species).
- Heyden, Reitter, and Weise, 1906: 131 (list of species of Europe and Caucasus).



- Bernhauer and Schubert, 1910: 49 (subgenus of *Phyllodrepa*; catalog).
- Blackwelder, 1952: 122 (subgenus of *Hapalaraea*; type species: *distincticornis*).
- Zanetti, 1987: 202 (cited as valid genus; characters; habitus; key to species of Italy).
- Zanetti, 1995: 7 (list of species of Italy).

**armena** Khnzorian, 1959: 66 (*Phyllodrepa*; subgenus *Dialycera*; Type locality: ArmSSR: Areni, Ekhegnadzorskii r-n).

- Tikhomirova, 1973a: 138 (*Phyllodrepa*; subgenus *Dialycera*; checklist; Armenia).
- Herman, 2001: 13 (*Dialycera*).

▲ **DISTRIBUTION:** Armenia.

**bimaculata** Luze, 1906: 578 (*Dialycera*; Type locality: Kleinasien: Bulghar-Dagh).

- Bernhauer and Schubert, 1910: 50 (*Phyllodrepa*; subgenus *Hypopycna*; catalog).
- J. Sahlberg, 1913: 58 (*Dialycera*; Caramania).
- Khnzorian, 1959: 68 (*Phyllodrepa*; subgenus *Dialycera*; characters).
- Tikhomirova, 1973a: 138 (*Phyllodrepa*; subgenus *Dialycera*; checklist; Asia Minor).

▲ **DISTRIBUTION:** Turkey.

**distincticornis** Baudi, 1870: 402 (*Omalium*; Type locality: Pedemontio; [Note: See lectotype designation by Zanetti, 1986]).

- Fauvel, 1871a: 87 [= 1872: 61] (*Omalium*, cited as *Homalium*; characters; France; Italy).
- Mulsant and Rey, 1880: 279 (*Hypopycna*; characters; France).
- Ganglbauer, 1895: 743 (*Phyllodrepa*; subgenus *Hypopycna*; characters; Europe).
- Luze, 1906: 577 (*Dialycera*; characters; Italy; France).
- Bernhauer and Schubert, 1910: 50 (*Phyllodrepa*; subgenus *Hypopycna*; catalog).
- Español, 1945: 90 (*Phyllodrepa*; subgenus *Dialycera*; Spain).
- Khnzorian, 1959: 68 (*Phyllodrepa*; subgenus *Dialycera*; characters).
- Zerche, 1991a: 382, 385 (*Dialycera*; aedeagus illustrated; characters discussed).
- Tóth, 1982: 51 (*Hapalaraea*; characters).
- Zanetti, 1986: 97 (*Dialycera*; lectotype designation).
- Zanetti, 1987: 202 (*Dialycera*; characters; Italy).
- Sparacio, 1995: 140 (*Dialycera*; notes).
- Zanetti, 1995: 7 (*Dialycera*; Italy).

▲ **DISTRIBUTION:** Italy, France, Spain.

*subrugata* Rey, 1889: cxix (*Hypopycna*; Type locality: Hyères).

- Ganglbauer, 1895: 743 (*Phyllodrepa*; synonym of *distincticornis*).
- Luze, 1906: 577 (*Dialycera*; synonym of *distincticornis*).
- Bernhauer and Schubert, 1910: 50 (*Phyllodrepa*; synonym of *distincticornis*).

*sekeræ* Reitter, 1905b: 242 (*Phyllodrepa*; subgenus *Dialycera*; Type locality: Italien, bei Bazzano, unweit Bologna).

- Bernhauer and Schubert, 1910: 50 (*Phyllodrepa*; subgenus *Hypopycna*; catalog).
- Zanetti, 1986: 95 (*Dialycera*; synonym of *distincticornis*).
- Zanetti, 1987: 202 (*Dialycera*; synonym of *distincticornis*).

**minuta** Luze, 1906: 582 (*Dialycera*; Type locality: Galiläa: Kana).

- Bernhauer and Schubert, 1910: 50 (*Phyllodrepa*; subgenus *Dialycera*; catalog).
- J. Sahlberg, 1913: 58 (*Dialycera*; Palestine).
- Khnzorian, 1959: 68 (*Phyllodrepa*; subgenus *Dialycera*; characters).

▲ **DISTRIBUTION:** Israel.

*sekeræ* Reitter, 1905, see: *distincticornis* Baudi, 1870.

**striatipennis** Aubé, 1850: 321 (*Omalium*; Type locality: environs de Batoum, Iméritie).

- Luze, 1906: 579 (*Dialycera*; characters; Caucasus).
- Bernhauer and Schubert, 1910: 50 (*Phyllodrepa*; subgenus *Dialycera*; catalog).
- Khnzorian, 1959: 68 (*Phyllodrepa*; subgenus *Dialycera*; characters).
- Tikhomirova, 1973a: 138 (*Phyllodrepa*; subgenus *Dialycera*; checklist; Caucasus).
- Herman, 2001: 13 (*Dialycera*).

▲ **DISTRIBUTION:** Georgia.

*subrugata* Rey, 1889, see: *distincticornis* Baudi, 1870.

**Hapalaraea**

[7 species; Nearctic and Palaearctic Regions]

*Hapalaraea* Thomson, 1858: 38 (species included: *pygmaea*). **TYPE SPECIES:** *Staphylinus pygmaeus* Paykull, fixed by monotypy.

- Thomson, 1859: 50 (characters; type species: *pygmaea*).
- Thomson, 1861: 200 (characters).
- Fauvel, 1871a: 83, 86 [= 1872: 57, 61] (subgroup of *Omalium*, cited as *Homalium*).
- Fauvel, 1875a: IV [= 1875b: 206] (catalog; group of *Omalium*, cited as *Homalium*).
- Mulsant and Rey, 1880: 280 (characters).
- Fowler, 1888: 423 (notes).
- Heyden, Reitter, and Weise, 1891: 121 (list of species of Europe and Caucasus).
- Heyden, Reitter, and Weise, 1906: 130 (subgenus of *Phyllodrepa*; list of species of Europe and Caucasus).
- Bernhauer and Schubert, 1910: 49 (subgenus of *Phyllodrepa*; catalog).
- Roubal, 1930: 307 (catalog; Slovakia).
- Scheerpeltz, 1933: 1042 (world catalog supplement; subgenus of *Phyllodrepa*).
- Palm, 1948: 74 (subgenus of *Dropephylla*; species of Sweden).
- Tottenham, 1949: 354, 406 (type species: *pygmaea* Gyllenhal; list of British species; notes).
- Blackwelder, 1952: 180 (type species: *pygmaea*).
- Tottenham, 1954: 19 (characters; key to British subgenera and species).
- Hatch, 1957: 52, 76 (characters; key to species of Pacific Northwest).
- Székessy, 1963: 14 (characters).
- Lohse, 1964: 37, 40 (subgenus of *Phyllodrepa*; characters).
- Pototskaia, 1967: 20 (larval characters).
- Steel, 1970a: 10 (larval characters; biological notes).
- Tikhomirova, 1973a: 138 (subgenus of *Phyllodrepa*; checklist of species of USSR).
- Moore and Legner, 1975: 193 (catalog; North America north of Mexico).
- Pototskaia, 1976: 164, 165 (larval characters).
- Pope, 1977: 23 (list of British species).
- Topp, 1978: 308 (subgenus of *Phyllodrepa*; larval characters).
- Burakowski, Mroczkowski, and Stefańska, 1979: 30 (catalog; Poland).
- Moore and Legner, 1979: 206 (characters; notes).
- Muona, 1979: 17 (list of Scandinavian species).
- Tóth, 1982: 50 (characters; habitus; key to species of Hungary).
- Zanetti, 1983a: 461 (characters; valid genus).
- Zanetti, 1987: 195 (characters; habitus; key to species of Italy).
- Muona and Viramo, 1986: 15 (list of species of northeastern Finland).
- Lohse and Lucht, 1989: 126 (cited as genus).
- Campbell and Davies, 1991: 88 (checklist of species; Alaska and Canada).
- Silfverberg, 1992: 21 (list of species of Fennoscandia, Denmark, and the Baltic States).
- Boháč, 1993: 40 (list of species of Czech Republic and Slovakia).
- Zanetti, 1995: 7 (list of species of Italy).
- M. Hansen, 1996: 94 (list of Danish species).
- Downie and Arnett, 1996: 436 (characters).
- Lundgren, 1998: 38 (list of species from Florida; records for other States listed for each species).
- Newton, Thayer, Ashe, and Chandler, 2000: 336 (2 Nearctic species; notes; characters in key).

*atriceps* Motschulsky, 1860, see: *pygmaea* Paykull, 1800.

*barri* Hatch, 1957, see: *hamata* Fauvel, 1878.

**hamata** Fauvel, 1878d: 209 [= 1878e: 45] (*Omalium*, cited as *Homalium*; Type locality: Michigan, Detroit).

- Bernhauer and Schubert, 1910: 54 (*Omalium*; subgenus *Omalium*; catalog).
- Blatchley, 1910: 480 (*Omalium*, cited as *Homalium*; characters; Indiana).
- Steel, 1959: 82 (*Hapalaraea*).

- Downie and Arnett, 1996: 438 (*Omalium*; characters; USA).
- Newton, Thayer, Ashe, and Chandler, 2000: 336 (*Hapalaraea*).

▲ **DISTRIBUTION:** USA.

*barri* Hatch, 1957: 77 (*Acrolocha*; Type locality: Ida.: Juliaetta).

- Steel, 1959: 82 (*Acrolocha*; appears to be same as *Hapalaraea hamata*).
- Newton, Thayer, Ashe, and Chandler, 2000: 336 (*Hapalaraea*; synonym of *hamata*).

**humerosa** Fauvel, 1878d: 209 [= 1878e: 45] (*Omalium*, cited as *Homalium*; Type locality: Michigan, Detroit; Pennsylvanie; Missouri).

- Bernhauer and Schubert, 1910: 54 (*Omalium*; subgenus *Omalium*; catalog).
- Notman, 1920b: 693 (*Omalium*; Florida).
- Downie and Arnett, 1996: 438 (*Omalium*; characters; USA).
- Lundgren, 1998: 38 (*Hapalaraea*; Florida; Michigan; North Carolina).

▲ **DISTRIBUTION:** USA.

**humilis** Mäklin, 1853: 197 (*Omalium*; Type locality: interior pars peninsulae Kenai prope fl. Tschunuktnu).

- Fauvel, 1878d: 211 [= 1878e: 47] (*Omalium*, cited as *Homalium*; characters; Alaska).
- Bernhauer and Schubert, 1910: 53 (*Omalium*; subgenus *Omalium*; catalog).
- Hatch, 1957: 81 (*Omalium*; characters; British Columbia).
- Moore and Legner, 1975: 193 (*Hapalaraea*).

▲ **DISTRIBUTION:** Canada, USA.

**lestevoides** Sawada, 1966: 257 (*Hapalaraea*; subgenus *Phyllodrepa*; Type locality: Mt. Noshag, 3800 m).

▲ **DISTRIBUTION:** Afghanistan.

**megarthroides** Fauvel, 1878d: 208 [= 1878e: 44] (*Omalium*, cited as *Homalium*; Type locality: Californie).

- Bernhauer and Schubert, 1910: 49 (*Phyllodrepa*; subgenus *Hapalaraea*; catalog).
- Hatch, 1957: 77 (*Acrolocha*; characters; British Columbia; Idaho; Washington; Oregon).
- Steel, 1959b: 82 (*Hapalaraea*).

▲ **DISTRIBUTION:** Canada, USA.

**pygmaea** Paykull, 1800: 410 (*Staphylinus*; [**preoccupied**]; [**Note:** Bernhauer and Schubert (1910: 49) cited *pygmaea* Gyllenhal (1810: 223) as a species of *Phyllodrepa* (*Hapalaraea*). Gyllenhal did not describe the species he attributed it to Paykull but he also cited *pygmaeus* Gravenhorst, 1806 as a subsequent reference of *pygmaeus* Paykull; the Gravenhorst species cited by Gyllenhal is now in *Xylodromus* where it is listed as a synonym of *testaceus* Erichson; *pygmaeus* Gravenhorst is an available name and Gravenhorst made no mention of the Paykull species]; Type locality: Westrogothia).

- Gyllenhal, 1810: 223 (*Omalium*; [**Note:** Bernhauer and Schubert (1910: 49) cited *pygmaea* Gyllenhal as a valid species; Gyllenhal did not described the species as new, he attributed it to Paykull; further he treated *pygmaea* Gravenhorst, 1806: 206 as a subsequent reference of *pygmaea* Paykull; *pygmaea* Gravenhorst is currently in *Xylodromus*]; characters).
- Stephens, 1834: 356 (*Omalium*; [**Note:** Stephens, 1834: 356 cited Paykull as the author of this name; Stephens, 1829: 298 cited *pygmaeus* with references by Gravenhorst, 1806: 206 and Paykull, 1800: 410 as the same species]; characters; England).
- Lacordaire, 1835: 488 (*Omalium*; [**Note:** Lacordaire cited *pygmaeus* of Paykull, 1800, Gravenhorst, 1806 and Gyllenhal, 1810 as referring to the same species]; characters; France).
- Stephens, 1839: 430 (*Omalium*; characters; England).
- Erichson, 1840: 883 (*Omalium*; [**Note:** Erichson cited Paykull, 1800 and Gyllenhal, 1810 as referring to the same species; see *pygmaeus* Gravenhorst]; characters; Germany; Sweden).
- Heer, 1841: 570 (*Phloeonomus*; characters; Switzerland).
- Redtenbacher, 1849: 829 (*Omalium*; characters; Austria).
- Thomson, 1857a: 226 (*Omalium*; characters).
- Fairmaire and Laboulbène, 1856: 645 (*Omalium*; characters; France).
- Redtenbacher, 1857: 252 (*Omalium*; characters; Austria).

- Kraatz, 1857d: 1001 (*Omalium*; characters; Germany).
- Thomson, 1858: 38 (*Hapalaraea*; type species).
- Thomson, 1859: 50 (type species of *Hapalaraea*).
- Thomson, 1861: 201 (*Hapalaraea*; characters; Scandinavia).
- Fauvel, 1871a: 87 [= 1872: 61] (*Omalium*, cited as *Homalium*; characters; France; Scandinavia; Britain; Germany; Austria; Corsica).
- Redtenbacher, 1874: 276 (*Omalium*; characters; Austria).
- Seidlitz, 1875: 238 (*Hapalaraea*; characters; Baltic region).
- Mulsant and Rey, 1880: 282 (*Hapalaraea*; characters; France).
- Fowler, 1888: 423 (*Hapalaraea*; characters; Britain).
- Seidlitz, 1891: 344 (*Hapalaraea*; characters; Europe).
- Seidlitz, 1891a: 366 (*Hapalaraea*; characters; Europe).
- Ganglbauer, 1895: 742 (*Phyllodrepa*; subgenus *Hapalaraea*; characters; north and middle Europe; Corsica).
- Sainte-Claire Deville, 1906: 68 (*Omalium*, cited as *Homalium*; Corsica).
- Reitter, 1909: 193 (*Phyllodrepa*; subgenus *Hapalaraea*; characters; Germany).
- Bernhauer and Schubert, 1910: 49 (*Phyllodrepa*; subgenus *Hapalaraea*; Gyllenhal cited as author; catalog).
- Johansen, 1914: 617 (*Phyllodrepa*; subgenus *Hapalaraea*; characters; Denmark).
- Portevin, 1929: 449 (*Phyllodrepa*; characters; France).
- Scheerpeltz, 1933: 1042 (*Phyllodrepa*; subgenus *Hapalaraea*; catalog).
- Palm, 1948: 74 (*Phyllodrepa*; subgenus *Hapalaraea*; characters; Sweden; Denmark; Norway; Finland).
- Tottenham, 1949: 406 (*Hapalaraea*; checklist; Britain).
- Horion, 1963: 71 (*Phyllodrepa*; subgenus *Hapalaraea*; Britain; Denmark; Norway; Sweden; Finland; Holland; Belgium; France; Corsica; Italy; Slovenia; Croatia; Hercegovina; Romania; Hungary; Slovakia; Czech Republic; Poland; Germany; Austria).
- Lohse, 1964: 40 (*Phyllodrepa*; subgenus *Hapalaraea*; characters; central Europe).
- Smetana, 1964c: 163 (*Phyllodrepa*; subgenus *Hapalaraea*; Czechoslovakia).
- Focarile, 1964: 60 (*Phyllodrepa*; Italy).
- Coiffait, 1968c: 505 (*Hapalaraea*; Corsica).
- Steel, 1970a: 10 (*Hapalaraea*; larval characters; biological notes).
- Tikhomirova, 1973a: 138 (*Phyllodrepa*; subgenus *Hapalaraea*; checklist; USSR).
- Legner and Moore, 1977: 175 (*Hapalaraea*; found under bark).
- Pope, 1977: 23 (*Hapalaraea*; Britain).
- Muona, 1979: 18 (*Hapalaraea*; Finland; Russia; Sweden; Norway; Denmark).
- Burakowski, Mroczkowski, and Stefańska, 1979: 37 (*Hapalaraea*; catalog; Poland).
- Hammond, 1980: 137 (*Hapalaraea*; unconfirmed in Ireland).
- Tóth, 1980: 97 (*Phyllodrepa*; subgenus *Hapalaraea*; Hungary).
- Tóth, 1982: 57 (*Hapalaraea*; characters; Hungary).
- Zanetti, 1983a: 464 (*Hapalaraea*; characters).
- Terlutter, 1984: 19, 39 (*Phyllodrepa*; notes; Germany).
- Segers, 1986: 20 (*Hapalaraea*; checklist of species; Belgium).
- Zanetti, 1987: 196 (*Hapalaraea*; characters; Italy).
- Lucht, 1987: 87 (*Phyllodrepa*; checklist; Germany; Poland; Czechoslovakia; Austria; Belgium; Netherlands; Luxembourg; Denmark).
- Lohse and Lucht, 1989: 285 (*Hapalaraea*; also cited in *Phyllodrepa*; checklist; Germany; Poland; Czechoslovakia; Austria; France; Belgium; Netherlands; Luxembourg; Denmark; Sweden).
- Gusarov, 1989: 5 (*Hapalaraea*; habitat notes; Ukraine).
- Boháč, 1993: 40 (*Hapalaraea*; subgenus *Hapalaraea*; Slovakia; Czech Republic).
- Silfverberg, 1992: 21 (*Hapalaraea*; Finland; Russia; Sweden; Norway; Denmark).
- Wittwer, 1993: 248 (*Hapalaraea*; Switzerland).
- Boháč, 1993: 40 (*Hapalaraea*; Czech Republic).
- Zanetti, 1995: 7 (*Hapalaraea*; Italy).
- M. Hansen, 1996: 94 (*Hapalaraea*; checklist; Denmark).

- Anderson, Nash, and O'Connor, 1997: 15 (*Hapalaraea*; Ireland).
- Owen, 1999b: 61 (*Hapalaraea*; captured underground at roots of old trees; Britain).
- Fowles, Alexander, and Key, 1999: 129 (*Hapalaraea*; saproxylic species; status as endangered or threatened species; Britain).
- Lott, 1999: 72 (*Hapalaraea*; saproxylic species; habitat; endangered status; Britain).
- Ryabukhin, 1999: 16 (type species of *Hapalaraea*).
- Owen, 2000: 251 (*Hapalaraea*; pitfall trap collections from underground at roots of trees; Britain).
- Herman, 2001: 37 (*Hapalaraea*; although a junior primary homonym of *Staphylinus pygmaeus* Paykull, required replacement should be ignored; prevailing use as valid maintained pending outcome of application to Commission under Article 23.9.5).

▲ **DISTRIBUTION:** Europe.

- ulmi* Motschulsky, 1857a: 493 (*Phloeonomus*; Type locality: Fontainebleau).  
 — Fauvel, 1871a: 87 [= 1872: 61] (*Omalium*, cited as *Homalium*; synonym of *pygmaeus*).  
 — Bernhauer and Schubert, 1910: 49 (*Phyllodrepa*; synonym of *pygmaea*).

- atriceps* Motschulsky, 1860: 543 (*Anthobium*; Type locality: Mont. Tschatyr-Dag en Crimée).  
 — Hochhuth, 1862: 109 (*Anthobium*; characters; Crimea).  
 — Bernhauer and Schubert, 1910: 39 (*Anthobium*; catalog).  
 — Zanetti, 1993: 261 (*Hapalaraea*; synonym of *pygmaea*).

- settei** Zanetti, 1983a: 462 (*Hapalaraea*; Type locality: Haute Asco, Corsica, 1550 m).  
 — Zanetti, 1987: 198 (*Hapalaraea*; characters; Corsica).

▲ **DISTRIBUTION:** Corsica.

*ulmi* Motschulsky, 1857, see: *pygmaea* Paykull, 1800.

### Hypopycna

[1 species; Palaearctic Region]

*Hypopycna* Mulsant and Rey, 1880: 274 (species included: *rufula*; *distincticornis*). **TYPE SPECIES:** *Omalium rufulum* Erichson, fixed by subsequent designation by R. Lucas, 1920: 346.

- Luze, 1906: 574 (characters).
- Heyden, Reitter, and Weise, 1906: 130 (subgenus of *Phyllodrepa*; list of species of Europe and Caucasus).
- Scheerpeltz, 1933: 1043 (world catalog supplement; subgenus of *Phyllodrepa*).
- Tottenham, 1949: 355, 406 (subgenus of *Hapalaraea*; type species: *rufula* Erichson; list of British species).
- Blackwelder, 1952: 196 (type species: *rufula*).
- Lohse, 1964: 37, 41 (subgenus of *Phyllodrepa*; characters).
- Steel, 1970a: 9 (valid genus; larval characters; biological notes).
- Bordoni, 1973j: 656 (subgenus of *Phyllodrepa*; list of species from islands near Sicily).
- Pope, 1977: 23 (list of British species).
- Topp, 1978: 308 (cited as subgenus of *Phyllodrepa*; larval characters).
- Zanetti, 1987: 199 (valid genus; characters; habitus; key to species of Italy).
- Lohse and Lucht, 1989: 126 (cited as genus; notes).
- Zanetti, 1995: 7 (list of species of Italy).

*marina* Ragusa, 1871, see: *rufula* Erichson, 1840.

- rufula** Erichson, 1840: 883 (*Omalium*; Type locality: Austria).  
 — Fairmaire and Laboulbène, 1856: 645 (*Omalium*; characters; France).  
 — Redtenbacher, 1857: 252 (*Omalium*; characters; Austria).  
 — Fauvel, 1871a: 86 [= 1872: 60] (*Omalium*, cited as *Homalium*; characters; France; Germany; Austria; Italy).  
 — Redtenbacher, 1874: 276 (*Omalium*; characters; Austria).  
 — Mulsant and Rey, 1880: 276 (*Hypopycna*; characters; France).

- Mulsant and Rey, 1880: 279 (*Hypopycna*; [**Note:** Misidentification: Bernhauer and Schubert, 1910: 49 cited *distincticornis* Rey as a synonym of *rufula* (cited as *ufula*); Mulsant and Rey did not describe the species as new, they attributed it to Baudi]; characters; France).
- Fauvel, 1886: 96 [= 1886a: 88] (*Omalium*, cited as *Homalium*; Tunisia).
- Seidlitz, 1891: 344 (*Hypopycna*; characters; Europe).
- Seidlitz, 1891a: 366 (*Hypopycna*; characters; Europe).
- Ganglbauer, 1895: 742 (*Phyllodrepa*; subgenus *Hypopycna*; characters; middle Europe; Mediterranean region).
- Fauvel, 1902b: 52 (*Omalium*, cited as *Homalium*; Algeria; Tunisia).
- Luze, 1906: 574 (*Hypopycna*; characters; central Europe; Mediterranean region).
- Sainte-Claire Deville, 1906: 68 (*Omalium*, cited as *Homalium*; Corsica).
- Reitter, 1909: 194 (*Phyllodrepa*; subgenus *Hypopycna*; characters; Germany).
- Bernhauer and Schubert, 1910: 49 (*Phyllodrepa*; subgenus *Hapalaraea*; cited as *ufula*; catalog).
- Portevin, 1929: 448 (*Phyllodrepa*; characters; France).
- Scheerpeltz, 1933: 1043 (*Phyllodrepa*; subgenus *Hypopycna*; catalog).
- Blair, 1944: 20 (*Phyllodrepa*; subgenus *Hypopycna*; characters; Britain).
- Horion, 1963: 73 (*Phyllodrepa*; subgenus *Hypopycna*; Tunisia; France; Corsica; Sardinia; Sicily; Italy; Dalmatia; Austria).
- Lohse, 1964: 41 (*Phyllodrepa*; subgenus *Hypopycna*; characters; central Europe).
- Steel, 1970a: 9 (*Hypopycna*; larval characters; biological notes).
- Pope, 1977: 23 (*Hypopycna*; Britain).
- Tóth, 1982: 52 (*Hapalaraea*; characters).
- Zanetti, 1987: 200 (*Hypopycna*; characters; Italy).
- Lucht, 1987: 87 (*Phyllodrepa*; checklist; Germany; Austria).
- Owen, 1993a: 187 (*Phyllodrepa*; subgenus *Hypopycna*; collecting notes; England).
- Hodge and Jones, 1995: 30 (*Hypopycna*; characters; Britain).
- Sparacio, 1995: 140 (*Hypopycna*; characters; notes; Sicily).
- Zanetti, 1995: 7 (*Hypopycna*; Italy).
- Owen, 1997: 302 (*Hypopycna*; collecting notes; Britain).
- Zanetti and Sabella, 1998: 29 (*Hypopycna*; Sicily).
- ▲ **DISTRIBUTION:** Britain, France, Italy, Austria, Croatia, Algeria, Tunisia.

*marina* Ragusa, 1871: 196 (*Omalium*; Type locality: Palermo).

- Fauvel, 1873b: 114 [= 1873c: 7] (*Omalium*, cited as *Homalium*; synonym of *rufulum*).
- Ganglbauer, 1895: 742 (*Phyllodrepa*; synonym of *rufula*).
- Luze, 1906: 574 (*Hypopycna*; synonym of *rufula*).
- Bernhauer and Schubert, 1910: 49 (*Phyllodrepa*; synonym of *rufula*).

*subrugata* Rey, 1889, see: *Dialycera*.

### Ischnoderus

[15 species; Neotropical and Australian Regions]

*Ischnoderus* Fauvel, 1867a: 46 [= 1868: 51] (species included: *insignis*). **TYPE SPECIES:**  
*Omalium insigne* Fairmaire and Germain, fixed by monotypy.

- Gemminger and Harold, 1868: 671 (catalog).
- Bernhauer and Schubert, 1910: 82 (world catalog; 7 species).
- Scheerpeltz, 1933: 1070 (world catalog supplement).
- Blackwelder, 1944: 102 (checklist of species from Mexico, Central and South America, and the West Indies).
- Blackwelder, 1952: 200 (type species: *insignis*).
- Coiffait and Saiz, 1968: 454 (characters; Chilean species).

*Walkerellus* Bernhauer, 1939f: 203 (subgenus of *Ischnoderus*; species included: *paradoxus*).

- TYPE SPECIES:** *Ischnoderus (Walkerellus) paradoxus* Bernhauer, fixed by monotypy.
- Blackwelder, 1952: 403 (type species: *paradoxus*).

**arecobius** Broun, 1910: 20 (*Ischnoderus*; Type locality: Waitakerei Range).

- Scheerpeltz, 1933: 1070 (*Ischnoderus*; catalog).
- ▲ **DISTRIBUTION:** New Zealand.

- australicus** Cameron, 1943a: 338 (*Ischnoderus*; Type locality: W. Australia: Mundaring).  
▲ **DISTRIBUTION:** Australia.
- bruchii** Bernhauer, 1912d: 30 (*Ischnoderus*; Type locality: Argentinien: Gob. Neuquen).  
— Scheerpeltz, 1933: 1070 (*Ischnoderus*; catalog).  
▲ **DISTRIBUTION:** Argentina.
- cognatus** Broun, 1910: 20 (*Ischnoderus*; Type locality: West Plains, Invercargill).  
— Scheerpeltz, 1933: 1070 (*Ischnoderus*; catalog).  
▲ **DISTRIBUTION:** New Zealand.
- curtipennis** Broun, 1915: 280 (*Ischnoderus*; Type locality: Pudding Hill, near Methven).  
— Scheerpeltz, 1933: 1070 (*Ischnoderus*; catalog).  
▲ **DISTRIBUTION:** New Zealand.
- fultoni** Broun, 1893: 1041 (*Ischnoderus*; Type locality: Taieri).  
— Bernhauer and Schubert, 1910: 82 (*Ischnoderus*; catalog).  
▲ **DISTRIBUTION:** New Zealand.
- genalis** Broun, 1880: 118 (*Omalium*; Type locality: Whangarei Harbour).  
— Broun, 1886: 943 (*Ischnoderus*).  
— Bernhauer and Schubert, 1910: 82 (*Ischnoderus*; catalog).  
— Kuschel, 1990: 25 (*Ischnoderus*; endemic; winged; habitat; New Zealand).  
— Emberson, 1998: 32 (*Ischnoderus*; collecting notes; Chatham Islands).  
▲ **DISTRIBUTION:** New Zealand, Chatham Islands.
- insignis** Fairmaire and Germain, 1861: 454 (*Omalium*; Type locality: Santiago).  
— Fauvel, 1867a: 48 [= 1868: 53] (*Ischnoderus*; characters; Chile).  
— Bernhauer and Schubert, 1910: 82 (*Ischnoderus*; catalog).  
— Coiffait and Saiz, 1968: 454 (*Ischnoderus*; characters; Chile).  
▲ **DISTRIBUTION:** Chile.
- morosus** Broun, 1893: 1041 (*Ischnoderus*; Type locality: Howick).  
— Bernhauer and Schubert, 1910: 82 (*Ischnoderus*; catalog).  
▲ **DISTRIBUTION:** New Zealand.
- nitescens** Bernhauer, 1939f: 202 (*Ischnoderus*; Type locality: Neu-Seeland: Greymouth).  
▲ **DISTRIBUTION:** New Zealand.
- opaciceps** Cameron, 1947d: 703 (*Ischnoderus*; Type locality: New Zealand: N. Auckland: Kava, Whangarei).  
▲ **DISTRIBUTION:** New Zealand.
- paradoxus** Bernhauer, 1939f: 203 (*Ischnoderus*; subgenus *Walkerellus*; Type locality: Tasmania: Hobart).  
▲ **DISTRIBUTION:** Australia.
- pictulus** Broun, 1893: 1040 (*Ischnoderus*; Type locality: near Howick).  
— Bernhauer and Schubert, 1910: 82 (*Ischnoderus*; catalog).  
▲ **DISTRIBUTION:** New Zealand.
- politulus** Broun, 1880: 119 (*Omalium*; Type locality: Parua).  
— Broun, 1886: 943 (*Ischnoderus*).  
— Bernhauer and Schubert, 1910: 82 (*Ischnoderus*; catalog).  
▲ **DISTRIBUTION:** New Zealand.
- tectus** Broun, 1880: 117 (*Omalium*; Type locality: Parua).  
— Broun, 1886: 943 (*Ischnoderus*).  
— Bernhauer and Schubert, 1910: 82 (*Ischnoderus*; catalog).  
— Kuschel, 1990: 25 (*Ischnoderus*; endemic; winged; habitat; New Zealand).  
▲ **DISTRIBUTION:** New Zealand.

**Leaskia**

[2 species; Australian Region]

*Leaskia* Steel, 1938a: 28 (species included: *acidotiformis*). **TYPE SPECIES:** *Leaskia acidotiformis* Steel, fixed by original designation.

— Steel, 1949b: 239 (characters; illustrations; notes; key to species).

— Blackwelder, 1952: 212 (type species: *acidotiformis*).

**acidotiformis** Steel, 1938a: 30 (*Leaskia*; Type locality: Australia: Victoria: Wannon Valley).

— Steel, 1949b: 242 (*Leaskia*; characters; illustrations; Australia).

▲ **DISTRIBUTION:** Australia.

**spinipes** Fauvel, 1878g: 487 (*Amphichroum*; Type locality: Australie occidentale).

— Bernhauer and Schubert, 1910: 70 (*Amphichroum*; catalog).

— Steel, 1949b: 244 (*Leaskia*; characters; illustrations; Australia).

▲ **DISTRIBUTION:** Australia.

**Macralymma**

[1 species; Australian Region]

*Macralymma* Cameron, 1945b: 179 (species included: *punctiventris*). **TYPE SPECIES:** *Macralymma punctiventris* Cameron, fixed by monotypy.

— Blackwelder, 1952: 229 (type species: *punctiventris*).

— Moore and Legner, 1976: 536 (includes seashore species; notes).

**punctiventre** Cameron, 1945b: 179 (*Macralymma*; Type locality: New Zealand: Taieri Beach).

— Emberson, 1998: 32 (*Macralymma*; collecting notes; Chatham Islands).

— Klimaszewski, Newton, and Thayer, 1996: 146 (*Macralymma*; endemic to New Zealand and Chatham Island).

▲ **DISTRIBUTION:** New Zealand, Chatham Islands.

**Metaxylostiba**

[3 species; Oriental Region]

*Metaxylostiba* Steel, 1960a: 171 (species included: *castaneipennis*). **TYPE SPECIES:** *Phloeonomus castaneipennis* Cameron, fixed by original designation and monotypy.

— Smetana, 1992c: 33, 34 (key to species; notes).

**castaneipennis** Cameron, 1928g: 433 (*Phloeonomus*; Type locality: Borneo: Mt. Murud, 5000–6000 feet).

— Scheerpeltz, 1933: 1049 (*Phloeonomus*; subgenus *Phloeonomus*; catalog).

— Steel, 1960a: 171 (*Metaxylostiba*; characters; Sarawak).

— Hammond, 1984: 196 (*Metaxylostiba*; Borneo).

— Smetana, 1992c: 34 (*Metaxylostiba*; characters in key; notes; Borneo).

▲ **DISTRIBUTION:** Borneo.

**hanskii** Smetana, 1992c: 38 (*Metaxylostiba*; Type locality: Sarawak: 4th Division Gn. Mulu N.P.).

▲ **DISTRIBUTION:** Malaysia.

**monticola** Smetana, 1992c: 35 (*Metaxylostiba*; Type locality: Sabah: Borneo Sabah, Mt. Kinabalu N. P., below Laban Rata, 3150 m).

▲ **DISTRIBUTION:** Borneo.

**Micralymma**

[4 species; Nearctic and Palaearctic Regions]

*Micralymma* Westwood, 1838b: 129 (species included: *johnstonis*). **TYPE SPECIES:** *Micralymma johnstonis* Westwood, fixed by monotypy.

— Westwood, 1838a (August): 18 (characters; type species).

— Stephens, 1839: 422 (characters).

— Erichson, 1840: 819 (characters).

— Schiødte, 1845: 374 (characters).

— Schiødte, 1846 (characters; discussion).



- Schaum, 1852: 29 (list of species; Europe).
- Lacordaire, 1854: 134 (characters; notes; list of species).
- Fairmaire and Laboulbène, 1856: 625 (characters).
- Jacquelin du Val, 1857: 66 (characters).
- Redtenbacher, 1857: 241 (characters).
- Thomson, 1858: 37 (characters).
- G. Waterhouse, 1858: 31 (catalog of British species).
- Thomson, 1859: 49 (characters; type species: *brevipenne*).
- Schaum, 1859: 31 (catalog; European species).
- LeConte, 1861a: 70 (characters).
- Thomson, 1861: 187 (characters).
- LeConte, 1863: 26 (list of North American species).
- Jacquelin du Val, 1868: 79 (catalog; European species).
- Fauvel, 1871a: 107 [= 1872: 81] (characters).
- Sharp, 1871d: 14 (list of British species).
- Redtenbacher, 1874: 271 (characters).
- Fauvel, 1875a: VI [= 1875b: 208] (catalog).
- Fauvel, 1878d: 222 [= 1878e: 58] (key to North American species).
- Mulsant and Rey, 1880: 4 (characters).
- Fowler, 1888: 407 (notes).
- Heyden, Reitter, and Weise, 1891: 119 (list of species of Europe and Caucasus).
- Heyden, 1893: 49 (list of species of Siberian region).
- Ganglbauer, 1895: 728 (characters).
- Heyden, Reitter, and Weise, 1906: 132 (list of species of Europe and Caucasus).
- Reitter, 1909: 188 (characters; key to German species).
- Bernhauer and Schubert, 1910: 61 (world catalog; 5 species).
- Johansen, 1914: 602 (characters).
- Leng, 1920: 94 (catalog of North American species).
- Winkler, 1925: 332 (catalog for Palaearctic region).
- Joy, 1932: 94 (key to British species).
- Scheerpeltz, 1933: 1052 (world catalog supplement).
- Kloet and Hincks, 1945: 161 (list of British species).
- Palm, 1948: 90 (characters; Swedish species).
- Tottenham, 1949: 356, 407 (type species: *marina* Ström = *johnstonis* Westwood; list of British species; notes).
- Blackwelder, 1952: 242 (type species: *johnstonis*).
- Tottenham, 1954: 28 (characters; British species).
- Steel, 1958: 138 (characters; key to species).
- Steel, 1962: 238 (key to species; notes).
- Horion, 1963: 97 (list of central European species).
- Lohse, 1964: 49 (characters; key to central European species).
- Pototskaia, 1967: 19 (larval characters).
- Kasule, 1968: 132, 134 (larval characters).
- Steel, 1970a: 17 (larval characters; biological notes).
- Tikhomirova, 1973a: 139 (checklist of species of USSR).
- Moore and Legner, 1975: 197 (catalog; North America north of Mexico).
- Moore and Legner, 1976: 536 (includes seashore species; notes).
- Pope, 1977: 24 (list of British species).
- Topp, 1978: 309 (larval characters).
- Moore and Legner, 1979: 207 (characters; notes).
- Muona, 1979: 18 (list of Scandinavian species).
- Zanetti, 1983: 429 (characters).
- Campbell and Davies, 1991: 88 (checklist of species; Alaska and Canada).
- Silfverberg, 1992: 22 (list of species of Fennoscandia, Denmark, and the Baltic States).
- Downie and Arnett, 1996: 436 (characters; species of Northeastern North America).
- Newton, Thayer, Ashe, and Chandler, 2000: 336 (2 Nearctic species; notes; characters in key).

*Microcalymma* Agassiz, 1847: 232 (emendation of *Micralymma*). **TYPE SPECIES:** *Micralymma johnstonis* Westwood, fixed by objective synonymy with *Micralymma*.

— Blackwelder, 1952: 243 (type species).

*Microcalymma* Gemminger and Harold, 1868: 663 (emendation of *Micralymma*). **TYPE SPECIES:** *Micralymma johnstonis* Westwood, fixed by objective synonymy with *Micralymma*.

— Duvivier, 1883: 197 (catalog).

— Bernhauer and Schubert, 1910: 61 (synonym of *Micralymma*).

— Blackwelder, 1952: 243 (type species).

*Micromalium* Melichar, 1913: 45 (species included: *caucasicum*). **TYPE SPECIES:** *Micromalium caucasicum* Melichar, fixed by monotypy.

— Winkler, 1925: 332 (catalog for Palaearctic region).

— Scheerpeltz, 1933: 1053 (world catalog supplement).

— Blackwelder, 1952: 246 (type species: *caucasicum*).

— Steel, 1962: 238 (synonym of *Micralymma*).

**brevilingue** Schiødte, 1845: 377 (*Micralymma*; Type locality: insula Groenlandiae: Kikertarsoeitsiak).

— Schiødte, 1846: 163 (*Micralymma*; characters; Greenland).

— Fauvel, 1878d: 222 [= 1878e: 58] (*Micralymma*; characters; Greenland).

— Bernhauer and Schubert, 1910: 62 (*Micralymma*; catalog).

— Henriksen and Lundbeck, 1918: 496 (*Micralymma*; Greenland).

— Lindroth, 1957: 256, 260, 263, 292 (*Micralymma*; notes; Siberia; tidal zone high Arctic circumpolar).

— Henriksen, 1939: 43 (*Micralymma*; Greenland).

— Steel, 1958: 140 (*Micralymma*; characters; Greenland to 70°N; Baffin Island).

— Steel, 1962: 238 (*Micralymma*; characters).

— M. Hansen and Martin, 2000: 216 (*Micralymma*; notes).

▲ **DISTRIBUTION:** Greenland, Canada, USA, Russia, Islands of Arctic region.

*dicksoni* Mäklin, 1878: 24 [= 1878a: 300] (*Microcalymma*; Type locality: Jefremow Kamen, 72°40' N. lat.; Krestowskoj 72°15' N. lat.).

— Mäklin, 1881: 42 (*Micralymma*; characters; Jefremov Kamen, lat. bor. 72°40'; Krestowskoj, lat. bor. 72°15').

— J. Sahlberg, 1897: 367 (*Phyllodrepa*; notes; Siberia).

— Poppius, 1909: 5 (*Micralymma*; Lena Valley, Siberia).

— Bernhauer and Schubert, 1910: 62 (*Micralymma*; catalog).

— Van Dyck, 1921: 164 (*Micralymma*; Pribilof Islands, Alaska).

— Scheerpeltz, 1933: 1053 (*Micralymma*; catalog).

— Lindroth, 1957: 260, 261, 262, 292 (*Micralymma*; characters; notes; *dicksoni* and *brevilingue* are one species).

— Steel, 1958: 142 (*Micralymma*; subspecies of *brevilingue*; characters; Arctic coast of Siberia from Jenisei Bay to New Siberian Islands; Commodore Islands; Chukotski Peninsula; Pribiloff Islands; N.W. Territory; Richards Islands).

— Ryabukhin, 1999: 20 (*Micralymma*; cited as valid species; catalog; habitat; distribution; north-eastern Russia).

*brevipenne* Gyllenhal, 1810, see: *marinum* Ström, 1783.

**caucasicum** Melichar, 1913: 46 (*Micromalium*; Type locality: Teberda im nordwestlichen Kaukasus).

— Scheerpeltz, 1933: 1053 (*Micromalium*; catalog).

— Steel, 1962: 238 (*Micralymma*; characters; Caucasus).

— Tikhomirova, 1973a: 139 (*Micralymma*; checklist; northwestern Caucasus).

▲ **DISTRIBUTION:** Russia.

*dicksoni* Mäklin, 1878, see: *brevilingue* Schiødte, 1845.

*johnstonis* Westwood, 1838, see: *marinum* Ström, 1783.

**laticolle** Motschulsky, 1860: 549 (*Micralymma*; Type locality: boréales de la Sibérie orientale près de la mer glaciale dans le Gouv. de Jeniseisk).

— Bernhauer and Schubert, 1910: 62 (*Micralymma*; catalog).

— Steel, 1958: 138 (not in *Micralymma*; probably an *Arpedium*).

▲ **DISTRIBUTION:** Russia.

**marinum** Ström, 1783: 65 (*Staphylinus*; Type locality: Norwegen).

— Fauvel, 1871a: 108 [= 1872: 82] (*Micralymma*; characters; France; Scandinavia; Denmark; Britain).

— Seidlitz, 1875: 237 (*Micralymma*; characters; Baltic region).

— Seidlitz, 1891: 343 (*Micralymma*; characters; Europe).

— Seidlitz, 1891a: 366 (*Micralymma*; characters; Europe).

— Ganglbauer, 1895: 729 (*Micralymma*; characters; France; Britain; Denmark; Scandinavia).

— Poppius, 1905: 11 (*Micralymma*; Shetland Islands).

— Sainte-Claire Deville, 1907: 40 (*Micralymma*; characters; France).

— Reitter, 1909: 188 (*Micralymma*; characters; Germany).

— Bernhauer and Schubert, 1910: 62 (*Micralymma*; catalog).

— Johansen, 1914: 602 (*Micralymma*; characters; Denmark).

— Henriksen and Lundbeck, 1918: 496 (*Micralymma*; Greenland).

— Portevin, 1929: 443 (*Micralymma*; characters; France).

— Scheerpeltz, 1933: 1053 (*Micralymma*; catalog).

— West, 1937: 45 (*Micralymma*; Faroe Islands).

— Henriksen, 1939: 43 (*Micralymma*; Greenland).

— Paulian, 1941: 147 (*Micralymma*; cited as *Micralymna*; larval characters).

— Palm, 1948: 90 (*Micralymma*; characters; Sweden; Norway; Finland).

— Lindroth, 1957: 231, 244, 245, 260, 263 (*Micralymma*; notes on distribution and dispersal).

— Steel, 1958: 140 (*Micralymma*; characters; correction of citation of original description; France; Britain; Shetlands; Faroes; western and northern Scandinavia; Bear Island; Iceland; Greenland; Maine; Newfoundland).

— Larsson and Gígja, 1959: 66 (*Micralymma*; biological notes; Iceland).

— Steel, 1962: 238 (*Micralymma*; characters).

— Horion, 1963: 97 (*Micralymma*; Amphi-Atlantic; France; Belgium; Holland; Britain; Norway; Russia; Shetlands; Faroes; Greenland; Newfoundland; Germany).

— Lohse, 1964: 49 (*Micralymma*; characters; central Europe).

— Pototskaia, 1967: 19 (*Micralymma*; larval characters).

— Steel, 1970a: 17 (*Micralymma*; larval characters; biological notes).

— Pope, 1977: 24 (*Micralymma*; Britain).

— Hammond, 1980: 139 (*Micralymma*; Ireland).

— Frank, 1982: 9 (*Micralymma*; list of parasites).

— Elliott, King, and Fordy, 1983 (*Micralymma*; habitat; natural history).

— Thayer, 1985b (*Micralymma*; natural history notes; Newfoundland; Quebec; Maine; Massachusetts; New Hampshire).

— Elliott and King, 1986 (*Micralymma*; adaptations for intertidal living).

— Segers, 1986: 21 (*Micralymma*; checklist of species; Belgium).

— Lucht, 1987: 88 (*Micralymma*; checklist; Germany; Benelux; Sweden).

— Hicks, 1990: 304 (*Micralymma*; habitat preferences; Newfoundland).

— Downie and Arnett, 1996: 436 (*Micralymma*; characters; Canada; USA).

▲ **DISTRIBUTION:** Russia, Europe, Iceland, Greenland, Canada, USA.

**brevipenne** Gyllenhal, 1810: 234 (*Omalium*; Type locality: Sweden).

— Zetterstedt, 1828: 56 (*Omalium*; characters; Lapland).

— Zetterstedt, 1838: 54 (*Omalium*; characters; habitat; Lapland).

— Erichson, 1840: 820 (*Micralymma*; characters; Sweden; England).

— Schiødte, 1845: 376 (*Micralymma*; characters; Sweden; Norway; Scotland).

— Schiødte, 1846: 162 (*Micralymma*; characters; Norway; Sweden; Scotland).

— Küster, 1854: 22 (*Micralymma*; characters; Europe).

— Hardy, 1851: 53 (*Micralymma*; notes; England).

- Fairmaire and Laboulbène, 1856: 625 (*Micralymma*; characters; France).
- Laboulbène, 1858 (*Micralymma*; anatomy of adults and immatures).
- Staudinger, 1857: 286 (*Micralymma*; notes; Iceland).
- Thomson, 1859: 49 (type species of *Micralymma*).
- Thomson, 1861: 188 (*Micralymma*; characters; Scandinavia).
- Fauvel, 1871a: 108 [= 1872: 82] (*Micralymma*; synonym of *marinum*).
- Redtenbacher, 1874: 271 (*Micralymma*; characters).
- Mulsant and Rey, 1880: 6 (*Micralymma*; characters; France).
- Fowler, 1888: 407 (*Micralymma*; characters; Britain).
- Ganglbauer, 1895: 729 (*Micralymma*; synonym of *marinum*).
- Bernhauer and Schubert, 1910: 62 (*Micralymma*; synonym of *marinum*).
- Scheerpeltz, 1933: 1053 (*Micralymma*; synonym of *marinum*).
- Steel, 1958: 140 (*Micralymma*; synonym of *marinum*).
- Pope, 1977: 24 (*Micralymma*; synonym of *marina*).

*johnstonis* Westwood, 1838b: 130 (*Micralymma*; includes larval and pupal characters;

Type locality: Berwick-upon-Tweed).

- Westwood, 1838: 165 (*Micralymma*; habitat).
- Westwood, 1838a (August): 19 (*Micralymma*; characters; type species).
- Stephens, 1839: 427 (*Micralymma*; characters; England).
- Erichson, 1840: 820 (*Micralymma*; synonym of *brevipenne*).
- Schiødte, 1846: 162 (*Micralymma*; synonym of *brevipenne*).
- Küster, 1854: 22 (*Micralymma*; characters; Europe).
- Hardy, 1851: 53 (*Micralymma*; synonym of *brevipenne*).
- Fairmaire and Laboulbène, 1856: 625 (*Micralymma*; synonym of *brevipenne*).
- Mulsant and Rey, 1880: 6 (*Micralymma*; synonym of *brevipenne*).
- Ganglbauer, 1895: 729 (*Micralymma*; synonym of *marinum*).
- Bernhauer and Schubert, 1910: 62 (*Micralymma*; synonym of *marinum*).
- Steel, 1958: 140 (*Micralymma*; synonym of *marinum*).

*stimpsonii* LeConte, 1863a: 57 (*Micralymma*; Type locality: coast of Maine).

- Fauvel, 1878d: 222 [= 1878e: 58] (*Micralymma*; characters; Maine).
- Bernhauer and Schubert, 1910: 62 (*Micralymma*; catalog).
- Scheerpeltz, 1933: 1053 (*Micralymma*; catalog).
- Steel, 1958: 140 (*Micralymma*; synonym of *marinum*).
- Thayer, 1985b: 49 (*Micralymma*; synonym of *marinum*).

*stimpsonii* LeConte, 1863, see: *marinum* Ström, 1783.

### Nesomalium

[4 species; Antarctic Region]

*Nesomalium* Steel, 1964: 353 (species included: *campbellense*, *pacificum*, *imitator*, *insulare*).

**TYPE SPECIES:** *Nesomalium campbellensis* Steel, fixed by original designation.

- Steel, 1970a: 25 (larval characters).
- Moore and Legner, 1976: 536 (includes seashore species; notes).
- Klimaszewski, Newton, and Thayer, 1996: 146 (endemic to New Zealand and nearby islands).

**campbellense** Steel, 1964: 354 (*Nesomalium*; also larval characters; Type locality: Campbell Island: Moubray Hill, 200 m).

▲ **DISTRIBUTION:** Campbell Island.

**imitator** Steel, 1964: 358 (*Nesomalium*; Type locality: Campbell Island: Lookout Bay).

▲ **DISTRIBUTION:** Campbell Island.

**insulare** Kiesenwetter, 1877: 163 (*Omalium*; Type locality: Auckland Islands).

- Fauvel, 1877: 189 (*Omalium*, cited as *Homalium*; characters; Auckland Islands).
- Bernhauer and Schubert, 1910: 54 (*Omalium*; subgenus *Omalium*; catalog).
- Gourlay, 1950: 183 (*Omalium*; republication of original description).
- Steel, 1964: 357 (*Nesomalium*; characters; Auckland Islands).

▲ **DISTRIBUTION:** Auckland Islands.

**pacificum** Kiesenwetter, 1877: 163 (*Omalium*; Type locality: Auckland Islands).

— Fauvel, 1877: 190 (*Omalium*, cited as *Homalium*; characters; Auckland Islands).

— Fauvel, 1878g: 484 (*Omalium*, cited as *Homalium*; characters).

— Bernhauer and Schubert, 1910: 55 (*Omalium*; subgenus *Omalium*; catalog).

— Gourlay, 1950: 183 (*Omalium*; subgenus *Omaliomimus*?; republication of original description).

— Steel, 1964: 357 (*Nesomalium*; characters; Auckland Islands; Enderby, Ocean, Ewing, and Rose Island).

▲ **DISTRIBUTION:** Auckland Islands.

*zealandicum* Cameron, 1948c: 723 (*Omalium*; Type locality: New Zealand: Auckland [Island]: Musgrave Pen; Carnley Harbour).

— Gourlay, 1950: 184 (*Omalium*; correction of Type locality; synonym of *albipenne*).

— Steel, 1964: 348,357 (*Nesomalium*; Gourlay's citation as synonym of *Omalium albipenne* is erroneous; synonym of *pacificum*).

*zealandicum* Cameron, 1948, see: *pacificum* Kiesenwetter, 1877.

### Nipponophloeostiba

[1 species; Palaearctic Region]

*Nipponophloeostiba* Watanabe, 1962a: 77 (species included: *verrucifera*). **TYPE SPECIES:** *Nipponophloeostiba verrucifera* Watanabe, fixed by original designation and monotypy.

— Tikhomirova, 1973a: 139 (checklist of species of USSR).

— Shibata, 1976: 106 (checklist of species of Japan).

— Watanabe, 1990: 106 (characters).

**verrucifera** Watanabe, 1962a: 78 (*Nipponophloeostiba*; Type locality: Miyake Is.: near Tairoke).

— Watanabe and Shibata, 1972: 60 (*Nipponophloeostiba*; Yaku-shima Island).

— Watanabe, 1990: 109 (*Nipponophloeostiba*; characters; Japan).

— Kishimoto, 1995: 76 (*Nipponophloeostiba*; Ryukyu Islands).

▲ **DISTRIBUTION:** Japan.

### Noumalia

[1 species; Oceanic Region]

*Noumalia* Steel, 1960: 5 (species included: *adusta*). **TYPE SPECIES:** *Noumalia adusta* Steel, fixed by original designation and monotypy.

**adusta** Steel, 1960: 6 (*Noumalia*; Type locality: New Caledonia: Mt. Ignambi).

▲ **DISTRIBUTION:** New Caledonia.

### Omaliomimus

[10 species; Australian and Antarctic Regions]

*Omaliomimus* Jeannel, 1940: 115, 117 (species included: *litoreus*, *setipes*, *conicus*, *variipenne*). **TYPE SPECIES:** *Omalium litoreum* Broun, by original designation.

— Blackwelder, 1952: 273 (type species: *litoreus*).

— Steel, 1964: 344 (characters; key to species of Campbell Island).

— Steel, 1970a: 24 (larval characters).

— Moore and Legner, 1976: 536 (includes seashore species; notes).

— Thayer, 1996: 158 (notes).

— Klimaszewski, Newton, and Thayer, 1996: 146 (endemic to New Zealand and nearby islands).

**actobius** Broun, 1893: 1035 (*Omalium*; Type locality: Sandspit, Port Chalmers).

— Bernhauer and Schubert, 1910: 51 (*Omalium*; subgenus *Omalium*; catalog).

— Newton and Thayer, 1995: 293 (*Omaliomimus*).

— Thayer, 1996: 159 (*Omaliomimus*).

▲ **DISTRIBUTION:** New Zealand.

**albipennis** Kiesenwetter, 1877: 162 (*Omalium*; Type locality: Auckland Island).

— Fauvel, 1877: 188 (*Omalium*, cited as *Homalium*; characters; Auckland Island).

— Bernhauer and Schubert, 1910: 51 (*Omalium*; subgenus *Omalium*; catalog).

- Gourlay, 1950: 184 (*Omalium*; republication of original description).
- Steel, 1964: 347 (*Omaliomimus*; characters; Campbell Island).
- Watson, 1967: 34 (*Omaliomimus*; notes; mention of existence of larva; habitat; Macquarie Island).
- P. Greenslade, 1990: 48 (*Omaliominus*; wingless species; Macquarie Island).
- Klimaszewski and Watt, 1997: 169 (*Omaliomimus*; characters; collecting notes; New Zealand).

▲ **DISTRIBUTION:** Auckland Island, Macquarie Island, Campbell Island, New Zealand.

*variipennis* Lea, 1920: 30 (*Omalium*, cited as *Homalium*; Type locality: Macquarie Island).

- Tillyard, 1920: 19 (*Omalium*, cited as *Homalium*; [**Note:** Cited as new species but attributed to Lea in appendix of same article]; illustrations of adult; larval characters and adults; Macquarie Island).
- Scheerpeltz, 1933: 1048 (*Omalium*; catalog).
- Jeannel, 1940: 117 (*Omaliomimus*).
- Steel, 1964: 347 (*Omaliomimus*; synonym of *albipenne*).
- Watson, 1967: 34 (*Omaliomimus*; synonym of *albipenne*).
- P. Greenslade, 1990: 48 (*Omaliominus*; synonym of *albipenne*).

*flavipennis* Cameron, 1948c: 723 (*Omaliomimus*; Type locality: New Zealand: Auckland: Port Ross).

- Gourlay, 1950: 183 (*Omalium*; provisional synonym of *pacificum*).
- Steel, 1964: 347 (*Omaliomimus*; synonym of *albipenne*; Gourlay's citation as synonym of *pacificum* is erroneous).
- Watson, 1967: 34 (*Omaliomimus*; synonym of *albipenne*).
- P. Greenslade, 1990: 48 (*Omaliominus*; synonym of *albipenne*).

**carinigerus** Broun, 1893: 1036 (*Omalium*; Type locality: Port Chalmers).

- Bernhauer and Schubert, 1910: 52 (*Omalium*; subgenus *Omalium*; catalog).
  - Thayer, 1996: 159 (*Omaliomimus*).
- ▲ **DISTRIBUTION:** New Zealand.

**chalmeri** Broun, 1893: 1037 (*Omalium*; Type locality: Dunedin).

- Bernhauer and Schubert, 1910: 52 (*Omalium*; subgenus *Omalium*; catalog).
  - Thayer, 1996: 159 (*Omaliomimus*).
- ▲ **DISTRIBUTION:** New Zealand.

**conicus** Fauvel, 1878g: 484 (*Omalium*, cited as *Homalium*; Type locality: Nouvelle-Zélande).

- Bernhauer and Schubert, 1910: 52 (*Omalium*; subgenus *Omalium*; catalog).
  - Jeannel, 1940: 117 (*Omaliomimus*).
- ▲ **DISTRIBUTION:** New Zealand.

*flavipennis* Cameron, 1948, see: *albipenne* Kiesenwetter, 1877.

**laetipennis** Broun, 1910: 19 (*Omalium*; Type locality: Riverton Beach).

- Scheerpeltz, 1933: 1045 (*Omalium*; catalog).
  - Thayer, 1996: 159 (*Omaliomimus*).
- ▲ **DISTRIBUTION:** New Zealand.

**litoreus** Broun, 1886: 942 (*Omalium*, cited as *Homalium*; Type locality: Mokohinau).

- Bernhauer and Schubert, 1910: 54 (*Omalium*; subgenus *Omalium*; cited as *litoreum*; catalog).
  - Jeannel, 1940: 115, 117 (*Omaliomimus*).
  - Kuschel, 1990: 25 (*Omaliomimus*; endemic; winged; habitat; New Zealand).
- ▲ **DISTRIBUTION:** New Zealand.

**robustus** Broun, 1911: 96 (*Omalium*; [**preoccupied**]; Type locality: Pitt Island).

- Scheerpeltz, 1933: 1047 (*Omalium*; catalog).
  - Emberson, 1998: 33 (*Omaliomimus*; collecting notes; Chatham Islands).
  - Herman, 2001: 37 (*Omaliomimus*; although a junior primary homonym, prevailing use as valid maintained pending outcome of application to Commission under Article 23.9.5).
- ▲ **DISTRIBUTION:** Chatham Islands (N.Z).

**setipes** Broun, 1909: 230 (*Omalium*; Type locality: Invercargill).

— Scheerpeltz, 1933: 1047 (*Omalium*; catalog).

— Jeannel, 1940: 117 (*Omaliomimus*).

▲ **DISTRIBUTION:** New Zealand.

*variipenne* Lea, 1920, see: *albipenne* Kiesenwetter, 1877.

**venator** Broun, 1909a: 98 (*Omalium*; Type locality: Campbell Island).

— Scheerpeltz, 1933: 1048 (*Omalium*; catalog).

— Steel, 1964: 345 (*Omaliomimus*; characters; Campbell Island; Auckland Island; Macquarie Island).

— Watson, 1967: 35 (*Omaliomimus*; notes; habitat; Macquarie Island).

— P. Greenslade, 1990: 48 (*Omaliomimus*; wingless species; Macquarie Island).

— Marris, 2000: 175 (*Omaliomimus*; habitat; Bollons Island [Antipodes]; also known from Auckland Islands; Campbell Island; Macquarie Island; Snares Islands; New Zealand).

▲ **DISTRIBUTION:** Campbell Island, Auckland Island, Macquarie Island, Snares Islands, Antipodes Islands, New Zealand.

### Omalioipsis

[8 species; Ethiopian, Madagascan, Nearctic, and Neotropical Regions]

*Omalioipsis* Jeannel, 1940: 116, 118 (species included: *africana*, *costipennis*, *arenaria*, *rufa*, *madecassus*, *hova*). **TYPE SPECIES:** *Omalium africanum* Fauvel, by original designation.

— Blackwelder, 1952: 273 (type species: *africanus*).

— Fagel, 1956: 2 (synonym of *Omalium*).

— Coiffait and Saiz, 1968: 451 (valid genus; characters).

— Newton, 1985: 199 (notes on austral distribution).

— Newton, Thayer, Ashe, and Chandler, 2000: 337 (1 undescribed Nearctic species; notes; characters in key).

**africana** Fauvel, 1907: 12 (*Omalium*, cited as *Homalium*; Type locality: Kilimandjaro: Kilema).

— Bernhauer and Schubert, 1910: 51 (*Omalium*; subgenus *Omalium*; catalog).

— Bernhauer, 1940: 130 (*Omalium*; Uganda; Kenya).

— Jeannel, 1940: 116, 118 (*Omalioipsis*).

— Fagel, 1956: 11 (*Omalium*; characters; German East Africa).

▲ **DISTRIBUTION:** Tanzania, Uganda, Kenya.

**arenaria** Bernhauer, 1904: 16 (*Omalium*; Type locality: Kap der guten Hoffnung).

— Bernhauer and Schubert, 1910: 51 (*Omalium*; subgenus *Omalium*; catalog).

— Jeannel, 1940: 118 (*Omalioipsis*).

▲ **DISTRIBUTION:** South Africa.

**costipennis** Fauvel, 1904e: 301 (*Omalium*, cited as *Homalium*; Type locality: Tananarive).

— Bernhauer and Schubert, 1910: 52 (*Omalium*; subgenus *Omalium*; catalog).

— Jeannel, 1940: 118 (*Omalioipsis*).

▲ **DISTRIBUTION:** Madagascar.

*flavescens* Motschulsky, 1857, see: *rufum* Sachse, 1852.

**hova** Fauvel, 1904e: 300 (*Omalium*, cited as *Homalium*; Type locality: Tananarive).

— Bernhauer and Schubert, 1910: 54 (*Omalium*; subgenus *Omalium*; catalog).

— Jeannel, 1940: 118 (*Omalioipsis*; cited as *hova*).

▲ **DISTRIBUTION:** Madagascar.

**madegassa** Bernhauer, 1902: 173 (*Omalium*; Type locality: Port Daufin, Madagascar).

— Bernhauer and Schubert, 1910: 54 (*Omalium*; subgenus *Omalium*; catalog).

— Jarrige, 1957: 112 (*Omalioipsis*; Réunion).

▲ **DISTRIBUTION:** Madagascar, Réunion.

- picipennis** Fauvel, 1867a: 44 [= 1868: 49] (*Omalium*; Type locality: Chili).  
 — Bernhauer and Schubert, 1910: 55 (*Omalium*; subgenus *Omalium*; catalog).  
 — Coiffait and Saiz, 1968: 452 (*Omalipsis*; characters; Chile).  
 ▲ **DISTRIBUTION:** Chile.
- rufa** Sachse, 1852: 148 (*Omalium*; [**preoccupied**]; Type locality: Vorgeb. d. g. Hoffnung).  
 — Bernhauer and Schubert, 1910: 56 (*Omalium*; subgenus *Omalium*; catalog).  
 — Jeannel, 1940: 118 (*Omalipsis*).  
 — Herman, 2001: 37 (*Omalipsis*; although a junior primary homonym, prevailing use as valid maintained pending outcome of application to Commission under Article 23.9.5).  
 ▲ **DISTRIBUTION:** South Africa.
- flavescens* Motschulsky, 1857a: 492 (*Phloeonomus*; Type locality: Cap de bonne Espérance).  
 — Bernhauer and Schubert, 1910: 56 (*Omalium*; synonym of *rufum*).
- russata** Fairmaire and Germain, 1861: 453 (*Omalium*; Type locality: Chiloé).  
 — Fauvel, 1867a: 45 [= 1868: 50] (*Omalium*; characters; Chile).  
 — Bernhauer and Schubert, 1910: 56 (*Omalium*; subgenus *Omalium*; catalog).  
 — Scheerpeltz, 1933: 1047 (*Omalium*; catalog).  
 — Coiffait and Saiz, 1968: 451 (*Omalipsis*; characters; Chile).  
 — Saiz, 1969: 4 (*Omalipsis*; characters; collecting notes; Chile).  
 ▲ **DISTRIBUTION:** Chile.

### **Omalium**

[141 species; (11 doubtful); Neotropical, Nearctic, Palaearctic, Ethiopian, Madagascan, Oriental, and Australian Regions]

- Omalium* Gravenhorst, 1802: 111 (species included: *planum*, *depressum*, *brunneum*, *crenatum*, *brachypterum*, *rufum*, *rugosum*, *rivulare*, *viburni*, *florale*, *ranunculi*, *striatum*). **TYPE SPECIES:** *Staphylinus rivularis* Paykull, fixed by subsequent designation by Latreille, 1810: 427.
- Latreille, 1804: 286 (characters).  
 — Gravenhorst, 1806: 204 (characters).  
 — Latreille, 1806: 297 (characters).  
 — Latreille, 1810: 182, 427 (characters; type species).  
 — Gyllenhal, 1810: 198 (characters).  
 — Olivier, 1811: 472 (characters).  
 — Leach, 1815: 91 (characters).  
 — Samouelle, 1819: 174 (characters).  
 — Billberg, 1820: 14 (cited as *Homalium*; characters; list of some species).  
 — Dejean, 1821: 26 (list of species in collection).  
 — Latreille, 1825: 245 (cited as *Omalie*; characters).  
 — Berthold, 1827: 332 (characters).  
 — C. Sahlberg, 1827: 277 (characters).  
 — Zetterstedt, 1828: 48 (characters).  
 — Curtis, 1829: 29 (catalog; Britain).  
 — Stephens, 1829a: 25 (catalog; Britain).  
 — Stephens, 1829: 297 (catalog; Britain).  
 — Latreille, 1829: 439 (characters).  
 — Mannerheim, 1830: 10, 51 (characters).  
 — Mannerheim, 1830: 10, 53 (key; characters; [**Note:** Misidentification: Bernhauer and Schubert, 1910: 50 cited *Anthobium* Mannerheim as a synonym of *Omalium*; Mannerheim did not describe the genus as new, he attributed it to Leach]).  
 — Mannerheim, 1831: 424, 465 (characters).  
 — Mannerheim, 1831: 424, 467 (characters; [**Note:** Misidentification: Bernhauer and Schubert, 1910: 50 cited *Anthobium* Mannerheim as a synonym of *Omalium*; Mannerheim did not describe the genus as new, he attributed it to Leach]).  
 — Griffith and Pidgeon, 1832: 297 (characters).



- Dejean, 1833: 69 (list of species).
- Stephens, 1834: 345 (characters; England).
- Gistel, 1834: 9 (list of species).
- Lacordaire, 1835: 484 (characters).
- Westwood, 1838a: 18 (characters; type species).
- Zetterstedt, 1838: 49 (characters).
- Erichson, 1839a: 628 (characters).
- Heer, 1839: 175 (characters).
- Stephens, 1839: 422 (characters).
- Erichson, 1840: 874 (characters).
- Laporte, 1840: 191 (characters).
- Redtenbacher, 1849: 750 (characters).
- Schaum, 1852: 30 (list of species; Europe).
- Lacordaire, 1854: 143 (characters; notes; list of species).
- Wollaston, 1854: 612 (characters; notes).
- Fairmaire and Laboulbène, 1856: 638 (characters).
- Giebel, 1856: 74 (fossil species).
- Gistel, 1856: 389 (cited as *Homalium*; list of species).
- Jacquelin du Val, 1857: 76 (characters).
- Redtenbacher, 1857: 249 (characters).
- Kraatz, 1857d: 974 (characters).
- Thomson, 1858: 38 (characters).
- G. Waterhouse, 1858: 31 (catalog of British species).
- Thomson, 1859: 51 (characters; type species: *rivulare*).
- Schaum, 1859: 32 (catalog; European species).
- LeConte, 1861a: 70 (characters).
- Thomson, 1861: 211 (characters).
- Gredler, 1863: 124 (list of species from Tirol).
- LeConte, 1863: 26 (list of North American species).
- Fauvel, 1865c: 5 [= 1866: 13] (characters; list of species).
- Wencker and Silbermann, 1866: 36 (list of species; collecting notes; France).
- Fauvel, 1867a: 43 [= 1868: 48] (characters; key to Chilean species).
- Jacquelin du Val, 1868: 81 (catalog; European species).
- Sharp, 1871d: 14 (cited as *Homalium*; list of British species).
- Fauvel, 1871a: 83 [= 1872: 57] (characters; key to species).
- Redtenbacher, 1874: 273 (characters; key to Austrian species).
- Fauvel, 1875a: [= 1875b:] (catalog; cited as *Homalium*).
- Sharp, 1876: 402 (notes).
- Provancher, 1877: 261 (characters).
- Fauvel, 1878d: 205 [= 1878e: 41] (cited as *Homalium*; key to North American species).
- Broun, 1880: 115 (characters).
- Mulsant and Rey, 1880: 189 (characters; key to French species).
- Heyden, 1880: 82 (cited as *Homalium*; list of species of Siberian region).
- Duvivier, 1883: 198 (catalog; cited as *Homalium*).
- Gozis, 1886: 16 (type species).
- Sharp, 1887: 744 (notes; Mexican and Central American species).
- Fowler, 1888: 409 (notes; cited as *Homalium*; key to British species).
- Seidlitz, 1891: 339 (key to some European species).
- Seidlitz, 1891a: 362 (key to some European species).
- Heyden, Reitter, and Weise, 1891: 120 (list of species of Europe and Caucasus).
- Heyden, 1893: 49 (list of species of Siberian region).
- Ganglbauer, 1895: 733 (characters; key to middle European species).
- Heyden, 1896: 37 (list of species of Siberian region).
- Fauvel, 1897c: 230 (key to species).
- Fauvel, 1897d: 244 (catalog of species of Barbary; Azores; Madeira; Canaries).
- Luze, 1906: 501 (characters; key to species).

- Heyden, Reitter, and Weise, 1906: 131 (list of species of Europe and Caucasus).
- Sainte-Claire Deville, 1907: 32 (cited as *Homalium*; key to and annotated list of species of Seine Basin, France).
- Broun, 1909a: 97 (characters).
- Reitter, 1909: 190 (characters; key to German species).
- Bernhauer and Schubert, 1910: 50 (world catalog; 120 species).
- Blatchley, 1910: 479 (characters; key to Indiana species).
- Petri, 1912: 53 (list of species of Siebenbürgen).
- Johansen, 1914: 608 (characters; key to Danish species).
- Leng, 1920: 94 (catalog of North American species).
- Winkler, 1925: 330 (catalog for Palaearctic region).
- Cameron, 1925: 10, 104 (catalog of Indian species).
- Porta, 1926: 18 (characters; key to species of Italy).
- Portevin, 1929: 445 (characters; key to French species).
- Cameron, 1930: 138 (characters; key to British Indian species).
- Roubal, 1930: 307 (catalog; Slovakia).
- Scheerpeltz, 1933: 1043 (world catalog supplement).
- Normand, 1935: 357 (list of species of Tunisia).
- Scheerpeltz, 1937b: 187 (list of Bulgarian species).
- Jeannel, 1940: 115 (characters in key; type species: *rivulare* Paykull).
- Blackwelder, 1943: 53 (characters; type species: *rivulare*; key to species of West Indies).
- Blackwelder, 1944: 101 (checklist of species from Mexico, Central and South America, and the West Indies).
- Jeannel and Jarrige, 1949: 311 (cave species; type species: *rivulare*).
- Kloet and Hincks, 1945: 161 (list of British species).
- Scheerpeltz and Höfler, 1948: 152 (key to species in fungus in Europe).
- Palm, 1948: 75 (characters; key to species of Sweden).
- Tottenham, 1949: 355, 406 (type species: *rivularis* Paykull; list of British species; notes).
- Blackwelder, 1952: 273 (type species).
- Tottenham, 1954: 23 (characters; key to British species).
- Hatch, 1957: 52, 80 (characters; key to species of Pacific Northwest).
- Kocher, 1958: 93 (checklist of species; Morocco).
- Smetana, 1959a: 196 (list of species collected in Albania).
- Ferreira, 1962a: 9 (list of Portuguese species).
- Székessy, 1963: 14 (characters).
- Lohse, 1964: 41 (characters; key to central European species).
- Pototskaia, 1967: 20 (larval characters).
- Kasule, 1968: 133, 136 (larval characters).
- Scheerpeltz, 1968a: 9 (catalog of Austrian species).
- Bolov, 1969a: 328 (collecting notes for some species; Russia).
- Steel, 1970a: 13 (larval characters; biological notes).
- Bordoni, 1973j: 656 (list of species from islands near Sicily).
- Tikhomirova, 1973a: 138 (checklist of species of USSR).
- Moore and Legner, 1975: 201 (catalog; North America north of Mexico).
- Shibata, 1976: 101 (checklist of species of Japan).
- Moore and Legner, 1976: 536 (includes seashore species; notes).
- Pope, 1977: 23 (list of British species).
- Topp, 1978: 308 (larval characters).
- Burakowski, Mroczkowski, and Stefańska, 1979: 38 (catalog; Poland).
- Moore and Legner, 1979: 208 (characters; notes).
- Muona, 1979: 18 (list of Scandinavian species).
- Uhlig, 1979: 242 (some species collected in Germany).
- Uhlig, Vogel, and Sieber, 1980: 240 (some species collected in Germany).
- Waterston, Owen, Welch, Bacchus and Hammond, 1981: 273 (list of species of Outer Hebrides).

- Uhlig and Vogler, 1981: 85 (list of some species collected in Germany; habitat and collecting notes).
- Spahr, 1981: 95 (references to specimens from amber and copal).
- Tóth, 1982: 57 (characters; habitus; key to species of Hungary).
- Zanetti, 1985: 27 (key to some Italian species).
- Ádám, 1985: 251 (list of species from southeast Hungary).
- Frank, 1986a: 365 (checklist of species of Florida).
- Muona and Viramo, 1986: 15 (list of species of northeastern Finland).
- Segers, 1986: 20 (checklist of species; Belgium).
- Ádám, 1987: 137 (list of four species with collecting notes; Hungary).
- Zanetti, 1987: 205 (characters; habitus; species group classification; key to species of Italy).
- Watanabe, 1990: 88 (characters; key to species of Japan).
- Dettner and Reissenweber, 1991 (defensive secretions: chemistry and systematics).
- Frank, 1991: 344 (larval characters).
- Campbell and Davies, 1991: 88 (checklist of species; Alaska and Canada).
- Silfverberg, 1992: 21 (list of species of Fennoscandia, Denmark, and the Baltic States).
- Siitonen, 1993: 230 (list of Finnish species).
- Welch, 1993 (ovariole structure and development).
- Boháč, 1993: 41 (list of species of Czech Republic and Slovakia).
- Hernández, Outerelo, and Gamarra, 1994: 187 (checklist of species; Canary Islands).
- M. Hansen, Liljehult, Mahler, and Pedersen, 1995: 27 (additional records to Danish list of species).
- Zanetti, 1995: 7 (list of species of Italy).
- M. Hansen, 1996: 94 (list of Danish species).
- M. Hansen, Mahler, Palm, and Pedersen, 1996: 240 (additions to list of Danish species).
- Downie and Arnett, 1996: 437 (characters; key to species of Northeastern North America).
- Klimaszewski, Newton, and Thayer, 1996: 146 (species in New Zealand and nearby islands probably belong in another genus).
- M. Hansen, Palm, Pedersen, and Runge, 1998: 69 (list of species collected in 1997; Denmark).
- Lundgren, 1998: 38 (list of species from Florida; records for other States listed for each species).
- Newton, Thayer, Ashe, and Chandler, 2000: 337 (14 Nearctic species; notes; characters in key).

*Homalium* Ljungh, 1804a: 74 (emendation of *Omalium*). **TYPE SPECIES:** *Staphylinus rivularis* Paykull, fixed by objective synonymy with *Omalium*.

- Blackwelder, 1952: 188 (type species).

*Homalium* Agassiz, 1847: 258 (emendation of *Omalium*). **TYPE SPECIES:** *Staphylinus rivularis* Paykull, fixed by objective synonymy with *Omalium*.

- Blackwelder, 1952: 188 (type species).

*Homalium* Gemminger and Harold, 1868: 665 (emendation of *Omalium*). **TYPE SPECIES:** *Staphylinus rivulare* Paykull, fixed by objective synonymy with *Omalium*.

- Blackwelder, 1952: 189 (type species).

*Ochthexenus* Motschulsky, 1860: 546 (species included: *clavicornis*, *rivularis*). **TYPE SPECIES:** *Staphylinus rivularis* Paykull, fixed by subsequent designation by Gozis, 1886: 16.

- Gemminger and Harold, 1868: 665 (catalog).
- Fauvel, 1869: 493 (synonym of *Omalium*).
- Heyden, 1880: 82 (subgenus of *Omalium*, cited as *Homalium*; list of species of Siberian region).
- Gozis, 1886: 16 (type species).
- Bernhauer and Schubert, 1910: 50 (synonym of *Omalium*).
- Cameron, 1930: 138 (synonym of *Omalium*).
- Blackwelder, 1943: 53 (synonym of *Omalium*; type species: *clavicornis*).
- Blackwelder, 1952: 266 (type species: *rivularis*).

*abdominale* Gravenhorst, 1806, see: *Eusphalerum*.

*abyssinicum* Tottenham, 1953, see: *Xylostiba*.

*actobium* Broun, 1893, see: *Omaliomimus*.

**adelaidae** Blackburn, 1888d: 191 (*Omalium*, cited as *Homalium*; Type locality: banks of the Torrens).

— Bernhauer and Schubert, 1910: 51 (*Omalium*; subgenus *Omalium*; catalog).

▲ **DISTRIBUTION:** Australia.

*adustum* Heer, 1839, see: *Eusphalerum*.

*aeneum* P. W. J. Müller, 1821, see: *Syntomium*.

*affine* Gerhardt, 1877, see: *Xylodromus*.

*affine* Mäklin, 1878, see: *Mannerheimia*.

**afghanicum** Scheerpeltz, 1963: 5, 21 (*Omalium*; Type locality: Afghanistan: Goti, zwischen Pol-Khomri und Doab).

▲ **DISTRIBUTION:** Afghanistan.

*africanum* Fauvel, 1907, see: *Omalioptis*.

**agrestis** Broun, 1880: 117 (*Omalium*; Type locality: Whangarei Harbour).

— Bernhauer and Schubert, 1910: 51 (*Omalium*; subgenus *Omalium*; catalog).

▲ **DISTRIBUTION:** New Zealand.

*akbesianum* Pic, 1898, see: *Phyllodrepa*.

*albigipenne* Kiesenwetter, 1877, see: *Omaliomimus*.

**algarum** Casey, 1885a: 316 (*Omalium*, cited as *Homalium*; Type locality: California: San Francisco; Santa Cruz).

— Bernhauer and Schubert, 1910: 51 (*Omalium*; subgenus *Omalium*; catalog).

— Hatch, 1957: 81 (*Omalium*; characters; British Columbia; Oregon).

— Orth, Moore, and Fisher, 1978: 188 (*Omalium*; characters; collecting notes; California).

▲ **DISTRIBUTION:** Canada, USA.

*algidum* Fauvel, 1907, see: *Xylostiba*.

**allardii** Fairmaire and Brisout, 1859: 44 (*Omalium*; Type locality: près de Paris).

— Thomson, 1868: 324 (*Omalium*; characters; Scandinavia).

— Fauvel, 1869a: 152 (*Omalium*; cited as *allardi*; synonym of *ocellatum*).

— Baudi, 1870: 402 (*Omalium*; Italy).

— Fauvel, 1871a: 101 [= 1872: 75] (*Omalium*, cited as *Homalium*; cited as *allardi*; characters; France; Scandinavia; Britain; Italy; Cyprus; Algeria).

— Fauvel, 1873b: 116 [= 1873c: 9] (*Omalium*, cited as *Homalium*; cited as *allardi*; Spain; Sardinia; Syria).

— Fauvel, 1876a: 51 [= 1876: 236] (*Omalium*, cited as *Homalium*; cited as *allardi*; Sicily; Malta).

— Seidlitz, 1875: 234 (*Omalium*; characters; Baltic region).

— Fauvel, 1878: 89 [= 1878a: 9] (*Omalium*, cited as *Homalium*; cited as *allardi*; Algeria).

— Mulsant and Rey, 1880: 205 (*Omalium*; cited as *allardi*; characters; France).

— Fauvel, 1886: 14 [= 1886a: 6] (*Omalium*, cited as *Homalium*; cited as *allardi*; Morocco; Algeria).

— Fowler, 1888: 414 (*Omalium*, cited as *Homalium*; characters; Britain).

— Ganglbauer, 1895: 735 (*Omalium*; cited as *allardi*; characters; Scandinavia; western Europe; Mediterranean region).

— Fauvel, 1902b: 54 (*Omalium*, cited as *Homalium*; cited as *allardi*; Morocco; Algeria; Tunisia).

— Luze, 1906: 520 (*Omalium*; cited as *allardi*; characters; Mediterranean region; Italy; Cyprus; Bosnia).

— Sainte-Claire Deville, 1906: 69 (*Omalium*, cited as *Homalium*; Corsica).

— Bernhauer and Schubert, 1910: 51 (*Omalium*; cited as *allardi*; subgenus *Omalium*; catalog).

— Portevin, 1929: 446 (*Omalium*; cited as *allardi*; characters; France).

— Gridelli, 1930: 61 (*Omalium*; cited as *allardi*; Libya).

— Scheerpeltz, 1933: 1043 (*Omalium*; cited as *allardi*; catalog).

— Horion, 1935: 173 (*Omalium*; cited as *allardi*; characters; Western Europe; Netherlands; Germany).

- Palm, 1948: 80 (*Omalium*; characters; Sweden; Norway).
- Jeannel and Jarrige, 1949: 312 (*Omalium*; cited as *allardi*; cave species; Majorca; Algeria).
- Horion, 1963: 79 (*Omalium*; cited as *allardi*; Britain; Norway; Sweden; Holland; Belgium; France; Portugal; Spain; Corsica; Sardinia; Sicily; Italy; Dalmatia; Hercegovina; Greece; Crete; Germany).
- Lohse, 1964: 42 (*Omalium*; cited as *allardi*; characters; central Europe).
- Pope, 1977: 23 (*Omalium*; cited as *allardi*; Britain).
- Hammond, 1980: 138 (*Omalium*; cited as *allardi*; Ireland).
- Tóth, 1982: 61 (*Omalium*; cited as *allardi*; characters).
- Zanetti, 1987: 221 (*Omalium*; cited as *allardi*; characters; Italy).
- Lucht, 1987: 87 (*Omalium*; checklist; Germany; France; Benelux; Denmark).
- Allen, 1988a: 117 (*Omalium*; collecting notes; Scotland).
- Kuschel, 1990: 25 (*Omalium*; cited as *allardi*; introduced, Palaearctic species; winged; habitat; New Zealand).
- Sparacio, 1995: 141 (*Omalium*; characters; notes; Sicily).
- Zanetti, 1995: 7 (*Omalium*; cited as *allardi*; Italy).
- Klimaszewski, Newton, and Thayer, 1996: 146 (*Omalium*; cited as *allardi*; introduced to New Zealand).
- Zanetti and Sabella, 1998: 29 (*Omalium*; Sicily).
- Assing, Frisch, Kahlen, et al., 1998: 122 (*Omalium*; note).
- Kashcheev, 1999: 142 (*Omalium*; characters).
- ▲ **DISTRIBUTION:** Europe, Morocco, Algeria, Tunisia, Libya, Israel, Syria, Turkey, New Zealand.

*genistarum* Coquerel, 1860: 164 (*Anthobium*; Type locality: Mer-el-Kébir).

- Fauvel, 1869: 494 (*Omalium*, cited as *Homalium*; synonym of *allardii*).
- Fauvel, 1871a: 101 [= 1872: 75] (*Omalium*, cited as *Homalium*; synonym of *allardii*).
- Mulsant and Rey, 1880: 206 (*Omalium*; synonym of *allardii*).
- Ganglbauer, 1895: 735 (*Omalium*; synonym of *allardii*).
- Fauvel, 1902b: 54 (*Omalium*, cited as *Homalium*; synonym of *allardii*).
- Luze, 1906: 520 (*Omalium*; synonym of *allardii*).
- Bernhauer and Schubert, 1910: 51 (*Omalium*; synonym of *allardii*).

*salzmanni* Saulcy, 1864: 658 (*Omalium*; Type locality: Jérusalem).

- Fauvel, 1871a: 101 [= 1872: 75] (*Omalium*, cited as *Homalium*; synonym of *allardii*).
- Mulsant and Rey, 1880: 206 (*Omalium*; synonym of *allardii*).
- Ganglbauer, 1895: 735 (*Omalium*; synonym of *allardii*).
- Luze, 1906: 520 (*Omalium*; synonym of *allardii*).
- Bernhauer and Schubert, 1910: 51 (*Omalium*; synonym of *allardii*).

*antennarium* Reitter, 1911: 234 (*Phloeonomus*; subgenus *Xylostiba*; Type locality: Kleinasien: Alhem-Dagh).

- Scheerpeltz, 1933: 1048 (*Phloeonomus*; subgenus *Xylostiba*; catalog).
- Steel, 1960a: 141 (*Omalium*; synonym of *allardii*, cited as *allardi*).

*almorensis* Champion, 1920, see: *Phyllodrepa*.

*alpestre* Heer, 1839, see: *Eusphalerum*.

*alpinum* Zetterstedt, 1838, see: *Pycnoglypta*.

*alpinum* Heer, 1839, see: *Eusphalerum*.

**alticola** Cameron, 1941: 57 (*Omalium*; Type locality: Kashmir: Gulmarg: Khelanmarg, alt. 8000–10,000 feet).

▲ **DISTRIBUTION:** India.

**altivagans** Bernhauer, 1915b: 49 (*Omalium*; Type locality: Westlicher Himalaya: Kashmir, Sintan).

- Cameron, 1930: 140 (*Omalium*; characters; Kashmir).
- Scheerpeltz, 1933: 1043 (*Omalium*; catalog).

▲ **DISTRIBUTION:** India.

**alutaceum** Fauvel, 1878d: 215 [= 1878e: 51] (*Omalium*, cited as *Homalium*; Type locality: Californie, San Diego).

— Bernhauer and Schubert, 1910: 51 (*Omalium*; subgenus *Omalium*; catalog).

▲ **DISTRIBUTION:** USA.

*amabilis* Heer, 1841, see: *Acrolocha*.

**amicale** Gistel, 1857: 86 (*Omalium*; [Note: **Nomen dubium**]; Type locality: Fulda Hassiae).

▲ **DISTRIBUTION:** Germany.

*anceps* Sharp, 1887, see: *Phloeonomus*.

*angustata* Mäklin, 1878, see: *Phyllodrepa*.

*antennarium* Reitter, 1911, see: *allardii* Fairmaire and Brisout, 1859.

*antipodum* Broun, 1893, see: *Stenomalium*.

**antiquorum**† Wickham, 1913a: 11 (*Omalium*, cited as *Homalium*; Miocene Fossil; Type locality: Wilson Ranch near Florissant, Colorado).

▲ **DISTRIBUTION:** USA.

**apicorne** Solsky, 1874: 207 (*Omalium*; Type locality: Maracandam; Taschkent).

— Eppelsheim, 1892: 346 (*Omalium*; Turkestan).

— Luze, 1906: 537 (*Omalium*; characters; Turkestan; Caucasus).

— Bernhauer and Schubert, 1910: 51 (*Omalium*; subgenus *Omalium*; catalog).

— Scheerpeltz, 1933: 1043 (*Omalium*; catalog).

— Tikhomirova, 1973a: 138 (*Omalium*; checklist; Talysh; Central Asia).

▲ **DISTRIBUTION:** Uzbekistan, “Turkestan”, Caucasus.

*appendiculatum* Heer, 1839, see: *Eusphalerum*.

*arenarium* Bernhauer, 1904, see: *Omalioopsis*.

*asperum* Eppelsheim, 1889, see: *Phyllodrepa*.

**asturicum** Fauvel, 1900d: 221 (*Omalium*, cited as *Homalium*; Type locality: Asturias).

— Luze, 1906: 536 (*Omalium*; characters; Spain).

— Bernhauer and Schubert, 1910: 51 (*Omalium*; subgenus *Omalium*; catalog).

▲ **DISTRIBUTION:** Spain.

*atomarium* Fauvel, 1865, see: *Phloeonomus*.

*atrocephalum* Gyllenhal, 1827, see: *Anthobium*.

*atrum* Heer, 1839, see: *Eusphalerum*.

*atrum* Casey, 1894, see: *Phyllodrepa*.

*atrum* Gerhardt, 1901, see: *Xylodromus*.

*australe* Broun, 1894, see: *Brouniellum*.

*azoricum* Fauvel, 1900, see: *Phloeonomus*.

*baicalicum* Motschulsky, 1860, see: *Pycnoglypta*.

**balassogloi** Eppelsheim, 1888: 66 (*Omalium*, cited as *Homalium*; Type locality: See Issyk-Kul).

— Luze, 1906: 525 (*Omalium*; characters; Turkestan).

— Bernhauer and Schubert, 1910: 51 (*Omalium*; subgenus *Omalium*; catalog).

— Tikhomirova, 1973a: 138 (*Omalium*; checklist; Kazakhstan).

▲ **DISTRIBUTION:** Kyrgyzstan, Kazakhstan.

**beelsoni** Cameron, 1924b: 166 (*Omalium*; Type locality: Chakrata District, 6500 to 8000 feet).

— Cameron, 1930: 139 (*Omalium*; characters; India).

— Scheerpeltz, 1933: 1043 (*Omalium*; catalog).

— Coiffait, 1977: 244 (*Omalium*; Nepal).

▲ **DISTRIBUTION:** India, Nepal.

*blandum* Luze, 1906, see: *Carcinocephalus*.

**blattoides** Guérin-Méneville, 1829: pl. 10, fig. 7 (*Omalium*; [**Note:** Guérin-Méneville attributed the species to Gravenhorst who did not use the name in *Omalium*; **Nomen dubium**]; Type locality: Not cited).

— Guérin-Méneville, 1844a: 33 (*Omalium*; France).

▲ **DISTRIBUTION:** France.

*brachypterum* C. Koch, 1940, see: *excavatum* Stephens, 1834.

*brachypterum* Gravenhorst, 1802, see: *Eucnecosum*.

*brevicolle* Heer, 1841, see: *Eusphalerum*.

*brevicolle* Thomson, 1884, see: *strigicolle* Wankowicz, 1869.

*brevicorne* Erichson, 1840, see: *Phyllodrepa*.

*brevipenne* Gyllenhal, 1810, see: *Micralymma*.

*brevipenne* Motschulsky, 1860, see: *Mannerheimia*.

**brookesi** Cameron, 1947d: 701 (*Omalium*; Type locality: New Zealand: Canterbury: Mistake Creek).

▲ **DISTRIBUTION:** New Zealand.

*brunnipenne* Stephens, 1834, see: *Xylodromus*.

*brunnipes* Stephens, 1834, see: *Xylodromus*.

**bucharicum** Bernhauer, 1915j: 263 (*Omalium*; Type locality: Repetek, Buchara).

— Bernhauer, 1923d: 180 (*Omalium*; characters; Buchara).

— Scheerpeltz, 1933: 1044 (*Omalium*; catalog).

— Tikhomirova, 1973a: 138 (*Omalium*; checklist; Central Asia).

▲ **DISTRIBUTION:** Turkmenistan.

**bulgaricum** Zerche, 1988c: 34 (*Omalium*; Type locality: SW-Bulgarien: Pirin-Gebirge, Wichren, 2400 m).

▲ **DISTRIBUTION:** Bulgaria.

**burgeoni** Bernhauer, 1934g: 229 (*Omalium*; subspecies of *algidum*; Type locality: W. Ruwenzori, 4200 m. Also cited from Uganda).

— Bernhauer, 1940: 131 (*Omalium*; subspecies of *algidum*; Uganda; Kenya).

— Tottenham, 1953b: 483 (*Omalium*; valid species; Ruwenzori).

▲ **DISTRIBUTION:** Congo, Kenya, Uganda.

*cacti* Schwarz, 1899, see: *Phyllodrepa*.

**caesum** Gravenhorst, 1806: 209 (*Omalium*; variety of *rivulare*; Type locality: Not cited).

— Gyllenhal, 1810: 217 (*Omalium*; [**Note:** Misidentification: Bernhauer and Schubert, 1910: 52 cited *oxyacanthae* Gyllenhal as a synonym of *caesum*; Gyllenhal did not describe the species as new, he attributed it to Gravenhorst]; characters).

— Gyllenhal, 1827: 466 (*Omalium*; [**Note:** Presumably misidentified as *oxyacanthae*]).

— Curtis, 1829: 29 (*Omalium*; catalog; Britain).

— Mannerheim, 1830: 53 (*Anthobium*; Finland; Sweden).

— Mannerheim, 1831: 467 (*Anthobium*; Finland; Sweden).

— Stephens, 1834: 354 (*Omalium*; characters; England).

— C. Sahlberg, 1830: 283 (*Omalium*; characters; Finland).

— Erichson, 1839a: 630 (*Omalium*; characters; Germany).

— Heer, 1839: 176 (*Omalium*; characters; Switzerland).

— Stephens, 1839: 429 (*Omalium*; characters; England).

— Erichson, 1840: 878 (*Omalium*; characters; Germany).

— Kolenati, 1846: 27 (*Omalium*; Caucasus).

— Hochhuth, 1849: 204 (*Omalium*; characters; Imeretia; Tiflis).

— Redtenbacher, 1849: 752 (*Omalium*; characters; Austria).

— Thomson, 1857a: 225 (*Omalium*; characters).

— Fairmaire and Laboulbène, 1856: 640 (*Omalium*; characters; France).

— Redtenbacher, 1857: 251 (*Omalium*; characters; Austria).

- Kraatz, 1857d: 981 (*Omalium*; characters; Germany).
- Kraatz, 1858b: 128 (*Omalium*; Greece).
- Thomson, 1861: 214 (*Omalium*; characters; Scandinavia).
- Hochhuth, 1862: 103 (*Omalium*; Russia).
- Fauvel, 1865a: 318 [= 1865b: 68] (*Omalium*; habitat; France).
- Fauvel, 1871a: 99 [= 1872: 73] (*Omalium*, cited as *Homalium*; characters; France; Algeria; Caucasus).
- Redtenbacher, 1874: 275 (*Omalium*; characters; Austria).
- Seidlitz, 1875: 234 (*Omalium*; characters; Baltic region).
- J. Sahlberg, 1876: 221 (*Omalium*; Finland).
- Fauvel, 1878: 89 [= 1878a: 9] (*Omalium*, cited as *Homalium*; Algeria).
- Mulsant and Rey, 1880: 214 (*Omalium*; characters; France).
- Fauvel, 1886: 14 [= 1886a: 6] (*Omalium*, cited as *Homalium*; notes; Algeria).
- Fowler, 1888: 415 (*Omalium*, cited as *Homalium*; characters; Britain).
- Ganglbauer, 1895: 736 (*Omalium*; characters; Europe; Mediterranean region; California).
- Fauvel, 1897c: 230 (*Omalium*, cited as *Homalium*; characters).
- Fauvel, 1902b: 54 (*Omalium*, cited as *Homalium*; Algeria; Tunisia).
- Luze, 1906: 539 (*Omalium*; characters; Europe; Mediterranean region; California).
- Sainte-Claire Deville, 1906: 69 (*Omalium*, cited as *Homalium*; Corsica).
- Montandon, 1908: 77 (*Omalium*; Romania).
- Reitter, 1909: 192 (*Omalium*; [**Note:** Misidentification: Scheerpeltz, 1933: 1044 cited *apicicorne* Reitter as a synonym of *caesum*; Reitter did not describe the species as new, he attributed it to Solsky and cited it as a variety of *caesum*]; characters; Germany).
- Bernhauer and Schubert, 1910: 52 (*Omalium*; subgenus *Omalium*; catalog).
- Johansen, 1914: 612 (*Omalium*; characters; Denmark).
- Portevin, 1929: 447 (*Omalium*; characters; France).
- Bernhauer, 1931e: 9 (*Omalium*; Spain).
- Scheerpeltz, 1933: 1044 (*Omalium*; catalog).
- West, 1937: 46 (*Omalium*; Faroe Islands).
- Español, 1945: 90 (*Omalium*; Spain).
- Scheerpeltz and Höfler, 1948: 152 (*Omalium*; fungus inhabitant).
- Palm, 1948: 81 (*Omalium*; characters; Sweden; Denmark; Norway; Finland).
- Scheerpeltz, 1956c: 1093 (*Omalium*; Cyprus).
- Lohse, 1960a: 32 (*Omalium*; characters; notes).
- Scheerpeltz, 1961d: 117 (*Omalium*; Italy).
- Palm, 1962: 185 (*Omalium*; characters; notes).
- Scheerpeltz, 1963a: 415 (*Omalium*; Greece).
- Horion, 1963: 86 (*Omalium*; Scotland; Lapland; Russia; Mediterranean region; Spain; Cyprus; Germany; Austria).
- Lohse, 1964: 44 (*Omalium*; characters; central Europe).
- Smetana, 1964d: 53 (*Omalium*; Czechoslovakia).
- Smetana, 1966: 325 (*Omalium*; characters).
- Pototskaia, 1967: 20 (*Omalium*; larval characters).
- Szujewski, 1968a: 711 (*Omalium*; Poland).
- Steel, 1970a: 13 (*Omalium*; biological notes).
- Coiffait, 1970e: 64 (*Omalium*; cited as *coesum*; Cyprus).
- Coiffait, 1973a: 269 (*Omalium*; Morocco).
- Osella and Zanetti, 1975: 86 (*Omalium*; collected from nest of *Talpa europaea*; notes; Italy).
- Pope, 1977: 23 (*Omalium*; Britain).
- Hammond, 1980: 138 (*Omalium*; Ireland).
- Outerelo, 1980a: 54 (*Omalium*; Spain).
- Tóth, 1982: 64 (*Omalium*; characters; Hungary).
- Frank, 1982: 9 (*Omalium*; list of parasites).
- Bordoni, 1984: 335 (*Omalium*; Lebanon).
- Zanetti, 1984: 76 (*Omalium*; Bulgaria).
- Zanetti, 1985: 30 (*Omalium*; characters).



- Zanetti, 1987: 236 (*Omalium*; characters; Italy).
- Lucht, 1987: 87 (*Omalium*; checklist; Germany; Poland; Czechoslovakia; Austria; Switzerland; France; Benelux; Denmark).
- Dettner and Reissenweber, 1991 (*Omalium*; defensive secretions: chemistry and systematics).
- Janák and Vysoky, 1992: 134 (*Omalium*; collected with *Formica polyctena*; Bohemia).
- Boháč, 1993: 41 (*Omalium*; Slovakia; Czech Republic).
- Zanetti, 1995: 7 (*Omalium*; Italy).
- Outerelo, Gamarra, and Salgado, 1998: 123 (*Omalium*; collected from cave; Spain; Portugal).
- Cibulskis, 1999: 34 (*Omalium*; list; Latvia).
- Owen, 2000: 251 (*Omalium*; pitfall trap collections from underground at roots of trees; Britain).
- Assing, 2001: 75 (*Omalium*; collected from xerothermous site; Germany).
- ▲ **DISTRIBUTION:** Faroe Islands, Europe, Morocco, Algeria, Tunisia, USA.
- impressum* Heer, 1839: 176 (*Omalium*; [**preoccupied**]; Type locality: Avers Rhaetorum).
  - Redtenbacher, 1857: 253, 994 (*Omalium*; characters; Germany).
  - Fauvel, 1871a: 99 [= 1872: 73] (*Omalium*, cited as *Homalium*; synonym of *caesum*).
  - Redtenbacher, 1874: 277 (*Omalium*; characters).
  - Fowler, 1888: 415 (*Omalium*, cited as *Homalium*; synonym of *caesum*).
  - Ganglbauer, 1895: 736 (*Omalium*; synonym of *caesum*).
  - Luze, 1906: 539 (*Omalium*; synonym of *caesum*).
  - Bernhauer and Schubert, 1910: 52 (*Omalium*; synonym of *caesum*).
  - Scheerpeltz, 1933: 1044 (*Omalium*; synonym of *caesum*).
- corticinum* Motschulsky, 1857a: 492 (*Omalium*; Type locality: Gourguel Alpe en Tyrol).
  - Fauvel, 1876a: 50 [= 1876: 235] (*Omalium*, cited as *Homalium*; synonym of *caesum*).
  - Fowler, 1888: 415 (*Omalium*, cited as *Homalium*; synonym of *caesum*).
  - Ganglbauer, 1895: 736 (*Omalium*; synonym of *caesum*).
  - Luze, 1906: 539 (*Omalium*; synonym of *caesum*).
  - Bernhauer and Schubert, 1910: 52 (*Omalium*; synonym of *caesum*).
- flavicorne* Roubal, 1930: 309 (*Omalium*; form of *caesum*; Type locality: Silica; Tat.: Poprad. pl.).
  - Scheerpeltz, 1933: 1044 (*Omalium*; aberration of *caesum*).
  - Tóth, 1982: 64 (*Omalium*; aberration of *caesum*; characters; Hungary).
- callosum* Mäklin, 1852, see: *Haida*.
- cantabricum** Coiffait, 1966d: 707 (*Omalium*; Type locality: Cueva Povro Cabaniovva, Covadonga, Province d'Oviedo, Espagne).
  - ▲ **DISTRIBUTION:** Spain.
- capito* Casey, 1894, see: *Xylodromus*.
- carinigerum* Broun, 1893, see: *Omaliomimus*.
- cariosum** Cameron, 1924b: 167 (*Omalium*; Type locality: Dehra Dun; Mussorie, 6500 feet).
  - Cameron, 1930: 140 (*Omalium*; characters; India).
  - Scheerpeltz, 1933: 1044 (*Omalium*; catalog).
  - ▲ **DISTRIBUTION:** India.
- castaneum* Gravenhorst, 1806, see: *Acidota*.
- caucasicum* Kolenati, 1846, see: *Phyllodrepa*.
- cephalotes* Eppelsheim, 1884, see: *Xylodromus*.
- cerrutii** Zanetti, 1985: 25 (*Omalium*; Type locality: Camerata Nuova, Lazio, prov. di Roma, Camposecco).
  - Zanetti, 1987: 226 (*Omalium*; characters; Italy).
  - Zanetti, 1995: 7 (*Omalium*; Italy).
  - ▲ **DISTRIBUTION:** Italy.
- chalmeri* Broun, 1893, see: *Omaliomimus*.

**chinese** J. Li, 1993: 52 (*Omalium*; Type locality: Mount Laoye, Shangzhi, Heilongjiang).

▲ **DISTRIBUTION:** China.

*chlorizans* Fauvel, 1904, see: *Phloeonomus*.

**cinnamomeum** Kraatz, 1857d: 1000 (*Omalium*; Type locality: Dalmatien).

— Kraatz, 1858b: 128 (*Omalium*; characters; Dalmatia; Greece).

— Ganglbauer, 1895: 738 (*Omalium*; characters; Dalmatia; Greece).

— Luze, 1906: 535 (*Omalium*; characters; Dalmatia; Herzegovina; Greece; Asia Minor; Italy; Corfu).

— Bernhauer and Schubert, 1910: 52 (*Omalium*; subgenus *Omalium*; catalog).

— Scheerpeltz, 1933: 1044 (*Omalium*; catalog).

— Scheerpeltz, 1956c: 1092 (*Omalium*; Cyprus).

— Scheerpeltz, 1958a: 3 (*Omalium*; Turkey).

— Scheerpeltz, 1961d: 117 (*Omalium*; Italy).

— Scheerpeltz, 1963a: 414 (*Omalium*; Greece).

— Coiffait, 1970e: 64 (*Omalium*; cited as *cinnamomaeum*; Cyprus).

— Tóth, 1982: 63 (*Omalium*; characters; Hungary).

— Zanetti, 1987: 230 (*Omalium*; characters; Italy).

— H. Franz, 1987: 69 (*Omalium*; Cyprus).

— Zanetti, 1995: 7 (*Omalium*; Italy).

— Zanetti and Sabella, 1998: 30 (*Omalium*; Sicily).

— Assing and Wunderle, 2001: 36 (*Omalium*; Cyprus).

▲ **DISTRIBUTION:** Hungary, Italy, Greece, Bosnia Hercegovina, Turkey.

*clavatum* Fauvel, 1869, see: *septentrionis* Thomson, 1857.

*clavatum* Luze, 1906, see: *subsolanum* Herman, 2001.

*clavicorne* Wollaston, 1857, see: *Phloeonomus*.

*clavicorne* Motschulsky, 1860, see: *septentrionis* Thomson, 1857.

**cognatum** Broun, 1893: 1038 (*Omalium*; Type locality: Tuakau, Lower Waikato).

— Bernhauer and Schubert, 1910: 52 (*Omalium*; subgenus *Omalium*; catalog).

— Watson, 1967: 36 (*Stenomaliium*; synonym of *sulcithorax*).

— Thayer, 1996: 159 (“*Stenomaliium*”; not in *Stenomaliium* and will be transferred).

▲ **DISTRIBUTION:** New Zealand.

*conformatum* Hardy, 1851, see: *excavatum* Stephens, 1834.

*conformis* Kraatz, 1857, see: *Phloeostiba*.

*confusum* Mäklin, 1878, see: *Mannerheimia*.

**congoense** Cameron, 1950g: 7 (*Omalium*; Type locality: Belgian Congo: Kanyabayongok, Kabasha, alt. 1760 m).

— Fagel, 1956: 12 (*Omalium*; characters; Belgian Congo; Urundi).

▲ **DISTRIBUTION:** Congo, Burundi.

*conicum* Fauvel, 1878, see: *Omaliomimus*.

*consimile* Gyllenhal, 1810, see: *Olophrum*.

*cordicolle* Fauvel, 1900, see: *laticolle* Kraatz, 1857.

*corticale* Heer, 1834 [**Note: Nomen nudum**], see: *Acrulia*.

*corticinum* Motschulsky, 1857, see: *caesum* Gravenhorst, 1806.

*costipenne* Fauvel, 1904, see: *Omalioipsis*.

*cottieri* Bernhauer, 1939, see: *Stenomaliium*.

*crassicorne* A. Matthews, 1863, see: *Phyllodrepa*.

**crassicorne** Lea, 1906: 212 (*Omalium*, cited as *Homaliium*; [**preoccupied**]; Type locality: Richmond River, N.S.W.).

— Bernhauer and Schubert, 1910: 52 (*Omalium*; subgenus *Omalium*; catalog).

— Herman, 2001: 38 (*Omalium*; although a junior primary homonym, prevailing use as valid maintained pending outcome of application to Commission under Article 23.9.5).

▲ **DISTRIBUTION:** Australia.

*crenatum* Gravenhorst, 1802, see: *Phyllodrepoidea*.

*crenulatus* Broun, 1880, see: *Anotylus*.

**cribriceps** Fauvel, 1900d: 221 (*Omalium*, cited as *Homalium*; Type locality: Syrie: Perse septentrionale).

— Luze, 1906: 530 (*Omalium*; characters; Syria; Mesopotamia; Persia).

— Bernhauer and Schubert, 1910: 52 (*Omalium*; subgenus *Omalium*; catalog).

▲ **DISTRIBUTION:** Syria, Iraq, Iran.

*cribripenne* Fauvel, 1878, see: *Phyllodrepa*.

*cribrosum* Heer, 1841, see: *Eusphalerum*.

**cribrum** Fauvel, 1878d: 216 [= 1878e: 52] (*Omalium*, cited as *Homalium*; Type locality: Kansas, Topeka; Georgie; Texas, Bosque Co.).

— Bernhauer and Schubert, 1910: 52 (*Omalium*; subgenus *Omalium*; catalog).

— Lundgren, 1998: 38 (*Omalium*; Florida; Oklahoma; Ohio, Delaware).

▲ **DISTRIBUTION:** USA.

**cubanum** Blackwelder, 1943: 55 (*Omalium*; Type locality: Cuba: Pico Turquino, summit at 6000 feet).

▲ **DISTRIBUTION:** Cuba.

*cursor* O. Müller, 1776, see: *rivulare* Paykull, 1789.

**cursor** Gravenhorst, 1806: 208 (*Omalium*; [**preoccupied**]; Type locality: Borussia).

— Olivier, 1811: 476 (*Omalium*; characters; Prussia).

— Erichson, 1840: 890 (*Omalium*; characters; Prussia).

— Luze, 1906: 486 (not in *Omalium*).

— Herman, 2001: 38 (*Omalium*; **nomen dubium**; although a junior primary homonym, it is suggested that the required replacement be ignored).

▲ **DISTRIBUTION:** Germany.

*curtellum* Sharp, 1889, see: *Mannerheimia*.

*curticolle* Eppelsheim, 1889, see: *Phyllodrepa*.

**curtipenne** Mäklin, 1878: 30 [= 1878a: 306] (*Omalium*, cited as *Homalium*; Type locality: Dudino, lat. obr. 69°15').

— J. Sahlberg, 1880: 110 (*Omalium*, cited as *Homalium*; characters; Siberia).

— Mäklin, 1881: 44 (*Omalium*, cited as *Homalium*; characters; Dundino, lat. bor. 69°15').

— Luze, 1906: 514 (*Omalium*; characters; Arctic Siberia).

— Poppius, 1909: 4 (*Omalium*; Lena Valley, Siberia).

— Bernhauer and Schubert, 1910: 52 (*Omalium*; subgenus *Omalium*; catalog).

— Tikhomirova, 1973a: 138 (*Omalium*; checklist; Caucasus).

— Kashcheev, 1999: 142 (*Omalium*; characters).

— Ryabukhin, 1999: 17 (*Omalium*; catalog; habitat; distribution; northeastern Russia).

▲ **DISTRIBUTION:** Russia.

*daimio* Sharp, 1889, see: *Xylodromus*.

**darlingtoni** Blackwelder, 1943: 55 (*Omalium*; Type locality: Jamaica: main range of the Blue Mountains, between 5000 and 7388 feet).

▲ **DISTRIBUTION:** Jamaica.

*debile* Broun, 1893, see: *Stenomalium*.

**decoratum** Bernhauer, 1922: 1 (*Omalium*; Type locality: Bolivien: Yuracaris).

— Scheerpeltz, 1933: 1044 (*Omalium*; catalog).

▲ **DISTRIBUTION:** Bolivia.

*denticollis* Beck, 1817, see: *Megarthus*.

*denticolle* Sharp, 1889, see: *Pycnoglypta*.

*dentipes* Heer, 1839, see: *Amphichroum*.

*deplanatum* Gyllenhal, 1810, see: *Xylodromus*.

*depressus* Gravenhorst, 1802, see: *Xylodromus*.

**deubeli** Bernhauer, 1915j: 263 (*Omalium*; Type locality: am Bucsecs und im Rodnaergebirge in Siebenbürgen).

— Bernhauer, 1923d: 180 (*Omalium*; characters; Siebenbürgen).

— Roubal, 1930: 308 (*Omalium*; characters; Slovakia).

— Scheerpeltz, 1933: 1044 (*Omalium*; catalog).

— Lohse, 1964: 44 (*Omalium*; characters; central Europe).

— Tóth, 1982: 62 (*Omalium*; characters).

— Lucht, 1987: 87 (*Omalium*; checklist; Czechoslovakia).

— Boháč, 1993: 41 (*Omalium*; Slovakia).

▲ **DISTRIBUTION:** Romania, Slovakia.

**diffine** Sharp, 1889: 474 (*Omalium*; Type locality: Hitoyoshi).

— Bernhauer and Schubert, 1910: 52 (*Omalium*; subgenus *Omalium*; catalog).

— Watanabe, 1961: 349 (*Omalium*; Izu Islands).

— Watanabe and Shibata, 1972: 60 (*Omalium*; Yaku-shima Island).

— Watanabe, 1990: 99 (*Omalium*; characters; Japan).

▲ **DISTRIBUTION:** Japan.

*diffusum* Fauvel, 1878, see: *Acrolocha*.

*distincticorne* Baudi, 1870, see: *Dialycera*.

**distigma** Bernhauer, 1922: 2 (*Omalium*; Type locality: Bolivien: Yuracarís).

— Scheerpeltz, 1933: 1044 (*Omalium*; catalog).

▲ **DISTRIBUTION:** Bolivia.

*divergens* Mäklin, 1878, see: *Mannerheimia*.

**doderoi** Zanetti, 1980a: 135 (*Omalium*; Type locality: Sardegna: Monti, prov. di Sassari).

— Zanetti, 1987: 220 (*Omalium*; characters; Italy).

— Zanetti, 1995: 7 (*Omalium*; Italy).

▲ **DISTRIBUTION:** Italy.

**edwardsi** Bernhauer, 1937b: 580 (*Omalium*; Type locality: Uganda: Kigezi Dist., Canaba Cap, 7500 ft.).

— Bernhauer, 1940: 132 (*Omalium*; Uganda).

▲ **DISTRIBUTION:** Uganda.

*elegans* Kraatz, 1857, see: *Phyllodrepa*.

**escayraci** Saulcy, 1864: 659 (*Omalium*; Type locality: Jérusalem).

— Luze, 1906: 521 (*Omalium*; characters; Cyprus; Syria).

— Bernhauer and Schubert, 1910: 53 (*Omalium*; subgenus *Omalium*; catalog).

▲ **DISTRIBUTION:** Israel, Cyprus.

**espanoli** Jarrige, 1952: 86 (*Omalium*, cited as *Homalium*; Type locality: la Cova Andrichol, Majorque).

— Pons and Palmer, 1996: 163 (*Omalium*; Balearic endemic; notes; habitat; Mallorca).

▲ **DISTRIBUTION:** Balearic Islands.

**excavatum** Stephens, 1834: 355 (*Omalium*; Type locality: Suffolk; vicinity of London).

— Gyllenhal, 1810: 215 (*Omalium*; [Note: Misidentification: Bernhauer and Schubert, 1910: 53 cited *caesum* Gyllenhal as a synonym of *excavatum*; Gyllenhal did not describe the species as new, he attributed it to Gravenhorst]).

— Gyllenhal, 1827: 466 (*Omalium*; [Note: Presumably a misidentification of *caesum*]).

— Stephens, 1839: 430 (*Omalium*; characters; England).

— G. Waterhouse, 1858: 31 (*Omalium*; synonym of *fossulatum*).

— Fauvel, 1871a: 101 [= 1872: 75] (*Omalium*, cited as *Homalium*; characters; France).

— J. Sahlberg, 1876: 221 (*Omalium*; Finland).

— Fauvel, 1886: 14 [= 1886a: 6] (*Omalium*, cited as *Homalium*; Morocco).

- Fowler, 1888: 415 (*Omalium*, cited as *Homalium*; characters; Britain).
  - Ganglbauer, 1895: 736 (*Omalium*; characters; Europe).
  - Fauvel, 1902b: 54 (*Omalium*, cited as *Homalium*; Morocco; Algeria).
  - Poppius, 1905: 12 (*Omalium*; Orkney Islands).
  - Luze, 1906: 544 (*Omalium*; characters; Europe).
  - Sainte-Claire Deville, 1906: 69 (*Omalium*, cited as *Homalium*; Corsica).
  - Reitter, 1909: 192 (*Omalium*; characters; Germany).
  - Bernhauer and Schubert, 1910: 53 (*Omalium*; subgenus *Omalium*; catalog).
  - Johansen, 1914: 612 (*Omalium*; characters; Denmark).
  - Henriksen and Lundbeck, 1918: 499 (*Omalium*; Greenland).
  - Portevin, 1929: 447 (*Omalium*; characters; France).
  - Bernhauer, 1931e: 9 (*Omalium*; Spain).
  - Scheerpeltz, 1933: 1044 (*Omalium*; catalog).
  - West, 1937: 47 (*Omalium*; Faroe Islands).
  - Henriksen, 1939: 43 (*Omalium*; Greenland).
  - C. Koch, 1941: 54 (*Omalium*; Morocco).
  - Scheerpeltz and Höfler, 1948: 152 (*Omalium*; fungus inhabitant).
  - Palm, 1948: 82 (*Omalium*; characters; Sweden; Denmark; Norway; Finland).
  - Jeannel and Jarrige, 1949: 312 (*Omalium*; cave species; France; Spain).
  - Larsson and Gígja, 1959: 63 (*Omalium*; biological notes; Iceland).
  - Scheerpeltz, 1960d: 133 (*Omalium*; Portugal).
  - Scheerpeltz, 1961d: 117 (*Omalium*; Italy).
  - Horion, 1963: 88 (*Omalium*; Scotland; Lapland; Kola Peninsula; Iberian Peninsula; Corsica; Sardinia; Italy; Bosnia Hercegovina; Germany; Austria).
  - Lohse, 1964: 45 (*Omalium*; characters; central Europe).
  - Scheerpeltz, 1965b: 392 (*Omalium*; Sicily).
  - Coiffait, 1968c: 505 (*Omalium*; Corsica).
  - Szujewski, 1968a: 711 (*Omalium*; Poland).
  - Steel, 1970a: 13 (*Omalium*; biological notes).
  - Ashworth, 1972: 214 (*Omalium*; late-glacial subfossil; Britain).
  - Pope, 1977: 23 (*Omalium*; Britain).
  - Hammond, 1980: 138 (*Omalium*; Ireland).
  - Tóth, 1982: 62 (*Omalium*; characters; Hungary).
  - Frank, 1982: 9 (*Omalium*; list of parasites).
  - Zanetti, 1987: 239 (*Omalium*; characters; Italy).
  - Lucht, 1987: 87 (*Omalium*; checklist; Germany; Poland; Czechoslovakia; Austria; Switzerland; France; Benelux; Denmark).
  - Boháč, 1993: 41 (*Omalium*; Slovakia; Czech Republic).
  - Hernández, Outerelo, and Gamarra, 1994: 192 (*Omalium*; Canary Island).
  - Sadler and Dugmore, 1995: 144 (*Omalium*; habitat notes; Iceland).
  - Zanetti, 1995: 7 (*Omalium*; Italy).
  - Cibulskis, 1998: 67 (*Omalium*; Latvia).
  - Tronquet, 1998a: 114 (*Omalium*; collected from marmot burrow; France).
  - Zanetti and Sabella, 1998: 30 (*Omalium*; Sicily).
  - Outerelo, Gamarra, and Salgado, 1998: 123 (*Omalium*; collected from cave; Spain; Portugal).
  - Cibulskis, 1999: 34 (*Omalium*; list; Latvia).
  - Assing and Wunderle, 1999: 435 (*Omalium*; collecting notes; Canary Islands).
  - Assing, 2000b: 115 (*Omalium*; collecting notes; Canary Islands).
  - Marchal and Chardonnet, 2000: 71 (*Omalium*; Corsica).
  - ▲ **DISTRIBUTION:** Greenland, Iceland, Faroe Islands, Orkney Islands, Europe, Russia, Morocco, Algeria, Canary Islands.
- fossulatum* Erichson, 1839a: 630 (*Omalium*; [**Note:** Erichson cited *caesum* Gyllenhal as a synonym of *fossulatum* but Gyllenhal's use was a misidentification]; Type locality: Mark Brandenburg).
- Heer, 1839: 176 (*Omalium*; characters; Switzerland).
  - Erichson, 1840: 877 (*Omalium*; characters; Germany).
  - Redtenbacher, 1849: 752 (*Omalium*; characters; Austria).

- Kiesenwetter, 1851a: 435 (*Omalium*; France).
- Hardy, 1851: 59 (*Omalium*; notes; England).
- Thomson, 1857a: 225 (*Omalium*; characters).
- Fairmaire and Laboulbène, 1856: 640 (*Omalium*; characters; France).
- Staudinger, 1857: 287 (*Omalium*; notes; Iceland).
- Redtenbacher, 1857: 251 (*Omalium*; characters; Austria).
- Kraatz, 1857d: 979 (*Omalium*; characters; Germany).
- Thomson, 1861: 213 (*Omalium*; characters; Scandinavia).
- Hochhuth, 1862: 103 (*Omalium*; Russia).
- Fauvel, 1869: 494 (*Omalium*, cited as *Homalium*; synonym of *excavatum*).
- Fauvel, 1871a: 101 [= 1872: 75] (*Omalium*, cited as *Homalium*; synonym of *excavatum*).
- Redtenbacher, 1874: 275 (*Omalium*; characters; Austria).
- Seidlitz, 1875: 234 (*Omalium*; characters; Baltic region).
- J. Sahlberg, 1876: 221 (*Omalium*; synonym of *excavatum*).
- Mulsant and Rey, 1880: 218 (*Omalium*; characters; France).
- Ganglbauer, 1895: 736 (*Omalium*; synonym of *excavatum*).
- Luze, 1906: 544 (*Omalium*; synonym of *excavatum*).
- Bernhauer and Schubert, 1910: 53 (*Omalium*; synonym of *excavatum*).
- Scheerpeltz, 1933: 1045 (*Omalium*; synonym of *excavatum*).
- Zanetti, 1987: 239 (*Omalium*; synonym of *excavatum*).

*conformatum* Hardy, 1851: 59 (*Omalium*; Type locality: Ravensworth woods; South Shields; Berwickshire; near London).

- Fauvel, 1871a: 101 [= 1872: 75] (*Omalium*, cited as *Homalium*; synonym of *excavatum*).
- Ganglbauer, 1895: 737 (*Omalium*; synonym of *excavatum*).
- Luze, 1906: 544 (*Omalium*; synonym of *excavatum*).
- Bernhauer and Schubert, 1910: 53 (*Omalium*; synonym of *excavatum*).

*brachypterum* C. Koch, 1940: 373 (*Omalium*; subspecies of *excavatum*; [preoccupied]; Type locality: Lazio, Filetino).

- Zanetti, 1987: 239 (*Omalium*; synonym of *excavatum*).

*excellens* Bernhauer, 1903, see: *falsum* Eppelsheim, 1889.

**exiguum** Gyllenhal, 1810: 218 (*Omalium*; Type locality: Suecica).

- Gyllenhal, 1827: 466 (*Omalium*).
- Zetterstedt, 1828: 51 (*Omalium*; characters; Lapland).
- Mannerheim, 1830: 53 (*Anthobium*; Finland).
- Mannerheim, 1831: 467 (*Anthobium*; Finland).
- Stephens, 1834: 350 (*Omalium*; characters; England).
- Zetterstedt, 1838: 51 (*Omalium*; characters; habitat; Lapland; Sweden).
- Stephens, 1839: 428 (*Omalium*; characters; England).
- Erichson, 1840: 876 (*Omalium*; characters; Germany).
- Redtenbacher, 1849: 829 (*Omalium*; characters; Austria).
- Hardy, 1851: 59 (*Omalium*; notes; England).
- Thomson, 1857a: 225 (*Omalium*; characters).
- Fairmaire and Laboulbène, 1856: 640 (*Omalium*; characters; France).
- Redtenbacher, 1857: 251 (*Omalium*; characters; Austria).
- Kraatz, 1857d: 984 (*Omalium*; characters; Germany).
- Thomson, 1861: 213 (*Omalium*; characters; Scandinavia).
- Fauvel, 1871a: 98 [= 1872: 72] (*Omalium*, cited as *Homalium*; characters; France; Scandinavia; Britain; Germany).
- Redtenbacher, 1874: 275 (*Omalium*; characters; Austria).
- Seidlitz, 1875: 234 (*Omalium*; characters; Baltic region).
- J. Sahlberg, 1876: 222 (*Omalium*; Finland).
- Mulsant and Rey, 1880: 212 (*Omalium*; characters; France).
- Fowler, 1888: 414 (*Omalium*, cited as *Homalium*; characters; Britain).
- Ganglbauer, 1895: 736 (*Omalium*; characters; north and middle Europe).
- Luze, 1906: 528 (*Omalium*; characters; northern and central Europe; Spain).

- Reitter, 1909: 191 (*Omalium*; characters; Germany).
  - Bernhauer and Schubert, 1910: 53 (*Omalium*; subgenus *Omalium*; catalog).
  - Johansen, 1914: 611 (*Omalium*; characters; Denmark).
  - Portevin, 1929: 446 (*Omalium*; characters; France).
  - Scheerpeltz, 1933: 1045 (*Omalium*; catalog).
  - Palm, 1948: 80 (*Omalium*; characters; Sweden; Denmark; Norway; Finland).
  - Horion, 1963: 83 (*Omalium*; Britain; Norway; Sweden; Finland; Denmark; Holland; Belgium; Switzerland; France; Spain; Sardinia; Italy; Slovakia; Czech Republic; Germany; Austria).
  - Lohse, 1964: 44 (*Omalium*; characters; central Europe).
  - Smetana, 1964d: 53 (*Omalium*; Czechoslovakia).
  - Pope, 1977: 23 (*Omalium*; Britain).
  - Hammond, 1980: 138 (*Omalium*; Ireland).
  - Tóth, 1982: 62 (*Omalium*; characters).
  - Zanetti, 1985: 29 (*Omalium*; characters).
  - Zanetti, 1987: 225 (*Omalium*; characters; Italy).
  - Lucht, 1987: 87 (*Omalium*; checklist; Germany; Poland; Czechoslovakia; Austria; Benelux; Denmark).
  - Zanetti, 1995: 7 (*Omalium*; Italy).
  - Schülke and Uhlig, 1988: 2 (*Omalium*; notes; Germany).
  - Wittwer, 1993: 248 (*Omalium*; Switzerland).
  - Boháč, 1993: 41 (*Omalium*; Slovakia; Czech Republic).
- ▲ **DISTRIBUTION:** Europe.

*exsculptum* Mäklin, 1852, see: *Acrolocha*.

*fahraei* Zetterstedt, 1838, see: *Phyllodrepa*.

- falsum** Eppelsheim, 1889d: 21 (*Omalium*, cited as *Homalium*; Type locality: Circassien; Ach-Bulach; Caspimeer-Gebiet bei Liryk).
- Bernhauer and Schubert, 1910: 53 (*Omalium*; subgenus *Omalium*; catalog).
  - Tikhomirova, 1973a: 138 (*Omalium*; checklist; Caucasus; Central Asia).
- ▲ **DISTRIBUTION:** Russia, Caspian region.

- excellens* Bernhauer, 1903b: 190 (*Omalium*; Type locality: Caspi-Meergebiet, Rasano).
- Bernhauer, 1903c: 592 (*Omalium*; synonym of *falsum*).
  - Luze, 1906: 491 (*Omalium*; synonym of *falsum*).
  - Bernhauer and Schubert, 1910: 53 (*Omalium*; subgenus *Omalium*; synonym of *falsum*).

- faustum** Sharp, 1887: 746 (*Omalium*; Type locality: Panama, Bugaba).
- Bernhauer and Schubert, 1910: 53 (*Omalium*; subgenus *Omalium*; catalog).
- ▲ **DISTRIBUTION:** Panama.

*fenestrale* Zetterstedt, 1828, see: *Porrhodites*.

- ferrugineum** Kraatz, 1857d: 980 (*Omalium*; Type locality: Brocken).
- Redtenbacher, 1857: 994 (*Omalium*; characters; Germany).
  - Fauvel, 1871a: 100 [= 1872: 74] (*Omalium*, cited as *Homalium*; characters; Germany; Carpathians; Tatra region; Sudeten).
  - Redtenbacher, 1874: 277 (*Omalium*; characters).
  - Ganglbauer, 1895: 737 (*Omalium*; characters; Europe).
  - Fauvel, 1897c: 230 (*Omalium*, cited as *Homalium*; characters).
  - Luze, 1906: 533 (*Omalium*; characters; Germany; Sudeten; Carpathians).
  - Reitter, 1909: 192 (*Omalium*; characters; Germany).
  - Bernhauer and Schubert, 1910: 53 (*Omalium*; subgenus *Omalium*; catalog).
  - Scheerpeltz, 1933: 1045 (*Omalium*; catalog).
  - Lohse, 1960a: 33 (*Omalium*; characters).
  - Smetana, 1960b: 258 (*Omalium*; Czechoslovakia).
  - Horion, 1963: 85 (*Omalium*; Bosnia; Romania; Hungary; Slovakia; Poland; Austria; Germany).
  - Lohse, 1964: 45 (*Omalium*; characters; central Europe).
  - Tóth, 1982: 63 (*Omalium*; characters; Hungary).
  - Zanetti, 1987: 231 (*Omalium*; characters; Italy).

- Lucht, 1987: 87 (*Omalium*; checklist; Germany; Poland; Czechoslovakia; Austria).
- Boháč, 1993: 41 (*Omalium*; Slovakia; Czech Republic).
- Zanetti, 1995: 7 (*Omalium*; Italy).

▲ **DISTRIBUTION:** Europe.

*filiformis* Walker, 1858, see: *Nacaeus*.

*finetarium* Mannerheim, 1830, see: *Anthobium*.

*flavicorne* Roubal, 1930, see: *caesum* Gravenhorst, 1806.

**flavidum** Hamilton, 1895: 347 (*Omalium*, cited as *Homalium*; Type locality: Pennsylvania: near St. Vincent; [**Note:** See lectotype designation by Thayer, 1992]).

- Bernhauer and Schubert, 1910: 53 (*Omalium*; subgenus *Omalium*; catalog).
- Thayer, 1992 (“*Omalium*”; generic placement incorrect; sexual wing dimorphism; discussion of wing dimorphism; redescription; lectotype designation; Ontario; Quebec; Maine; Maryland; Massachusetts; New Hampshire; New York; Pennsylvania).
- Downie and Arnett, 1996: 437 (*Omalium*; characters; USA).
- Newton, Thayer, Ashe, and Chandler, 2000: 336 (*Carcinocephlus* ?).

▲ **DISTRIBUTION:** Canada; USA.

**flavipalpi** Broun, 1909: 228 (*Omalium*; Type locality: Broken River).

- Scheerpeltz, 1933: 1045 (*Omalium*; cited as *flavipalpis*; catalog).
- Watson, 1967: 36 (*Stenomalium*; synonym of *sulcithorax*).
- Thayer, 1996: 159 (“*Stenomalium*”; not in *Stenomalium*; probably a synonym of *cognatum*).

▲ **DISTRIBUTION:** New Zealand.

*flavipenne* Mäklin, 1853, see: *Phloeonomus*.

**foraminosum** Mäklin, 1852: 321 (*Omalium*; Type locality: insula Sitkha).

- Fauvel, 1878d: 217 [= 1878e: 53] (*Omalium*, cited as *Homalium*; characters; Alaska; Lake Superior; Michigan).
- Bernhauer and Schubert, 1910: 53 (*Omalium*; subgenus *Omalium*; catalog).
- Notman, 1919a: 96 (*Omalium*, cited as *Homalium*; Ontario).
- Fall, 1926: 145 (*Omalium*; Yukon Territory).
- Scheerpeltz, 1933: 1045 (*Omalium*; catalog).
- Hatch, 1957: 80 (*Omalium*; characters; British Columbia; Washington).

▲ **DISTRIBUTION:** Canada, USA.

*foraminosum* Scriba, 1866, see: *rivulare* Paykull, 1789.

**fortepunctatum** Fagel, 1956: 13 (*Omalium*; Type locality: Congo Belge: Kivu, Mt. Muhi, ruisseau Isale, 3025 m).

▲ **DISTRIBUTION:** Congo.

*fossulatum* Erichson, 1839, see: *excavatum* Stephens, 1834.

*foveolatum* Stephens, 1834, see: *Phloeonomus*.

*fractum* Fauvel, 1878, see: *Acrolocha*.

*fucicola* Kraatz, 1857, see: *laeviusculum* Gyllenhal, 1826.

*fuistingi* Reitter, 1895, see: *validum* Kraatz, 1857.

**funebre** Fauvel, 1871a: 99 [= 1872: 73] (*Omalium*, cited as *Homalium*; Type locality: Hautes Pyrénées).

- Mulsant and Rey, 1880: 213 (*Omalium*; characters; France).
- Luze, 1906: 527 (*Omalium*; characters; Pyrenees; Austria; Transylvania).
- Bernhauer and Schubert, 1910: 53 (*Omalium*; subgenus *Omalium*; catalog).
- Portevin, 1929: 446 (*Omalium*; characters; France).
- Scheerpeltz, 1933: 1045 (*Omalium*; catalog).
- Horion, 1935: 174 (*Omalium*; characters; Pyrenees; Balkans; Austria).
- Horion, 1963: 82 (*Omalium*; France; Sardinia; Italy; Switzerland; Romania; Slovakia; Germany; Austria).
- Lohse, 1964: 44 (*Omalium*; characters; central Europe).



- Tóth, 1982: 61 (*Omalium*; characters).
- Zanetti, 1984: 76 (*Omalium*; Bulgaria).
- Zanetti, 1985: 27 (*Omalium*; characters).
- Zanetti, 1987: 224 (*Omalium*; characters; Italy).
- Lucht, 1987: 87 (*Omalium*; checklist; Germany; Czechoslovakia; Austria).
- Boháč, 1993: 41 (*Omalium*; Slovakia).
- Zanetti, 1995: 7 (*Omalium*; Italy).

▲ **DISTRIBUTION:** Italy, France, Germany, Switzerland, Austria, Slovakia, Romania, Bulgaria.

*fuscipenne* Heer, 1839, see: *Eusphalerum*.

*fusciventre* Broun, 1894, see: *Stenomalium*.

*fuscum* Gravenhorst, 1806, see: *Olophrum*.

**fuscum** Stephens, 1834: 355 (*Omalium*; [**preoccupied**]; Type locality: London).

- Stephens, 1839: 430 (*Omalium*; characters; England).
- Herman, 2001: 38 (*Omalium*; **nomen dubium**); although a junior primary homonym, it is suggested that the required replacement be ignored and prevailing use as valid maintained pending outcome of application to Commission under Article 23.9.5).

▲ **DISTRIBUTION:** Britain.

**gartneri** Coiffait, 1982: 153 (*Omalium*; Type locality: Inde: Karakorum, Naltar Tal, Umg. Jagot).

▲ **DISTRIBUTION:** India.

*gayndahense* W. J. MacLeay, 1873, see: *Paraphloeostiba*.

**gedyei** Bernhauer, 1940: 132 (*Omalium*; Type locality: Kenya: West Aberdare Mts., 10–11,000 ft.).

▲ **DISTRIBUTION:** Kenya.

*genalis* Broun, 1880, see: *Ischnoderus*.

*genistarum* Coquerel, 1860, see: *allardii* Fairmaire and Brisout, 1859.

*gracilicorne* Fairmaire and Laboulbène, 1856, see: *Phyllodrepa*.

**gridellii** Bernhauer, 1937b: 579 (*Omalium*; Type locality: Uganda: Bussu Busoga).

▲ **DISTRIBUTION:** Uganda.

*granulatum* Wollaston, 1854, see: *Phloeonomus*.

*gyllenhalii* C. Sahlberg, 1830, see: *Eucnecosum*.

*hamatum* Fauvel, 1878, see: *Hapalaraea*.

*hampei* Redtenbacher, 1857, see: *Acrolocha*.

**hebes** Broun, 1880: 116 (*Omalium*; Type locality: Whangarei Harbour).

- Bernhauer and Schubert, 1910: 54 (*Omalium*; subgenus *Omalium*; catalog).

▲ **DISTRIBUTION:** New Zealand.

*helmsi* Cameron, 1945, see: *Stenomalium*.

**henroti** Coiffait, 1976b: 96 (*Omalium*; Type locality: Chypre: Platania).

- Assing and Wunderle, 2001: 36 (*Omalium*; Cyprus).

▲ **DISTRIBUTION:** Cyprus.

*hiemale* Fuss, 1868, see: *Phyllodrepa*.

**hilare** Gistel, 1857: 30 (*Omalium*; [**Note: Nomen dubium**]; Type locality: Styria).

▲ **DISTRIBUTION:** Austria.

*hilarum* Broun, 1914, see: *Brouniellum*.

**holtzi** Bernhauer, 1943: 72 (*Omalium*; Type locality: Morea: Kalavryta).

▲ **DISTRIBUTION:** Greece.

*hova* Fauvel, 1904, see: *Omallopsis*.

**humerale** Cameron, 1924b: 167 (*Omalium*; Type locality: Chakrata District; Korawa Khud, 9100 feet).

— Cameron, 1930: 139 (*Omalium*; characters; India).

— Scheerpeltz, 1933: 1045 (*Omalium*; catalog).

▲ **DISTRIBUTION:** India.

*humerosum* Fauvel, 1878, see: *Hapalaraea*.

*humile* Mäklin, 1853, see: *Hapalaraea*.

**hypsioticum** Gistel, 1857: 30 (*Omalium*; [**Note: Nomen dubium**]; Type locality: Styria).

▲ **DISTRIBUTION:** Austria.

*imhoffi* Heer, 1839, see: *Eusphalerum*.

**imitator** Luze, 1906: 534 (*Omalium*; Type locality: Nordungarn, Pressburg; Südungarn, Mehadia).

— Bernhauer and Schubert, 1910: 54 (*Omalium*; subgenus *Omalium*; catalog).

— Roubal, 1930: 309 (*Omalium*; characters; Slovakia).

— Palm, 1948: 82 (*Omalium*; characters; Sweden).

— Lohse, 1964: 45 (*Omalium*; characters; central Europe).

— Muona, 1979: 18 (*Omalium*; Finland).

— Tóth, 1982: 64 (*Omalium*; characters; Hungary).

— Lucht, 1987: 87 (*Omalium*; checklist; Czechoslovakia).

— Silfverberg, 1992: 21 (*Omalium*; Finland).

— Boháč, 1993: 41 (*Omalium*; Slovakia).

▲ **DISTRIBUTION:** Slovakia, Hungary, Finland.

*impar* Mulsant and Rey, 1861, see: *riparium* Thomson, 1857.

*impressum* Zetterstedt, 1828, see: *Eucnecosum*.

*impressum* Heer, 1839, see: *caesum* Gravenhorst, 1806.

*incisum* Gravenhorst, 1806, see: *rivulare* Paykull, 1789.

**incultum** Sharp, 1887: 746 (*Omalium*; Type locality: Guatemala, Quiche Mountains 7000 to 9000 feet).

— Bernhauer and Schubert, 1910: 54 (*Omalium*; subgenus *Omalium*; catalog).

▲ **DISTRIBUTION:** Guatemala.

*inflatum* Gyllenhal, 1813, see: *Acrulia*.

*insigne* Fairmaire and Germain, 1861, see: *Ischnoderus*.

*insulare* Kiesenwetter, 1877, see: *Nesomalium*.

*iopterum* Stephens, 1832, see: *Phyllodrepa*.

**italicum** Bernhauer, 1902d: 704 (*Omalium*; Type locality: Nord- und Mittelitalien von Genua bis Rom).

— Fowler, 1888: 415 (*Omalium*, cited as *Homalium*; [**Note: Misidentification: Bernhauer and Schubert, 1910: 54 cited *nigriceps* Fowler as a synonym of *italicum*; Fowler did not describe the species as new, he attributed it to Kiesenwetter**]; characters; Britain).

— Luze, 1906: 487, 491, 541 (*Omalium*; synonym of *tricolor*).

— Bernhauer and Schubert, 1910: 54 (*Omalium*; subgenus *Omalium*; catalog).

— Scheerpeltz, 1933: 1045 (*Omalium*; catalog).

— Horion, 1935: 175 (*Omalium*; characters; Italy; France; Netherlands; Germany).

— Lohse, 1960a: 33 (*Omalium*; characters).

— Scheerpeltz, 1961d: 117 (*Omalium*; Italy).

— Horion, 1963: 87 (*Omalium*; Britain; France; Italy; Egypt; Holland; Germany).

— Lohse, 1964: 45 (*Omalium*; characters; central Europe).

— Steel, 1970a: 13 (*Omalium*; biological notes).

— Pope, 1977: 23 (*Omalium*; Britain).

— Hammond, 1980: 138 (*Omalium*; Ireland).

— Zanetti, 1987: 234 (*Omalium*; characters; Italy).

— Lucht, 1987: 87 (*Omalium*; Germany; Benelux).

- Drugmand and Haghebaert, 1987: 326 (*Omalium*; Belgium).
- Zanetti, 1995: 7 (*Omalium*; Italy).
- Owen, 2000: 251 (*Omalium*; pitfall trap collections from underground at roots of trees; Britain).

▲ **DISTRIBUTION:** Ireland, Britain, Belgium, Germany, France, Italy.

*tricolor* Mulsant and Rey, 1880: 218 (*Omalium*; [**preoccupied**]; Type locality: Hyères).

- Ganglbauer, 1895: 736 (*Omalium*; synonym of *caesum*).
- Fauvel, 1902b: 54 (*Omalium*, cited as *Homalium*; variety of *caesum*).
- Luze, 1906: 541 (*Omalium*; characters; France; Italy; Elba Island).
- Bernhauer and Schubert, 1910: 54 (*Omalium*; synonym of *italicum*).
- Scheerpeltz, 1933: 1045 (*Omalium*; synonym of *italicum*).
- Pope, 1977: 23 (*Omalium*; synonym of *italicum*).
- Zanetti, 1987: 234 (*Omalium*; synonym of *italicum*).

*vanderwieli* Everts, 1920: 228 (*Omalium*; aberration of *italicum*; [**Note: Nomen nudum** (Articles 1.3.4, 45.5)]; locality cited: Valkenburg).

- Scheerpeltz, 1933: 1045 (*Omalium*; aberration of *italicum*).

*jamesi* Jarrige, 1946a: 111 (*Omalium*, cited as *Homalium*; Type locality: France: Lauzanier, Basses-Alpes).

▲ **DISTRIBUTION:** France.

*jamaicensis* Blackwelder, 1943: 54 (*Omalium*; Type locality: Jamaica: Yallahs Valley, Blue Mountains).

▲ **DISTRIBUTION:** Jamaica.

*japonicum* Sharp, 1874: 98 (*Omalium*; Type locality: Nagasaki).

- Bernhauer and Schubert, 1910: 54 (*Omalium*; subgenus *Omalium*; catalog).
- Nakane, 1963a: 82 (*Omalium*; characters; habitus photograph; Japan).
- Watanabe, 1990: 95 (*Omalium*; characters; Japan).

▲ **DISTRIBUTION:** Japan.

*kabakovi* Kashcheev, 1999: 141 (*Omalium*; Type locality: Dzhungarskii Alatai, verkhov'ia r. Tentek, 3400 m).

▲ **DISTRIBUTION:** Kazakhstan.

*kronii* Kiesenwetter, 1877, see: *Crymus*.

*kruegeri* Gridelli, 1930: 61 (*Omalium*; cited as *krügeri*; Type locality: Tobruch).

- Scheerpeltz, 1933: 1045 (*Omalium*; cited as *krügeri*; catalog).

▲ **DISTRIBUTION:** Libya.

*laborium* Blackwelder, 1943: 56 (*Omalium*; Type locality: Haiti: east slope of Morne La Selle, about 6000 feet. Also cited from the Dominican Republic).

▲ **DISTRIBUTION:** Haiti, Dominican Republic.

*lacki* Bernhauer, 1940b: 625 (*Omalium*; Type locality: Bären-Insel im nördlichen Eismeer, Fugleodden).

- Tikhomirova, 1973a: 138 (*Omalium*; checklist; Spitzbergen).

▲ **DISTRIBUTION:** Russia.

*lacrymale* Fleutiaux and Sallé, 1889, see: *Phloeonomus*.

*lacustre* Casey, 1894, see: *Xylodromus*.

*laesicolle* Mäklin, 1852, see: *Phloeonomus*.

*laeticulum* Sharp, 1887, see: *Phloeonomus*.

*laetipenne* Broun, 1910, see: *Omaliomimus*.

*laeve* Gravenhorst, 1806, see: *Deliphrum*.

*laevicolle* Heer, 1839, see: *Proteinus*.

*laeviusculum* Gyllenhal, 1827: 464 (*Omalium*; Type locality: Finmarkia ad Nord-Cap).

- C. Sahlberg, 1830: 282 (*Omalium*; characters; Finland).
- Zetterstedt, 1838: 51 (*Omalium*; characters; habitat; Lapland; Sweden).

- Erichson, 1840: 887 (*Omalium*; characters; Sweden).
- Hardy, 1851: 59 (*Omalium*; notes; England).
- Thomson, 1857a: 224 (*Omalium*; characters; Scandinavia).
- Thomson, 1861: 213 (*Omalium*; characters; Scandinavia).
- Fauvel, 1871a: 102 [= 1872: 76] (*Omalium*, cited as *Homalium*; characters; Scandinavia; Britain; Germany).
- Seidlitz, 1875: 234 (*Omalium*; characters; Baltic region).
- J. Sahlberg, 1876: 220 (*Omalium*; Finland).
- Mulsant and Rey, 1880: 193 (*Omalium*; characters; France).
- Fowler, 1888: 413 (*Omalium*, cited as *Homalium*; characters; Britain).
- Ganglbauer, 1895: 734 (*Omalium*; characters; Germany; France; Scandinavia; Britain; Iceland).
- Poppius, 1905: 11 (*Omalium*; Orkney Islands; Shetland Islands).
- Luze, 1906: 512 (*Omalium*; characters; Germany; France; Scandinavia; Great Britain; Iceland).
- Reitter, 1909: 190 (*Omalium*; characters; Germany).
- Bernhauer and Schubert, 1910: 54 (*Omalium*; subgenus *Omalium*; catalog).
- Johansen, 1914: 610 (*Omalium*; characters; Denmark).
- Scheerpeltz, 1933: 1045 (*Omalium*; catalog).
- West, 1937: 45 (*Omalium*; Faroe Islands).
- Palm, 1948: 78 (*Omalium*; characters; Sweden; Norway; Finland).
- Larsson and Gígja, 1959: 58 (*Omalium*; biological notes; Iceland).
- Horion, 1963: 74 (*Omalium*; Britain; Norway; Finland; Russia; Sweden; Denmark; Holland; Belgium; France; Germany).
- Lohse, 1964: 41 (*Omalium*; characters; central Europe).
- Steel, 1970a: 13 (*Omalium*; biological notes).
- Pope, 1977: 23 (*Omalium*; Britain).
- Hammond, 1980: 138 (*Omalium*; Ireland).
- Lucht, 1987: 87 (*Omalium*; checklist; Germany; Benelux; Denmark).
- Welch, 1993: 227 (*Omalium*; ovariule number and ovary structure).
- Sadler and Dugmore, 1995: 144 (*Omalium*; habitat notes; Iceland).
- ▲ **DISTRIBUTION:** Iceland, Faroe Islands, Shetland Islands, Orkney Islands, Ireland, Britain, Norway, Sweden, Denmark, Holland, France, Germany, Russia.

*fucicola* Kraatz, 1857c: 286 (*Omalium*; Type locality: Island).

- Kraatz, 1857d: 978 (*Omalium*; characters; Germany).
- Thomson, 1861: 212 (*Omalium*; synonym of *riparium*).
- Fauvel, 1867c: 115 [= 1868b: 214] (*Omalium*; synonym of *laeviusculum*).
- Fauvel, 1871a: 102 [= 1872: 76] (*Omalium*, cited as *Homalium*; synonym of *riparium*).
- Mulsant and Rey, 1880: 194 (*Omalium*; synonym of *laeviusculum*).
- Ganglbauer, 1895: 734 (*Omalium*; synonym of *laeviusculum*).
- Luze, 1906: 512 (*Omalium*; synonym of *laeviusculum*).
- Bernhauer and Schubert, 1910: 54 (*Omalium*; synonym of *laeviusculum*).

*lagopinum* J. Sahlberg, 1871, see: *strigicollae* Wankowicz, 1869.

*languidum* Mäklin, 1878, see: *septentrionis* Thomson, 1857.

*lapponicum* Mannerheim, 1830, see: *Eusphalerum*.

**laticolle** Kraatz, 1857d: 983 (*Omalium*; Type locality: Thüringen).

- Redtenbacher, 1857: 994 (*Omalium*; characters; Germany).
- Thomson, 1884: 1032 (*Omalium*; characters; Sweden).
- Redtenbacher, 1874: 277 (*Omalium*; characters).
- Fauvel, 1878d: 217 [= 1878e: 53] (*Omalium*, cited as *Homalium*; synonym of *foraminosum*).
- Mulsant and Rey, 1880: 213 (*Omalium*; characters; Switzerland; Germany).
- Ganglbauer, 1895: 736 (*Omalium*; characters; Thuringia).
- Luze, 1906: 525 (*Omalium*; characters; Germany; Russia).
- Bernhauer and Schubert, 1910: 54 (*Omalium*; subgenus *Omalium*; catalog).
- Scheerpeltz, 1933: 1046 (*Omalium*; catalog).
- Horion, 1935: 174 (*Omalium*; characteres; Germany).

- Palm, 1948: 81 (*Omalium*; characters; Sweden; Denmark; Norway; Finland).
- Steel, 1953c: 198 (*Omalium*; identified in Britain as *foraminosum* and *brevicolle*; characters).
- Horion, 1963: 82 (*Omalium*; Norway; Sweden; Finland; Denmark; Russia; Germany; Austria; France).
- Lohse, 1964: 43 (*Omalium*; characters; central Europe).
- Pope, 1977: 23 (*Omalium*; Britain).
- Zanetti, 1985: 29 (*Omalium*; characters).
- Zanetti, 1987: 223 (*Omalium*; characters; may not occur in Italy).
- Lucht, 1987: 87 (*Omalium*; checklist; Germany; Austria; Denmark).
- Boháč, 1993: 41 (*Omalium*; Czech Republic).
- Kashcheev, 1999: 142 (*Omalium*; characters).

▲ **DISTRIBUTION:** Russia, Finland, Sweden, Norway, Denmark, Britain, France, Germany, Austria.

*cordicolle* Fauvel, 1900d: 220 (*Omalium*, cited as *Homalium*; Type locality: Russie: Jaroslaw).

- Luze, 1906: 486, 491, 525 (*Omalium*; synonym of *laticolle*).
- Bernhauer and Schubert, 1910: 54 (*Omalium*; synonym of *laticolle*).
- M. Hansen, Kristensen, Mahler, Pedersen, 1991: 106 (*Omalium*; cited as valid species; [**Note:** Since this change was cited without documentation in a list I note the alteration but make no transfer]; list of Danish species).

**latum** Stephens, 1834: 357 (*Omalium*; [**Note: Nomen dubium**]; Type locality: London).

- Stephens, 1839: 430 (*Omalium*; characters; England).

▲ **DISTRIBUTION:** Britain.

*lineare* Zetterstedt, 1828, see: *Phyllodrepa*.

**littorale** Kraatz, 1857d: 980 (*Omalium*; Type locality: Swinemünde).

- Redtenbacher, 1857: 994 (*Omalium*; characters; Germany).
- Thomson, 1868: 325 (*Omalium*; cited as *litorale*; characters; Scandinavia).
- Redtenbacher, 1874: 277 (*Omalium*; characters).
- Thomson, 1884: 1032 (*Omalium*; characters; Sweden).
- Seidlitz, 1875: 234 (*Omalium*; characters; Baltic region).
- Ganglbauer, 1895: 736 (*Omalium*; characters; Europe).
- Bernhauer and Schubert, 1910: 52 (*Omalium*; cited as *litorale*; synonym of *caseum*).
- Scheerpeltz, 1933: 1044 (*Omalium*; variety of *caesum*).
- Palm, 1948: 81 (*Omalium*; cited as *litorale*; variety of *caesum*; characters; Sweden; Denmark; Finland).
- Lohse, 1960a: 32 (*Omalium*; valid species; characters; notes).
- Palm, 1962: 185, 186 (*Omalium*; cited as *litorale*; characters; notes).
- V. Hansen, 1962: 242 (*Omalium*; valid species; Denmark).
- Horion, 1963: 87 (*Omalium*; cited as *litorale*; Sweden; Finland; Denmark; Germany).
- Lohse, 1964: 44 (*Omalium*; characters; central Europe).
- Tóth, 1982: 64 (*Omalium*; characters; Hungary).
- Zanetti, 1985: 29 (*Omalium*; characters; Italy).
- Zanetti, 1987: 235 (*Omalium*; characters; Italy).
- Lucht, 1987: 87 (*Omalium*; checklist; Germany; Poland; Denmark).
- Zanetti, 1995: 7 (*Omalium*; Italy).
- Ødegaard and Ligaard, 2000: 9 (*Omalium*; notes; habitat; Sweden; Norway).

▲ **DISTRIBUTION:** Europe.

*litoreum* Broun, 1886, see: *Omaliomimus*.

**lobeliae** Tottenham, 1953b: 483 (*Omalium*; Type locality: Kilimanjaro: 12,700 ft., above Peter's Hut).

▲ **DISTRIBUTION:** Tanzania.

**lokayi** Fleischer, 1897: 152 (*Omalium*; Type locality: Transsylvanische Alpen).

- Fauvel, 1897c: 230 (*Omalium*, cited as *Homalium*; characters).
- Luze, 1906: 532 (*Omalium*; characters; Siebenbürgen).

- Bernhauer and Schubert, 1910: 54 (*Omalium*; subgenus *Omalium*; catalog).
- Scheerpeltz, 1933: 1046 (*Omalium*; catalog).
- Tóth, 1982: 63 (*Omalium*; characters).
- Zerche, 1988c: 36 (*Omalium*; characters; Carpathians).
- ▲ **DISTRIBUTION:** Romania, Carpathians.

*longiceps* Broun, 1914, see: *Crymus*.

- longicorne** Luze, 1906: 543 (*Omalium*; Type locality: Nördliche Mongolei, Shanghai).  
 — Bernhauer and Schubert, 1910: 54 (*Omalium*; subgenus *Omalium*; catalog).  
 ▲ **DISTRIBUTION:** Mongolia.

*longulum* Mäklin, 1852, see: *Hapalaraea*.

*lucidum* Erichson, 1839, see: *Phyllodrepa*.

*luridum* Gyllenhal, 1813, see: *Pycnoglypta*.

*macropterum* Gravenhorst, 1806, see: *Proteinus*.

*maculicornis* Heer, 1839, see: *Phyllodrepa*.

*madegassa* Bernhauer, 1902, see: *Omalipsis*.

- malaisei** Scheerpeltz, 1965: 148 (*Omalium*; Type locality: N.E. Burma, Kambaiti, 7000 ft.).  
 ▲ **DISTRIBUTION:** Myanmar.

- malayanum** Cameron, 1950d: 3 (*Omalium*; Type locality: Pahang: Cameron Highlands, Ginting Kial, 5000 feet).  
 ▲ **DISTRIBUTION:** Malaysia.

*mandibularis* Gyllenhal, 1827, see: *Manda*.

*marginatum* Say, 1832, see: *Eusphalerum*.

*marginatum* Kirby, 1837, see: *Olophrum*.

- marginatum** Cameron, 1941: 58 (*Omalium*; [**preoccupied**]; Type locality: Kashmir: Gulmarg, alt. 8000–10,000 feet).  
 — Herman, 2001: 38 (*Omalium*; although a junior primary homonym, prevailing use as valid maintained pending outcome of application to Commission under Article 23.9.5).  
 ▲ **DISTRIBUTION:** India.

*marinum* Ragusa, 1871, see: *Hypopycna*.

- maxi** Herman, 2001: 38 (*Omalium*; replacement name for *obscurum* Bernhauer).  
 ▲ **DISTRIBUTION:** Kenya, Uganda.

*obscurum* Bernhauer, 1940: 130 (*Omalium*; [**preoccupied**]; Type locality: Kenya: West Aberdare Mts., 10–11,000 ft.; Mt. Kenya, 13,800 ft; Mt. Elgon, 14,000 ft.; Uganda: Mt. Elgon, Mudangi, 11,000 ft).

- Herman, 2001: 38 (*Omalium*; synonym of *maxi*).

*megacephalum* Zetterstedt, 1828, see: *Olisthaerus*.

*megarhroides* Fauvel, 1878, see: *Hapalaraea*.

*maerkelii* Sachse, 1852, see: *Phloeonomus*.

*merkli* Eppelsheim, 1883, see: *Carcinocephalus*

- mesomelas** Holme, 1842: 128 (*Omalium*; [**Note: Nomen dubium**]; Type locality: near Meysey Hampton, Gloucestershire).  
 — Rye, 1870a: 89 (*Omalium*, cited as *Homalium*; species is unidentifiable and must be ignored).  
 — Bernhauer and Schubert, 1910: 54 (*Omalium*; subgenus *Omalium*; catalog).  
 ▲ **DISTRIBUTION:** Britain.

- mesopotamicum** Bernhauer, 1943: 71 (*Omalium*; Type locality: Mesopotamien).

▲ **DISTRIBUTION:** Iraq.

*micrarthrum* Broun, 1893, see: *Stenomalium*.

*minimum* Erichson, 1839, see: *Phloeonomus*.