

QH70
.U52N41
1939

EXHIBITION
HALLS
OF THE
AMERICAN
MUSEUM
OF
NATURAL
HISTORY

HOW TO REACH THE AMERICAN MUSEUM OF NATURAL HISTORY

local express INDEPENDENT SUBWAY SYSTEM
B.M.T. SUBWAY LINES
I.R.T. SUBWAY LINES
ELEVATED LINES



The Museum is located on Central Park West from 77th Street to 81st Street and on 77th Street to Columbus Avenue. It may be reached as follows:

By Buses—8th Avenue or Columbus Avenue lines or 81st Street crosstown.

By Elevated Trains—9th Avenue to 81st Street station.


By Subway—8th Avenue to 81st Street (Museum) station.


7th Avenue to 79th Street station. Lexington Avenue to 77th Street station. Take crosstown bus from East 79th Street to 81st Street and Central Park West.

The Main Entrance is on Central Park West at 79th Street.

The South Entrance is on 77th Street.

Telephone: ENdcott 2-8500.





THE AMERICAN MUSEUM OF NATURAL HISTORY, MANHATTAN SQUARE, NEW YORK

The buildings occupy most of the space between Central Park West, Columbus Avenue and 77th and 81st Streets. The main entrances are on Central Park West, through the Roosevelt Memorial, at three levels: street, vehicle (driveway beneath the steps), and subway. There is also an entrance on West 77th Street (center of block).

The Planetarium may be entered from West 81st Street (vehicle and foot) and through the Museum.

EXHIBITION HALLS
OF THE
AMERICAN MUSEUM
OF
NATURAL HISTORY

Compiled by
ROY WALDO MINER

Assisted by Members of
THE MUSEUM STAFF



NEW YORK

1939

PUBLISHED BY THE MUSEUM




TABLE OF CONTENTS

39-145 840 - Oct 11

PAGE

Map: How to reach the American Museum of Natural History. . . Inside front cover	
Frontispiece	2
Title Page	3
Table of Contents	4
Theodore Roosevelt Memorial	6
General Information	10
Index to First Floor	16
Index to Second Floor	17
Index to Third Floor	18
Index to Fourth Floor	19
Astronomy and Planetarium	20
Geology	24
Hall of Geology and Invertebrate Palaeontology.	24
Hall of Petrology	26
Mineralogy	29
Hall of Minerals and Gems	29
Geology and Minerals of New York State	31
Palaeontology	35
Fossil Invertebrates	36
Fossil Vertebrates	38
Fossil Fishes	38
Fossil Reptiles	39
Hall of Jurassic Reptiles	41
Corridor of Marine Reptiles	42
Hall of Cretaceous Reptiles	42
Hall of Mongolian Vertebrates	45
Fossil Mammals	45
Osborn Hall of the Age of Mammals (Tertiary).	45
The Horse Under Domestication	48
Osborn Hall of the Age of Man (Quaternary).	51
Jesup Hall of Forestry	54
Living Invertebrates	56
Darwin Hall	56
Coral Reef Group	62
Shell Corridor	65
Invertebrates of New York State	65
Insects	66
Hall of Insect Life	66
Local Insects	68
Butterflies of New York State	68
Living Fishes	71
Hall of Living Fishes	71

TABLE OF CONTENTS (Continued)

	PAGE
Living Amphibia and Reptiles	76
Hall of Living Reptiles	76
Amphibia and Reptiles of New York State	79
Living Birds	80
Whitney Wing	80
Whitney Memorial Hall	80
Hall of Biology of Birds	85
Gallery of Bird Art	85
Audubon Gallery	85
Birds of the World Hall	86
Hall of North American Bird Groups	88
Local Birds	90
Synoptic and Geographic Hall of Birds	92
Living Mammals	94
Akeley Memorial Hall of African Mammals	94
Vernay-Faunthorpe Hall of South Asiatic Mammals	99
Hall of North Asiatic Mammals	105
Allen Hall of North American Mammals	105
Oceanic Mammals	108
Synoptic Hall of Mammals	113
Mammals of New York State	113
Anthropology (Including Origin of Man).....	114
Hall of Primates	114
Hall of the Natural History of Man	114
The Skeleton from Fish to Man	114
Ancestry and Early Races of Man	118
Hall of Prehistoric Cultures	119
The Woodland Indians	120
The Plains Indians	124
Indians of the Southwest	128
Indians of the North Pacific Coast	131
Eskimo	133
Mexican and Central American Hall	133
Indians of South America	143
Pacific Islands Hall	148
New Guinea, Philippines, and Malaysia	151
Asiatic Collections	156
Drummond Collection of Jade	156
Hall of Asiatic Ethnology	157
Hall of African Ethnology	165
Hall of Biological Principles and Applied Biology	169
Behind the Scenes	170
The American Museum of Natural History:	
Board of Trustees	171
Administrative and Scientific Staffs	171



ENTRANCE HALL ROOSEVELT MEMORIAL

THE THEODORE ROOSEVELT MEMORIAL

The Theodore Roosevelt Memorial, erected by the people of the State of New York in memory of the man whose name it bears, forms the main entrance to the Museum on Central Park West. Its graceful architecture follows a stately Romanesque design.

Passing through the central archway the visitor steps into the great Memorial Hall. Above the marble mosaic floor, rise walls of cream colored marble and limestone extending to an elaborate Corin-

thian cornice overarched by an octagonal coffered barrel-vault 100 feet above the floor. The central part of each wall is recessed and divided into three parts by two Roman Corinthian columns 48 feet high supporting the entablature. Three of these recesses are adorned with great mural paintings symbolic of the varied career of Theodore Roosevelt. On the walls, quotations from Roosevelt's writings are displayed in raised bronze letters.



MAIN ENTRANCE
ROOSEVELT MEMORIAL

The facade of the Memorial is adorned by four Ionic columns fifty-four feet high representing Boone, Audubon, Clark, and Lewis, pioneers in the early exploration of our country.





(Above) Theodore Roosevelt stands over a Nubian lion and lioness. Several birds which completed the collections at the American Museum are included

MURALS IN MEMORIAL

(Left) Events in old Russian history are represented here through several historic personages of the period before 1000 A. D. At the bottom are shown the ancestors of the Roosevelt family, their names being inscribed above them. This and the opposite mural commemorate Roosevelt's part in the Russo-Japanese peace treaty of 1905



(Above) In a tangle of gnarled trees, hemmed in by rocks, an African elephant is captured by a group of native hunters with shields and spears

ROOSEVELT HALL

(Right) Japanese spiritual beliefs are here represented in the figures of various gods and goddesses and in the first historic Japanese emperor, descendant of the Sun Goddess. At the bottom are the maternal ancestors of Theodore Roosevelt



GENERAL INFORMATION

The American Museum of Natural History is located in Manhattan Square and occupies most of the space between Central Park West, and Columbus Avenue and 77th and 81st Streets. The main entrances are on Central Park West, through the Roosevelt Memorial, at three levels: street, vehicle (driveway beneath the steps), and subway. There is also an entrance on West 77th Street (foot and vehicle, center of block), and one on Columbus Avenue, near 77th Street (foot). (See Frontispiece.)

The Planetarium may be entered from West 81st Street (vehicle and foot) and through the Museum. Cars may be parked within the Museum square (enter from 81st Street) and at the curb on the streets surrounding the Museum square.

ADMISSION

There is no charge for admission except for the Planetarium. The Planetarium, which was constructed by Reconstruction Finance Corporation funds, is a self-liquidating project, and admission will be charged until the loan has been repaid.

The Museum is open to the public from 10:00 A. M. to 5:00 P. M. daily except Sundays, Thanksgiving Day, Christmas, New Year's Day and July 4th, when it is open from 1:00 to 5:00 P. M. only.

CHECK ROOMS AND INFORMATION DESKS

The main check room is located at the right as one enters the main entrance on the first floor of the Roosevelt Memorial (carriage entrance). Coats and packages may be left here. Wheel chairs for children and adults are available free of charge. There is also a checking room at the left of the 77th Street entrance. There is no charge for checking.

Information may be obtained at the check rooms and also at special information desks located on the main (2nd) floor of the Roosevelt Memorial and at the right of the vestibule at the 77th Street entrance. This is also the Education Bureau for the registration of instructors and students and the convenience of Members desiring guidance through the building by Museum instruc-

tors. Information concerning the exhibits or lectures may also be obtained here. Announcements of lectures and meetings of societies held at the Museum may be obtained here free of charge.

MUSEUM BOOKSHOP

The entrance to the Museum Bookshop is located at the right corner of Memorial Hall as one enters it from 77th Street. There is also an entrance facing the 77th Street elevators on the ground floor. Guide Leaflets and other Museum publications are sold here as well as postcards and souvenirs.

Books on natural history and its allied subjects by Museum authors and others in good standing are for sale here.

BULLETIN BOARDS

The main bulletin board is at the right of Memorial Hall in the East Corridor, directly opposite the elevators. Here programs of lectures and meetings are displayed and also a directory to the exhibits on the various floors. Pictorial plans of the floors of the Museum are posted in the elevators and at convenient points throughout the Museum to aid in guiding visitors to the various halls.

NOTE

Due to constant rearrangements of exhibits in the halls, certain discrepancies may be noted at times between the arrangements in the halls and those in this volume. The Alphabetical Guide to Exhibits and various guide leaflets sold in vending machines and the Bookshop will keep the visitor informed for the most part, while the most recent changes will be announced on the bulletin boards and in connection with the Bureau of Information.

SKETCHING AND PHOTOGRAPHING

Artists and students are encouraged to draw from specimens on exhibit. Chairs may be had on application from the attendant. Permission to photograph in the halls of the Museum should be obtained from the Director's office.

GUIDING

Free Service: This is offered to public schools and similar educational institu-

tions and to Members of the Museum and their friends upon presentation of Members' inscribed tickets. In order to secure a guide, an appointment should be made in advance. Please state the day and hour desired, the number to be guided, and any special halls to be seen.

For appointments call ENdicott 2-8500, Extension 255.

Groups for the general public are specially conducted on Wednesdays, Fridays and Saturdays at 11 A. M. and 3 P. M., throughout the year. There will be no guide service on Saturdays from June to September.

Paid Service: This is provided for individuals not members of the Museum at 25 cents per hour for each person in a group. Minimum charge, \$1.00.

Arrangements for groups from private schools in New York City and for private and public schools outside of Greater New York must be made with the Bureau of Private School Service. The rate is \$2.50 per hour. For appointments call ENdicott 2-8500, Extension 261.

RESTAURANT

(Index Plan, p. 17, Floor II, Hall 2)

Adjoining the Birds of the World Hall is the Restaurant, which is operated as a Museum department, for the convenience of visitors to the Museum, under the direction of a dietitian-manager. It is open from 11:00 A. M. to 4:45 P. M. every day except Sunday, Memorial Day, July 4th, Thanksgiving Day and Christmas.

On the evenings of lectures in the Members' Course, the restaurant will be open to Members and friends. Dinner will be served from six until eight at \$1.10 per plate. This also applies to any evening on which special lectures to Members are given. It will assist us in providing this service if Members will kindly telephone ENdicott 2-8500, Extension 304, and make their reservations the day before, if possible.

CAFETERIA FOR SCHOOL CHILDREN

(Index Plan, p. 16, Floor I, Hall 11, Basement)

A cafeteria in the School Service Building caters especially to school children and their teachers.

LIBRARY

(Take elevator to Fifth Floor)

The Library is located on the fifth floor of the Museum. It is devoted to works on natural history, anthropology, and travel. It contains some 125,000 volumes which comprise not only the important periodicals of our own and foreign countries but also all representative and standard works on zoology, physical anthropology, ethnology, prehistory, archaeology, geology, and palaeontology. The collection on vertebrate palaeontology forms the Osborn Library of Vertebrate Palaeontology, founded by President Henry Fairfield Osborn.

The Reading Room of the Library is also located on the fifth floor, and is open to the public from 10 A. M. until 4 P. M. except on Sundays and holidays. The Library is also closed on Saturdays from June to September. Those interested in consulting the books and periodicals are welcome to do so during the available hours.

Reading tables have been placed in various halls of the Museum. Specially designed cases contain books pertinent to the exhibits. These may be consulted by applying to the guard.

PUBLICATIONS

The publications of the Museum fall naturally into two groups, technical and popular.

The former, comprising the Anthropological Papers, Memoirs, Bulletin, and American Museum Novitates, contain information gathered by the various expeditions, or derived from the study of material collected. The Anthropological Papers, as the title implies, are devoted to researches carried on under the auspices of the Department of Anthropology. The Memoirs, quarto in size, contain monographs, many of which require large illustrations. The Bulletin contains the longer scientific papers, covering records of explorations and collections of the Museum. The Novitates comprise the shorter scientific contributions, descriptions of species, etc., which demand immediate publication. The scientific publications are distributed to libraries of scientific institutions and societies

throughout the world, largely on an exchange basis.

The popular publications include *Natural History*, *Junior Natural History* (a children's magazine), *Guide Leaflets*, *Handbooks*, and *School Service Series*, and are intended for the information of the public. *Natural History* informs the Museum members of the work of the institution, giving the results of the many expeditions, and important information gathered. It describes interesting or noteworthy exhibits and acquisitions, and in addition it contains articles of popular scientific appeal. The illustrated *Guide Leaflets*, one hundred of which have been published, deal with exhibits of particular interest, calling attention to important objects on exhibition and giving special information regarding them. The *Handbooks*, twelve of which have been issued, deal with themes related to the collections, rather than with the objects themselves. They are frequently used as text-books.

The distribution of these popular publications is a part of the educational work of the Museum, as are exhibits and lectures.

An Annual Report is issued yearly.

SCHOOL SERVICE BUILDING

Adjoining the West Corridor is the Bickmore Memorial Corridor, named in honor of Professor Albert S. Bickmore who inaugurated the work of the Museum with the schools. This leads to the School Service Wing which contains the exhibits, offices and classrooms of the Department of Education.

The Department of Education is concerned directly with work with the public schools of New York City through its loan collections of lantern slides and objects of natural history and through illustrated lectures given at the Museum and at certain of the public schools. In co-operation with the College of the City of New York, New York University and Hunter College, several courses for college credit are given for teachers and college students. Adult education is also receiving special attention.

The department occupies the School Service Section, a five-story structure completed in 1926.

On the first floor is **Education Hall**, (Index Plan, p. 16, Floor I, Hall 11) which

is used for important temporary exhibits and special gatherings, also a display of the circulating collections relating to natural history and geography available for loans to public schools in New York City.

The second floor contains a **lecture hall**, seating five hundred, which can be divided into smaller halls, and there are classrooms and a model school nature room.

On the third floor are **offices** for the staff, the **slide-circulating department**, the teachers' reference library, and consultation room.

On the fourth floor is the office of the **photographic division**, with the photographic studios, the motion picture editing room, and film inspection room.

MEMBERSHIP

Through its explorations, The American Museum of Natural History is bringing together rare and valuable natural history collections from all parts of the world. Through its exhibition halls, its lectures, its work with school children and its publications, the Museum is making these wonders of nature easily accessible. The growth of this work is in large measure dependent upon the contributions of friends. Membership receipts are applied directly to these purposes. There are approximately twenty-six thousand members, who believe that the Museum is doing a useful service to science and to education, and are contributing to this work.

The Trustees invite you to lend your support by becoming a member.

Membership blanks may be obtained at the Education Bureau or Sales Booth, or from the boxes near the elevators.

Memberships may start at any time and will continue for a full year's period.

The various Classes of Membership, with the sums they contribute, are:

Endowment Members	\$100,000
Benefactors	50,000
Associate Founders	25,000
Associate Benefactors	10,000
Patrons	5,000
Life Members	1,000
Fellows	500
Supporting Members—Annually	100
Contributing Members “	50
Sustaining Members “	25
Annual Members “	10
Associate Members “	3

Associate Members of The American Museum of Natural History enjoy the following privileges:

Current issues of *NATURAL HISTORY* — a popular illustrated magazine of science, travel, exploration and discovery, published monthly (except July and August), the volumes beginning in January and June.

A copy of the President's Annual Report on request.

An Annual Pass admitting to the Members' Room. This large tower room on the third floor of the building, open every day in the year, is given over exclusively to Members, and is equipped with every comfort for rest, reading and correspondence.

Two Complimentary Tickets admitting to the Members' Room for distribution by Members to their friends.

The services of an Instructor for guidance when visiting the Museum. An appointment must be made in advance.

In addition to these privileges, Members of the higher classes, to which all friends of the Museum are eligible, enjoy the following:

An Annual Pass admitting the Member and friends accompanying him to the Reserved Seat Section of the auditorium at Lectures for Members.

Two Single Admission Course Tickets to Spring and Autumn Series of Lectures for Members, to distribute to friends.

Two Single Admission Course Tickets to Spring and Autumn Series of Lectures for the Children of Members.

Current numbers of all Guide Leaflets, on request.

Members' Room. To the left of the south elevators on the third floor (Index Plan, p. 18, Floor III, Hall 2b) is a room set apart for the use of honorary and subscribing members of the Museum, where they may rest, write letters, or meet their friends. It contains portraits of Presidents and Founders of the Museum, and here may be found books by members of the Museum staff, in many cases based on expeditions in which they have taken part.

THE HISTORY AND WORK OF THE MUSEUM

The American Museum of Natural History was founded and incorporated in 1869 for the purpose of establishing a

Museum and Library of Natural History; of encouraging and developing the study of Natural Science; of advancing the general knowledge of kindred subjects, and of furnishing popular instruction. For eight years its home was in the Arsenal in Central Park.

The cornerstone of the present building in Manhattan Square was laid in 1874 by President Ulysses S. Grant. In 1877, the first section (South Central Wing) was completed, and on December 22, 1877, it was formally opened by President R. B. Hayes.

In 1880, the educational work with the schools was inaugurated by Professor Albert S. Bickmore.

The Museum building is one of the largest municipal structures in the city, and has cost to date approximately \$16,000,000. The South Facade is 710 feet in length, and the present East Facade, on Central Park West, is 600 feet. When completed, the building is designed to occupy all of Manhattan Square.

The building is largely erected and maintained by the City, through the Department of Parks. The Roosevelt Memorial section was the gift to the City by the State of New York as its monument to Theodore Roosevelt, and the Whitney Wing was erected jointly by the late Harry Payne Whitney and the City of New York. The Hayden Planetarium was financed by funds loaned by the Reconstruction Finance Corporation of the Federal Government. The annual City appropriation, known as the Maintenance Fund, is devoted to the care and upkeep of the building and the safeguarding of the collections.

The Museum is under the control of a self-perpetuating Board of Trustees, who give their services.

The scientific and educational work is carried on by fourteen departments, each in charge of a Curator, under the leadership of the Director.

The funds through which specimens are purchased, exhibits constructed, explorations carried on, and scientific investigation conducted, are contributed by the Trustees, Members, and other friends. The scientific and popular publications of the Museum and the enlargement of the Library are also made possible through these contributions.

For the **instruction of the public** the halls of the Museum are devoted to the large series of exhibits which are described in this publication. This is supplemented by lectures and publications of a popular nature. A course of evening lectures is given every Spring and Fall for the Members, also Saturday morning courses of Science Stories for children of Members. All lectures are illustrated by lantern slides and motion pictures, many of which have been secured by Museum expeditions.

Under the direction of the **Department of Education** of the Museum, extensive series of lectures are given for the public school children of New York, and for students of high schools and colleges, some of the latter carrying college and university credit. Series of radio talks on Museum activities also are broadcast.

The larger audiences meet in the main auditorium of the Museum on the first floor (Index Plan, p. 16, Floor I, Hall 7). This hall seats about 1400 persons and is completely equipped with stereopticons and apparatus for projecting silent and sound motion pictures.

Scientific Societies meet at the Museum regularly and a number of their lectures are of general interest.

The New York Academy of Sciences, the oldest scientific society in New York City, founded in 1817, has its headquarters in the Roosevelt Memorial Building (Index Plan, p. 19, Floor IV, Hall 12a). It offers to scientists interested in pure research a forum for the discussion of their problems from a technical standpoint, and opportunities for the publication of their results.

THE EXHIBITION HALLS OF THE MUSEUM

Fifty-eight halls of the Museum covering thirteen acres of floor space are now open to public exhibition. The visitor begins his journey through this immense treasure house of natural history (as already mentioned in the caption under the frontispiece of this book), from one of three sections of the Museum; first, the Roosevelt Memorial, with entrances on three levels (See pages 6-8); second, the Planetarium (See page 20); and, third, the South, or Seventy-seventh Street Entrance, which will now be described.

SOUTH ENTRANCE ARCHWAY

Under the arch on Seventy-seventh Street, before entering the Museum doorway, may be seen the Bench Mark established by the United States Geological Survey in 1911, on which are inscribed the latitude and longitude, $40^{\circ}46'47.17''$ N., $73^{\circ}58'41''$ W., and height above sea level, 86 feet.

On the right is a **Glacial Pot Hole** from Russell, St. Lawrence County, New York, formed by an eddy in a stream beneath the melting ice of the glacier that once covered northern New York State. Pebbles, whirling around the eddy, cut and ground this hole, which is two feet across and four feet deep.

Glacial Grooves. On the left, is a large slab of fossiliferous limestone from Kelly Island in Lake Erie, near Sandusky, whose surface has been smoothed, grooved, and scratched by the stones and sand in the bottom of the vast moving ice sheet that covered northeastern North America during the Glacial epoch.

Beryl Crystals. On either side of the archway are the two largest beryl crystals ever quarried. They were cut in Albany, Maine. These hexagonal crystals show the typical aquamarine color in their clearer portions.

MEMORIAL HALL

(Index Plan, p. 16, Floor I, Hall 2)

One enters Memorial Hall, through the lobby from the South Entrance. Here, at the left, is the statue of Morris K. Jesup, for twenty-seven years President of the Museum. In niches around the wall are busts of noteworthy pioneers of science in America. In this hall are placed temporary exhibits of current interest, representing research in various departments of the Museum and recent results of exploration by Museum expeditions.

EXPLORATION AND GEOGRAPHY

Interesting exhibits, relics of famous explorations made in cooperation with the Museum are located in the corridor leading to the elevators. (Index Plan, p. 16, Floor I, Hall 2b).

Here are sledges that with **Peary** (1906) and **Amundsen** (1911) reached the North and South Poles, respectively; also souvenirs of the **Amundsen-Ellsworth** expe-

ditions of 1925 and 1926. Maps of the Polar Regions show the routes of various explorers and the polar air flights.

In a room at the left end of this corridor is the large **Mainka seismograph** for recording earthquakes. This was presented to the New York Academy of Sciences by Emerson McMillin, and recently donated to the Museum by the Academy.

Lindbergh Plane. Another exhibit of historical interest for scientific exploration, now in the Hall of Ocean Life (Index Plan, p. 16, Floor I, Hall 10), is the airplane flown by Charles and Anne Lindbergh "North to the Orient," and later to Europe via Greenland and Iceland; then down to Africa, returning across the South Atlantic to Brazil, and

northward up the Atlantic Coast to New York, covering a total of 30,000 miles.

INDEX PLANS TO THE MUSEUM


On the four following pages, Index Plans are given, through which the various exhibition halls described in this book may be readily located. After the title of each hall is the page reference to the appropriate floor-plan, followed by the floor number in Roman numerals; and the hall number, corresponding to that on the plan, in Arabic numerals. Thus (Index Plan, p. 17, Floor II, Hall 5) indicates that the hall referred to is marked by the number "5" on the Index Plan for the second floor on page 17. In this instance, the North Asiatic Hall is meant. Pictorial illustrations symbolize the exhibits in each hall.

FIRST FLOOR

81st STREET

COLUMBUS AVE.

Besides the "Drama of the Skies" the Hayden Planetarium offers numerous interesting exhibits such as The Hall of the Sun where the planets swing in their orbits; a large collection of meteorites, murals, astronomical instruments and transparencies of heavenly phenomena




INDEX PLAN FOR FIRST FLOOR OF MUSEUM

Numbers in list below refer to the Hall Numbers shown in circles in the above diagram

- Anthropology. Halls 1, 4, 6, 7a, and 8.
(See also Floor II, Halls 4, 6, and 8;
Floor III, Halls 4, 6, and 8; Floor IV,
Halls 6 and 8.)
- Auditorium. Hall 7. (See also smaller lec-
ture rooms, Floor II, Hall 11; Floor III,
Hall 12a; Floor IV, Hall 12a; Floor V,
Hall 12a.)
- Birds (Biology of). Hall 19. (See also Floor
II, Halls 1, 2, and 19; Floor III, Hall 1;
Floor IV, Halls 12a and 19.)
- Birds, Local. Hall 12a.
- Book Shop. Halls 2 and 2b. (See also Sales
Booth, Floor I, Hall 18.)
- Check Rooms. Halls 2 and 12 (Vestibules).
- Coral Reef Group. Hall 10.
- Darwin Hall. Hall 5.
- Education Bureau. Hall 2 (Vestibule);
and 11 (Temporary Exhibits). (See also
Floor II, Hall 11; Floor III, Hall 11.)
- Elevators. Halls 12a and 2b.
- Eskimos. Hall 7a.
- Fishes. Hall 9. (See also 12a.)
- Forestry and Conservation. Hall 3.
- Gold Ornaments. Halls 4 and 8.
- Indians. Halls 1, 4, 6, and 8. (See also
Floor II, Halls 4, 6, and 8.)
- Invertebrates (Living). Halls 5, 10, and
12a.
- Lindbergh Plane, Hall 10.
- Mammals (Living). Halls 10, 12, and 12a.
(See also Floor II, Halls 3, 5, 9, and 13;
Floor III, Halls 2, 3, and 13.)
- Planetarium. Hall 18. (See also Floor II,
Hall 18.)
- Polar Exploration. Hall 2b.
- Seismograph. Between Halls 1 and 2b.
- Subway. Hall 12a (Basement).
- Temporary Exhibits. Halls 2 and 11.
- Tree of Life. Hall 5.

SECOND FLOOR




INDEX PLAN FOR SECOND FLOOR OF MUSEUM

Numbers in list below refer to the Hall Numbers shown in circles in the above diagram

- Akeley African Hall. Hall 13. (See also Floor III, 13.)
- Anthropology. Halls 4, 6, and 8. (See also Floor I, Halls 1, 4, 6, 7a, and 8; Floor III, Halls 4, 6, and 8; Floor IV, Halls 6 and 8.)
- Birds. Halls 1, 2, and 19. (See also Floor I, Halls 12a and 19; Floor III, Hall 1; Floor IV, Halls 12a and 19.)
- Copper Man. Hall 8.
- Education. Hall 11. (See also Floor I, Halls 2 (Vestibule) and 11 (Temporary Exhibits); Floor III, Hall 11.)
- Elevators. Halls 12a and 2b.
- Information Desk. Hall 12. (See also Floor I, Hall 2 (Vestibule).)
- Lecture Room. Hall 11. (See also Floor I, Hall 7; Floor III, Hall 12a; Floor IV, Hall 12a; Floor V, Hall 12a.)
- Mammals (Living). Halls 3, 5, 9, and 13. (See also Floor I, Halls 10, 12, and 12a; Floor III, Halls 2, 3, and 13.)
- Panda, Giant. Hall 5.
- Planetarium. Hall 18. (See also Floor I, Hall 18.)
- Restaurant. Hall 2. (See also Cafeteria, Basement under Hall 11.)

THIRD FLOOR



INDEX PLAN FOR THIRD FLOOR OF MUSEUM

Numbers in list below refer to the Hall Numbers shown in circles in the above diagram

Anthropology. Halls 4, 6, and 8. (See also Floor I, Halls 1, 4, 6, 7a, and 8; Floor II, Halls 4, 6, and 8; Floor IV, Halls 6 and 8.)

Biology, Public Health. Hall 12a.

Birds. Hall 1. (See also Floor I, Halls 19 and 12a; Floor II, Halls 1, 2, and 19; Floor IV, Halls 12a and 19.)

Comparative Anatomy. Hall 4.

Education. Hall 11. (See also Floor I, Halls 2 (Vestibule) and 11; Floor II, Hall 11.)

Elevators. Halls 12a and 2b.

Insects. Hall 5. (See also Floor II, Hall 12a.)

Jumbo Skeleton. Hall 3.

Lantern Slides and Photographs. Hall 11.

Lecture Rooms. Hall 12a. (See also Floor I, Hall 7; Floor IV, Hall 12a; Floor V, 12a.)

Mammals (Living), Biology and Evolution of. Halls 2 and 3; Akeley Hall Gallery, Hall 13. (See also Floor I, Halls 10, 12, and 12a; Floor II, Halls 3, 5, 9, and 13; Floor IV, Hall 2a.)

Members' Room. Hall 2b.


Petrology. Hall 7a. (See also Floor IV, Hall 1.)

Primates. Hall 2.

Reptiles (Living). Hall 9. (See also Floor II, Hall 12a; Basement, Hall 12.)

Whale Model. Hall 3.

FOURTH FLOOR



INDEX PLAN FOR FOURTH FLOOR OF MUSEUM

Numbers in list below refer to the Hall Numbers shown in circles in the above diagram

- | | |
|---|---|
| Anthropology. Halls 6 and 8. | Horse, Evolution of. Hall 3. |
| Audubon Art Exhibit. Hall 12a. | Horses, (Modern, including famous racers). Hall 2a. |
| Bird Art Gallery. Hall 19. | Invertebrates (Fossil). Hall 1. |
| Camel, Evolution of. Hall 3. | Jade, Drummond Collection. Hall 6. |
| Dinosaurs. Halls 5, 9, 12a, and 13. | Library. Take elevators to Floor V, Halls 12a and 2b. |
| Drummond Collection of Jade. Hall 6. | Mammals (Fossil). Halls 2 and 3. |
| Eggs, Dinosaur. Hall 5. | Man, Origin of. Hall 2. (See also Floor III, Hall 4.) |
| Fishes (Fossil). Hall 5. | Minerals and Gems. Hall 4. |
| Fossil Exhibits: | New York Academy of Sciences. Hall 12a. |
| Fishes. Hall 5. | Philippine Natives. Hall 8. |
| Invertebrates. Hall 1. | Reptiles (Fossil). Halls 5, 9, 12a, and 13. |
| Mammals. Halls 2 and 3. | South Sea Natives. Hall 6. |
| Reptiles. Halls 5, 9, 12, and 13. | Tracks, Dinosaur. Hall 12a. |
| Gems and Minerals. Hall 4. | |
| Geology. Hall 1. (See also Floor III, Hall 7a.) | |



HAYDEN PLANETARIUM AT NIGHT

ASTRONOMY AND PLANETARIUM

(Index Plan, pp. 16-17, Floors I-II, Hall 18)

The new Hayden Planetarium, with main entrance on Eighty-first Street and Central Park West, constitutes the Museum's Hall of Astronomy. The principal feature of the building is the Zeiss Projection instrument. Installed in the center of a hemispherical dome seventy-five feet in diameter, the weird instrument is made up of a series of projectors which throw on the artificial sky the fixed stars, the sun, moon, planets, and the Milky Way. Since there are no pillars to intercept the light, the illusion of the depth of space is perfect.

Plans for an astronomy section of the Museum were first developed in 1925 by the late Howard Russell Butler, in collaboration with the Museum staff and the architects, Trowbridge and Livingston.

In the spring of 1933 the Trustees of the American Museum formed a separate corporation under the Reconstruc-

tion Finance Corporation to construct and equip such a planetarium. Mr. Charles Hayden of New York, after whom the building is named, generously donated both the Zeiss projection planetarium instrument and the Copernican planetarium on the first floor.

The performances in the Zeiss Projection Chamber on the second floor are scheduled as follows until Nov. 1, 1939:

Weekdays, Saturdays, and Holidays—
11:00 A. M., 1:00, 2:00, 3:00, 4:00, 5:00.
8:00 and 9:00 P. M.

Sundays—2:00, 3:00, 4:00, 5:00, 8:00
and 9:00 P. M.

General Admission—

Mornings and Afternoons.... 25c.

Reserved Seat 50c.

Evenings 35c.

Reserved Seat 60c.

Children 15c.



THE SUN GOD PURSUES THE MOON GODDESS ACROSS THE SKY. Mural painting by Charles R. Knight

As the visitor enters the first-floor corridor he sees opposite the entrance a large mural painting by Charles R. Knight, based on astronomical legends and myths of the American Indians. The myths represented were selected from the Blackfoot Indians. The central figure depicts the Sun God pursuing the Moon Goddess across the sky. In the upper right may be seen the Pleiades as conceived by the Indians, and in the upper left the Big Dipper and the North Star. On a mountain in the lower left corner sits the Ancient or Original Man sending the little animals down below the water to bring up mud out of which he makes the world, in accordance with a widespread creation legend.

On the second floor of the Planetarium are hung the astronomical paintings of the late Howard Russell Butler, of Princeton, the most striking of which are the three eclipse subjects over the southeast entrance to the Planetarium dome representing eclipses observed in 1918,

1923, and 1925, in Oregon, California, and Connecticut respectively.

Notable also among Mr. Butler's paintings is the strange and beautiful "Lunar Landscape," showing the sky as it would appear from the surface of the moon, with the earth as a heavenly body shining in the distance. The two paintings of the red planet Mars, as seen from its inner and its outer moons, show the so-called canals and other surface features. The exquisite painting of the Northern Lights as seen in August, 1919, from the coast of Maine, is one of the most beautiful of all astronomical paintings.

On the first floor is the Hall of the Sun, with its animated model of the solar system, forty feet across. Here we see the sun and six of the nine known planets—part of that family of heavenly bodies to which our earth belongs—as though we were viewing them from a great distance, from far out in space.

In the center of the circular room, sus-

pended from the ceiling, is a large luminous globe representing the sun itself. At increasing distances from this are the small globes of those planets nearest the sun: little Mercury, closest of all; Venus, veiled by a dense layer of bright clouds; Earth, with its seas and continents and its attendant moon; Mars, long disputed as a possible abode of life; Jupiter, the giant planet, bigger than all the rest rolled together; and Saturn, surrounded by its unique and beautiful rings.

The miniature worlds of this complicated machine not only revolve about the sun but rotate on their axes as the real planets rotate, moving always at the correct relative speeds.

The three planets farthest from the sun, Uranus, Neptune and Pluto, are not included in the apparatus because of their enormous distances.

Before and after each Planetarium performance Dr. Clyde Fisher, by means of electrical transcription, directs the attention of the visitors to the motions of these bodies in the Solar System and gives a short lecture on the important and interesting facts concerning them.

The floor of the Hall of the Sun is enriched by a reproduction in terrazzo by Victor Foscatto of the famous Aztec Calendar Stone in Mexico City. The original symbolizes the Sun which was, to the Aztecs, the most important of the heavenly bodies adored by them, and commemorates the four past epochs of the world and the one in which they lived. A cast of the original is to be found in the Mexican Hall on the second floor of the Museum.

The projection apparatus itself is installed on the second floor. It is shaped like a huge dumb-bell about twelve feet long, at each end of which is a large globe. These two globes contain the projectors of the fixed stars, one globe for the northern hemisphere of the sky, the other for the southern. Lantern slides so shaped that their images fit together when projected on the dome, make a complete picture of the starry heavens without overlapping and without gaps.

The representation of the fixed stars, including the Milky Way, is a comparatively simple part of the performance of

the instrument, and yet it is certainly the most impressive. When the light is gradually dimmed, bringing on the darkness the stars are "turned on," giving a realistic illusion of the starry heavens.

The projection of the stars is controlled by a switchboard arranged like a desk-top with switches reminiscent of organ-stops. These turn the stars on and off. On the vertical part of the board are rheostats controlling the brightness of the stars and other celestial objects. With this instrument before him, the lecturer has over two thousand combinations at his command.

The apparatus has several different speeds, all many times faster than the real motions. This makes it possible to condense a very long astronomical story, so as to give in a few minutes a clear understanding of the seemingly intricate workings of the heavenly bodies.

The American Museum of Natural History collection of meteorites exhibited in the first floor corridors of the Planetarium is one of the largest collections in the world, comprising 3498 specimens from huge masses like the Cape York meteorite, weighing 36½ tons, the largest meteorite in any museum, to thousands of small specimens like gravel comprising the study collection.

Meteorites are those extra-terrestrial bodies which fall to the earth from outer space. They consist of stone or metal, or a combination of these materials, and vary in size from dust particles to immense masses weighing tons. When passing through the earth's atmosphere these celestial objects are usually accompanied by manifestations of light and sound, and are known as shooting stars, meteors or fireballs. The term meteorite is applied only after they reach the ground and form a part of the earth.

Also in the first floor corridor is a remarkable collection of sun-dials, compasses, and astronomical instruments. This fine loan collection covers almost the entire range from ancient Chinese instruments through the fine metal instruments made in the middle-centuries in France and Germany, down to the very accurate compasses which play such an important part in modern navigation.



THE GREAT ZEISS PROJECTION INSTRUMENT IN THE PLANETARIUM. This is the principal feature of the Planetarium building. Through its means the illusion of the heavens with the fixed stars and planets, following their apparent paths through the sky, is thrown upon a dome-shaped ceiling

GEOLOGY

(Index Plan, pp. 18-19, Floor III, Hall 7a; Floor IV, Hall 1)

The geological exhibits in the Museum are found in the Hall of Geology and Invertebrate Paleontology on the fourth floor, and on the third floor, in the Hall of Petrology and Economic Geology.

Geology is the science of the past and present conditions of the earth. It enters into a consideration of the materials composing the earth, their composition, structure, distribution, and the physical changes they have undergone or may be undergoing. It deals with minerals and their arrangement and association in rocks and ores. It considers the occurrence, distribution, origin and history of the principal kinds of rocks, namely: igneous, sedimentary and metamorphic. It especially treats of the order of deposition and sequence of the stratified beds of rock, for these, together with the fossils found in many of them, give not only a chronological account of the events in the development of the earth's crust, but reveal the succession of life forms on the earth. The processes and agents which are at work within and on the surface of the earth, tending to modify it, such as rock weathering, underground waters, glaciation, diastrophism, vulcanism, metamorphism and gradation, are forces which are acting to-day and have been acting throughout the long history of the earth. The processes of change are most conspicuous where air, water and rocks are in contact with one another.

The field of geology is so broad that, for convenience and specialized study, it has been divided into numerous branches. The three principal branches are: (1) Structural geology, treating of the form, arrangement and internal structure of the rocks; (2) Dynamical geology, dealing with the causes and processes of geologic change; (3) Historical geology, which, aided by other sciences, aims to give a chronological account of the events in the earth's history.

GEOLOGIC EXHIBITS IN THE HALL OF GEOLOGY AND INVERTEBRATE PALEONTOLOGY

(Index Plan, p. 19, Floor IV, Hall 1)

To illustrate the three principal branches of geology, pictorial models of fifteen areas within the United States

have been installed to show the most evident and striking results of geologic forces acting through long periods of time. Beginning at the left near the entrance, they are as follows:

1. The model of the Bright Angel section of the **Grand Canyon** of the Colorado River, Arizona, illustrated on page 27.

2. A model of the **Niagara Falls** region, built to the same scale as the Grand Canyon, showing the falls and the seven-mile gorge which its waters have cut in ancient sedimentary rocks, and also the more recent glacial deposits covering the surface.

3. The **Potomac River** section, showing the Appalachian Mountain type of folding and erosion, with rivers adjusted to the softer rocks of Silurian and Devonian age.

4. The **Van Horn**, Texas, region, featuring fault block structures and a bolson basin — a depression nearly enclosed by mountains.

5. **Yellowstone Park**, Wyoming, including the geyser basins and Rocky Mountain type of topography.

6. The **Pike's Peak**, Colorado, model, showing the mountain composed of red granite, and the bordering stratified deposits of the Great Plains near Colorado Springs.

7. The caldera of **Mt. Mazama**, five miles in diameter and two thousand feet deep, which has been made a National Park, and has become famous under the name Crater Lake. Numerous outpourings of lava suggest the structure and history of the ancient volcano.

8. The **Standing Stone** district near Monterey, Tennessee, showing normal subaërial erosion and the production of sink holes in horizontally disposed beds of limestone and shale.

Continuing on the opposite side of the hall are the following models:

9. The **Mt. Tom-Mt. Holyoke** district of western Massachusetts, showing a great trough, traversing the ancient crystalline rocks, which was filled with the sands, muds and intruded lava flows in Triassic time.

10. The **Watkins Glen-Seneca Lake**



THE ERUPTION OF MT. PELÉE ON THE ISLAND OF MARTINIQUE. This was one of the most destructive eruptions known in history. It took place in the year 1902 and completely destroyed the city of Saint Pierre causing the death of 30,000 inhabitants. From a painting in the Hall of Geology

district of central New York State, showing moraine deposits and other features due to the advance and retreat of the continental ice sheet over a region of horizontally bedded limestone, sandstone and shale. In the background appears a representation of the retreating ice-front of the last glaciation.

11. The **Mt. Washington**, New Hampshire, region, showing typical glacial cirques and other glacial phenomena in an area of crystalline rocks.

12. The picturesque **Yosemite Valley** in the Sierra Nevada Mountains of California, with U-shaped glaciated valley bottom and precipitous marginal walls.

13. The **San Francisco**, California, model, exhibiting a portion of the Pacific Ocean, the Coast Range with volcanic and sedimentary rocks, the California trough or inner lowland with plains bordering San Francisco Bay, and the famous strait, Golden Gate.

14. The **New York City** model, showing the Hudson River estuary; the crys-

talline pre-Cambrian rocks on Manhattan Island to the north and east; the Triassic rocks west of the Hudson, which include red sandstone, shale and conglomerate, the Palisades diabase and the Watchung basaltic ridges; also the glacial drift and terminal deposits on Long Island, on Staten Island, and in New Jersey.

15. The last model in this series is one of **Porto Rico** and the **Virgin Islands**, showing a narrow submerged platform and neighboring vast oceanic "deeps."

Facing the entrance of the Hall is a geological relief model of the **lower Hudson River** region from New York City nearly to Albany. A relief map of the **Panama Canal** occupies the center of the aisle toward the rear.

In each of the eight alcoves on the west side of the hall is placed a model showing a stage in the **geographic development of the North American continent**. Those represented fall within the following geologic periods: Cambrian, Ordovician, Silurian, Devonian, Permian, Cretaceous,

Eocene and Pliocene. The present known surface, evidenced by outcrops of fossiliferous rock of the age represented, is shown in black. From this and other data the extent of the ancient epicontinental seas has been determined and the shore-lines marked. The present oceanic depths are shown in relief, while the various marine basins and elevated land masses on the continent are marked with colors without relief. The present outline of North America, shown on each model, indicates that the geography during the first six periods was quite different from that of to-day.

At the rear of the hall, to the right, is the **Copper Queen Mine** exhibit. A large model, 18 by 12 feet, shows on a miniature scale the surface features and buildings over four of the principal mines belonging to the Copper Queen Consolidated Mining Company of Bisbee, Arizona, while a painted background represents the surrounding mountains and the town of Bisbee. The sides of the model give vertical sections to the depth of about 1,200 feet, illustrating the geology of the area and showing the general manner of getting out the ore and hunting for new deposits.

Specimens of ore, minerals and rocks from the mine and the adjacent country illustrate the geology of the region, including velvet malachites and a great block of malachite and azurite weighing about three tons taken from the original "Queen" mine.

Opposite the Copper Queen exhibit is a display of **caves and cave material**, including a reproduction of part of a beautiful cave discovered at the Copper Queen mine. It was formed by the dissolving action of water traversing joints in limestone, and its walls, roof and bottom were afterward coated with incrustations, stalactites and stalagmites of calcite, some of which are dazzlingly white while others are colored green with copper salts or pink with manganese compounds.

Near by is a reproduction of a chamber in Weyer's Cave, Virginia. Here the heavy rainfall of the region is probably the principal factor in producing a greater wealth of stalactite and stalagmite growth than in the Copper Queen Cave.

THE HALL OF PETROLOGY OR ROCK HISTORY

(Index Plan, p. 18, Floor III, Hall 7a)

The new Hall of Petrology, on the third floor, is approached through the Hall of North American Birds (III, 1), and has been designed to present the visitor and student with a concise and graphic visualization of the basic processes of rock formation, as well as the application of the science of Geology to modern life and the industrial world.

At the entrance to the Hall is a series of paintings and exhibits depicting the most spectacular and best-known volcanoes in the world — Mt. Lassen, Mt. Pelée (see page 25), Vesuvius, Sakurajima and others — and a map showing the world distribution of volcanoes.

Leading from this section the Hall exhibits products of magma, or molten rock, from deep in the earth. The various products of volcanic eruptions, such as ash, pumice, lava, volcanic bombs, gaseous deposits, are also shown.

The following cases and diagrams show the result of igneous intrusions of molten rock into cold rocks at various levels and the types of rocks so formed — how man is able to glean the precious stores of gold, silver, copper, iron, radium and lead as a result of these cooling processes.

In the succeeding exhibits the visitor observes the break-down of primary rocks by wind and water and then the deposition in seas and valleys to build up a new class of rocks — the sedimentary rocks — forming sandstones, shales and limestones.

Exhibits describing structural geology show how rocks can be folded and broken when the surface of the Earth is being molded into new mountain chains and new seas. The third group of rocks shown is that of the metamorphic rocks — those created under such terrific pressures and heat that an entirely new class of crystalline rocks is made.

Further economic geology is shown by exhibits of ore-bearing rocks, and the various processes which produce coal and oil, as well as the history and types of coal and their distribution in the United States.

The nature of the interior of the earth is shown in another case.



MODEL OF THE GRAND CANYON OF THE COLORADO

MINIATURE MODEL OF THE GRAND
CANYON OF THE COLORADO
(Index Plan, p. 19, Floor IV, Hall 1)
Showing General Appearance and
Geological Section

The Grand Canyon of the Colorado River is represented in this model in such a manner as to show not only the chief features of this magnificent example of erosion but also the successive layers of rock which make up its geological structure. The Grand Canyon is more than three hundred miles long, thirteen miles wide and a mile in depth from the brink of the canyon to the river bed. For countless ages the gneiss and granite were formed layer upon layer. Then it sank beneath the sea and successive layers of sandstone, limestone, and shales were deposited upon it to a depth of more than 4,000 feet. After several millions of years these rocks were raised above sea level, and erosion by streams, wind and frost took place. A second time this region was submerged beneath the sea and more marine deposits were laid upon it. Similar changes continued to take place throughout the ages until about a million years ago the whole plain was again above sea


level and the excavation of the present canyon was started and is still progressing.

This relief model represents a region about sixteen miles wide from west to east and thirteen miles from north to south.


The Grand Canyon was first seen by white men early in the sixteenth century, when Cardenos and his twelve companions were guided by Hopi Indians to some now unknown point on the rim. He remained there four days looking in vain for a way to descend. Cardenos had been sent out by de Coronado to find the wonderful river the existence of which had been related to de Tovor, another member of the famous exploring expedition. The first sure traverse of the Canyon was made in small boats in the summer of 1869, by Major J. W. Powell with eight brave companions.

The head of the Bright Angel Trail is 6866 feet above mean sea level while the river in front of this spot is about 2,400 feet above the sea, making the canyon about 4,460 feet deep below an observer standing in front of the hotel. The opposite brink of the canyon, however, is eight thousand feet above sea level so that the total depth is more than one mile.

BLUE TOPAZ FROM JAPAN. Egg-shaped, brilliant cut, with 440 facets and weighing 1,463 carats. Natural size. Gift of M. L. Morgenthau.



ENGRAVED EMERALD ORNAMENT. This engraved emerald weighing 87.64 carats was originally from Muso, Colombia. Sir Purden Clarke placed this gem, probably of Delhi cutting and used as a head ornament by some Hindu prince, in the period of the Mogul domination of India (1526-1739). Gift of Elisabeth Cockcroft Schettler



tion usually taking the form of cracks and inclusions which greatly impair the transparency of the stone. It is this rarity of desirable stones of the first quality which renders the emerald the most costly of precious stones, the value of the best gems being between three and four times that of diamonds of equal weight.

The principal source of emeralds is the Muso Mines of Colombia, a locality which was furnishing gems to the aborigines at the time of the Spanish conquest.

THE TOPAZ

Although gem crystals of the mineral topaz are found in a variety of yellow, orange and blue shades, the deep orange-

yellow color, resembling sherry wine, is generally accepted as typical. To such an extent is this true that we find the word topaz often incorrectly used to describe other yellow stones, as for example, oriental topaz, (yellow sapphire) and false topaz (quartz). A colorless variety is occasionally used as an imitation diamond in cheap jewelry, its brilliancy surpassing that of cut glass.

The hardness of topaz, greater than that of amethyst (quartz) is almost equal to that of emerald. It is therefore eminently fitted for the high rank which it takes among semiprecious stones, gems of fine color ranking in value with choice aquamarines of equal weight.

Although topaz is obtained from a great number of localities, the best colored stones come from Brazil.

THE EDITH HAGGIN DE LONG STAR RUBY


The finest and largest gem of its kind known to exist in the world. Its color is a peculiar milky crimson which can best be described as "orchid red." The curious and beautiful six-rayed star which glows within the gem results from a myriad of minute hollow tubes which are distributed throughout the crystal with great regularity, parallel to its six sides. When cut *en cabochon*, so that the rounded dome arches over this hexagonal pattern

THE EDITH HAGGIN DE LONG STAR RUBY. This unusually beautiful star ruby is reputed to be the largest and finest gem of its kind in the world. It weighs 100 carats and was discovered in one of the ruby mines of Burma. Its color is a peculiar orchid-red. A remarkable six-rayed star glows within the gem, formed from a myriad of minute hollow tubes which are distributed throughout the crystal with great regularity, parallel to its six sides. The stone has been cut in a rounded dome, the shape which best reflects the light from the interior. It was presented to the Museum by Mrs. George Bowen De Long, in whose honor it is named



of cavities, stones of this kind reflect the light from the interior as a six-rayed star and consequently they are termed star rubies and star sapphires. This gem, weighing 100 carats, was discovered in one of the ruby mines of Burma and was presented to the Museum by Mrs. George Bowen De Long, in whose honor it is named. It is unique among star rubies and the largest of such rubies only remotely approach it in quality.



Geology and Minerals of New York State. Two cases illustrating these features are exhibited on the first floor of the Roosevelt Memorial (Index Plan, p. 16, Floor I, Hall 12). One case shows the principal minerals characteristic of the State and the localities where they may be found. The other demonstrates the extent of the sedimentary, igneous, and metamorphic areas within the borders of the State.



TWO FINE SPECIMENS OF NATROLITE FROM THE MUSEUM'S COLLECTION OF MINERALS. The specimen of natrolite, to the left, came from Lippa, Bohemia. The slender orthorhombic crystal-like prisms, nearly square in cross section, form a radiating group somewhat resembling clusters of organ pipes



(Right) NATROLITE FROM WEST PATERSON, NEW JERSEY. Besides the tetragonal crystals, finer hair-like crystals in the form of long slender silky needles radiate from a central nucleus suggesting a fluffy seed ball of the dandelion



TWO QUARTZ AGATE GEODES FROM URUGUAY. The rock cavity which finally became the geode shown in the upper figure was encrusted in successive layers of agate deposited from the silica dissolved in the water which circulated through it, and which ultimately added crystallized quartz in a final layer. This quartz, colored with a purplish hue, is known as amethyst



ASBESTOS (*to the left*) is a variety of actinolite, a lime-magnesia silicate with some ferrous iron, consisting of white, gray or green fibers which are easily separated and can be spun or filtered to make non-combustible fabrics

STIBNITE (*to the right*) is a sulphide of the semi-metallic substance known as antimony. The slender orthorhombic prisms are made up of many crystals joined parallel to each other. This mineral is the chief source from which antimony is obtained. The specimen illustrated came from Inyo, Japan





A FOSSIL AMMONITE of 150,000,000 years ago, related to the ancestors of the common nautilus

(Index Plan, p. 19, Floor IV, Hall 1)

Closely connected with geology, and indeed almost inseparable from it, is palaeontology, or the study of ancient forms of life. The sedimentary rocks have been found, on examination, to contain in many places remains of plants or animals, which may closely resemble, but more often appear very different from, those now living on the earth. The order of deposition of the beds, with the oldest at the bottom and the youngest at the top, and the imbedded fossil forms of life, give the geologist the means of constructing a chronological chart, or time scale, depicting the eras, periods, epochs and formations of geologic time. There are five eras: Archaeozoic (Primal life), Proterozoic (Primitive life), Palaeozoic (Ancient life), Mesozoic (Medieval life), and Cenozoic (Modern life). The rocks of the Archaeozoic era have not afforded recognizable fossils, although the indirect evidence is sufficient to assume that life existed at that time. In a few localities (as in Montana and southern Australia), fossils have been obtained from the rocks of late Proterozoic age. Beginning with the



FOSSIL SCORPION (right). A eurypterid (*Eusarcus scorpionis*), one of the first air-breathing, land living animals. Probably ancestral to the



FOSSIL BRACHIOPODS OF THE SILURIAN AGE. Primitive shelled creatures somewhat resembling clams externally but not related to them

basal period of the Palaeozoic era, the Cambrian, well-preserved fossils indicate that all of the various classes of invertebrate life were in existence, but not so abundant and varied as in later periods. The earliest known forms of vertebrate life are the fossil fishes from the upper Ordovician rocks of Colorado.

A FOSSIL INVERTEBRATE OF ANCIENT SEAS. (Below) A well-preserved crinoid, or sea-lily, a flower-like animal related to modern star-fishes



FOSSIL INVERTEBRATES

As installed in the Hall of Geology and Invertebrate Palaeontology the exhibits of fossil invertebrates occupy alcoves on either side of the hall. The specimens in the cases on the left are arranged to illustrate historical geology, beginning at the entrance with the Pre-Cambrian rocks and advancing regularly through the Cambrian, Ordovician, Silurian, Devonian, Mississippian, Pennsylvanian, Triassic, Jurassic, Cretaceous, Eocene, Oligocene, Miocene, Pliocene, and Pleistocene periods of geologic time. Most of the specimens on exhibition are from Ameri-

TRILOBITES (*below*) flourished in Devonian seas and became extinct millions of years ago. Perhaps related to the ancestors of modern Crustacea



Portion of a large rock crowded with brachiopods (*Spirifer vanuxemi*).



can localities. The specimens shown are those particularly characteristic of the various horizons, the object being to give an idea of the general character of the

A CLAM OF THE MIDDLE DEVONIAN AGE. The sands of these ancient seas have been hardened to rock in the perfectly preserved clam shell shown below partially imbedded in its stony tomb




life of different periods of the world's history.

The specimens on the right side are arranged to illustrate the classification and relationship of the plants and animals of past geologic times. The series starts with the invertebrate animals, beginning with the lower, or simpler, forms and continuing to the highest. The specimens have been drawn from foreign and domestic localities and different geologic ages. The exhibits illustrate at a glance the wide range of variation which each group has taken during geologic time.

In the center of the hall are the stump and part of the roots of a large tree from an anthracite coal mine under Scranton, Pennsylvania. Millions of years ago, in the geological period known as the Carboniferous, this tree grew upon the top of a thick swamp deposit of decaying vegetation which ultimately became a most valuable bed of coal. The stump was left in the roof of the mine when the coal was extracted for commercial and domestic uses. It fell to the floor years after the gallery had been abandoned, and it was discovered only through the chance visit of a miner.

Two stumps of a large fossil tree-fern of Middle Devonian age from Gilboa, New York, appear in the first alcove on the right. These specimens were obtained from a quarry opened in connection with the great engineering work of the New York City Board of Water Supply. They are the oldest trees known.



GIANT BULLDOG FISH (*Porthetus molossus*). This huge fossil fish came from the chalk beds of Kansas. It is 15 feet, 8 inches long and about 80 million years old

FOSSIL VERTEBRATES

(Index Plan, p. 19, Floor IV,
Halls 2, 2b, 3, 5, 9, 12a, 13)

Fossils are the petrified remains of plants or animals that lived at some past period of the earth's history. Sometimes, as with the bones of the great Irish elk, the objects have been buried in swamps or bogs, and in a few rare instances, as with the mammoth and woolly rhinoceros, entire animals have been preserved for thousands of years in ice or frozen mud. Fossils are found in localities where the dead animals or plants were gradually buried under layers of sediment to such a depth and for so long a time that they finally became petrified. Later, through upheaval and erosion, they were again brought to or near the surface of the earth. Petrification is the slow replacement of animal or vegetable material by such minerals as carbonate of lime or silica, which are carried in solution by the underground waters. The process is very slow and for this reason the soft parts usually decay before they can be petrified. Fossil beds are found in every continent. In our own country, Texas, Montana, Wyoming and the Bad Lands of South Dakota are famous for their large fossil beds, and many of the finest and rarest fossils in the Museum were obtained in these localities.

As it takes thousands of years for the various layers of earth to accumulate over the bones, and for the latter to become hardened to rock, the study of fossils and of the strata in which they are found is an important aid in determining the age of the earth and the succession of

life thereon. The skeletons exhibited in these halls are of animals which lived from 10,000 to 250,000,000 years ago, while in the Hall of the Age of Man specimens of fossil man are exhibited dating from 10,000 to 1,250,000 years from the present.

To prepare a specimen for exhibition, the matrix in which the bones are embedded is carefully chipped away and the missing parts restored in cement and plaster. The bones are then assembled as in life. In the specimens on exhibition, the restored parts differ in color from the original skeleton and can readily be distinguished.

The Museum's collections of fossil vertebrates are probably the finest in the world considering not merely numbers, but especially variety, quality and perfected methods of preparation and exhibition.

The walls of several of the halls are adorned by mural paintings by Charles R. Knight, portraying some of the more striking animals of the various geologic ages, culminating with those contemporary with early man in Europe and America.

The Museum's exhibits of fossil vertebrates are all displayed on the Fourth Floor.

FOSSIL FISHES

(Index Plan, p. 19, Floor IV, Hall 5)

The Bashford Dean Memorial Exhibit of Fossil Fishes occupies the Southeast Tower of the Museum on the Fourth Floor.

One enters the exhibit below a model

of the jaws of an enormous fossil shark about 9 feet across, with the actual fossil teeth set in place. This monster, closely related to the modern White Shark or "Man-eater," is estimated to have been 46 feet long.

At the left of the entrance is a bronze portrait plaque of Professor Bashford Dean (1867-1928), former Curator of Fishes at this Museum, where he studied especially the armored fishes of past ages, a fine series of which are included in this exhibit.

The huge fish shown as if swooping down from the ceiling is a model of *Dinichthys*, one of the great armored fishes from the Devonian of Ohio. The original skull, shown near by, is one of the prizes of the collection.

These curious forms, of numerous species, all had a pair of joints connecting their bony head-pieces with their shoulder plates. This gave rise to their group name, "Arthrodira," or "joint-necks." They were the tyrants of their day and were doubtless unpleasant neighbors to the nearly naked fin-fold sharks, their contemporaries. These latter show a very interesting stage in the evolution of the fins, in which the skeletal rods supporting the primordial fin-fold, had begun to push outward well beyond the line of the body. Even our own arms and legs are only greatly enlarged and modified fin-paddles.

At the far end of the exhibit is a "fossil aquarium"—restorations in miniature of various well-known forms from the Old Red Sandstone of Cromarty, Scotland, as they would have appeared in life, more than three hundred million years ago.

They include *Pterichthys* and its allies of the distant past, when they were nearing the time of their extinction. Others represent "spiny sharks" and "joint-necks" which were then dominant groups. A third lot includes advancing types, the "fishes of the future," the ancestors of the swarming teleost or bony fishes familiar

to us today. But the most interesting group are the "lobe-fins," which were the direct ancestors (or close relatives) of the later land-living vertebrates.

At the far-off period of the earth's history, some of the lobe-fins, or primitive ganoids, through their ability to suck atmospheric air into a moist internal sac or lung, finally emerged from the water in the edge of the swamps, using their stout paired paddles to push themselves up into the muddy margins. These evolved the first limbs, and thus the adventurous air-breathing fishes began the conquest of the land and became the ancestors of all land vertebrates, including man.

The great fish on the rear wall, opposite the entrance, is *Porthus molossus*, popularly called the Giant Bulldog Fish. It comes from the chalk beds of Kansas. This huge creature is 15 feet, 8 inches long and about 80,000,000 years old. At that time, Kansas, now in the midst of the continent, was submerged under a shallow sea, somewhat like the Mediterranean, swarming with giant sea-lizards, huge marine turtles, and great and small fishes of many kinds.

In the first alcove to the right, a wall-chart illustrates the stream of fish life in geologic sequence, 500,000,000 years of fishes. It gives at a glance the basic arrangement of the specimens shown, notable among which are Ostracoderms from the Silurian and Devonian, the giant *Porthus*, and the saw-finned *Protosphyraena* from the Cretaceous of Kansas.

FOSSIL REPTILES

The dinosaurs, the largest of the fossil reptiles, form the most spectacular part of the Museum's palaeontologic exhibits. The more primitive reptiles and also those of such other groups as the fossil alligators and turtles are also well represented in the Museum's collections. They are displayed in a series of halls on the fourth floor of the Museum as described on the following pages.



THE GREAT THUNDER LIZARD (*Brontosaurus excelsus*). A huge water-living dinosaur of the Jurassic Period



A CARNIVOROUS DINOSAUR AND ITS PREY (*Allosaurus* and *Brontosaurus*). Though not as large as *Brontosaurus*, the *Allosaurus* was a formidable carnivorous reptile which, it is believed, was able to devour its larger but more sluggish dinosaur contemporary

HALL OF JURASSIC REPTILES

(Index Plan, p. 19, Floor IV, Hall 13)

The skeleton which dominates the center of the hall is that of the great *Brontosaurus* or Thunder Reptile, big-bodied, small-headed, with massive limbs, whose joints, capped in life with cartilage, indicate that he lived in swamps and in the edge of streams where the great weight of his body, 25 to 30 tons, would be supported in the water.

Near *Brontosaurus* is *Allosaurus*, "apparently turned into a fossil while munching on the tail of a defunct relative of that big beast." Looking closely, one sees that the tops of the vertebrae are scored with grooves where some millions of years ago they were marked by the claws of the flesh-eating dinosaur which destroyed it.

In a case to the left of the *Brontosaurus* skeleton are displayed the remains of a splendid example of *Stegosaurus*. This curious creature had a small head with a

brain weighing only a few ounces. The arching backbone is composed of vertebrae which rapidly increase in size toward the middle of the back where they are enormous, showing cavities for spinal ganglia many times the size of the brain. A double series of huge bony plates are supported upright along the back and were probably defensive in character. At the end of the tapering tail are six long spines of bone with which the *Stegosaurus* is supposed to have struck at its enemies, the formidable weapons being brought into play as the creature rotated upon its hind legs.

The more ancient reptiles, such as *Diadectes* and *Naosaurus*, are found in cases toward the end of the hall. Near by them are the most ancient types of land vertebrates known, the stegocephalian amphibians which lived during the Carboniferous and Permian times. Some of these are quite small in size, but one species, *Eryops*, is represented by a skeleton 6 feet in length.

CORRIDOR OF MARINE REPTILES

(Index Plan, p. 19, Floor IV, Hall 12a)

This corridor, situated in the Roosevelt Memorial, occupies the angle to the right as one comes out of the Jurassic Hall. Here, on the wall, are displayed slabs of stone containing well-preserved fossils of the marine ichthyosaurs, including one specimen with embryos visible through the ribs as they lay in the body cavity of the mother. A fine specimen of *Plesiosaurus* is exhibited in a case at the foot of the staircase leading to the fifth floor. As one turns the angle of the corridor, on the wall to the left, are slabs containing fossil foot-prints somewhat resembling huge bird tracks. These are in reality impressions left by great Cretaceous dinosaurs which ran on hind legs with a stride of 15 feet.

HALL OF CRETACEOUS REPTILES

(Index Plan, p. 19, Floor IV, Hall 9)

The Cretaceous Age was the period of the greatest development of dinosaurs and at the close of that period they became extinct. At one end of the hall the

visitor sees towering over his head the great *Tyrannosaurus*, the Tyrant Lizard, his head 18 feet above the ground. The terrible jaws and tremendous claws of this monster doubtless placed all contemporaries at his mercy, unless protected by defensive armor or menacing horns.

A huge skeleton of *Triceratops* is seen at the left. This monstrous-headed creature doubtless fed on coarse vegetation. His jaws terminated in a great horny beak for clipping off branches and rushes and his back teeth were adapted for shearing them. These teeth were arranged in several rows and as they wore out they were replaced by new teeth which pushed from below. The squatty fore-legs enabled the animal to lower his head to the ground with ease, and the big bony "frill" with which the skull terminated above the neck served as a protection and as a counterweight to the head and jaws.

To the right of *Tyrannosaurus* are the dinosaurs, *Trachodon* and his relatives, *Corythosaurus* and *Saurolophus*. A pair of towering *Trachodon* skeletons are

STEGOSAURUS, a strange armored dinosaur of the past





THE DUCK-BILLED DINOSAUR (*Trachodon*). These remarkable herbivorous dinosaurs had a curious duck-like bill used in gathering aquatic vegetation. They walked on their hind legs or swam about using the tail as a propeller



A GIANT FLYING REPTILE (*Pteranodon longiceps*), the largest known American flying reptile with toothless skull and long, pointed beak

equipped with flat, expanded jaws which enabled them to strain out and crush the water plants and mollusks growing abundantly in the Cretaceous swamps where they fed. Nearby is a remarkable *Trachodon* specimen in which the impression of a large part of the skin has been preserved, giving us definite information as to the covering of the animal.

Two extraordinary armored dinosaurs are represented by parts of their skeletons. *Ankylosaurus*, which has been called "the most ponderous animated citadel the world has ever seen," was protected about its head and body by thick plates of bone, while the tail, instead of tapering to a point, ended in a great bony ball.

Nearby is the fore-part of *Palæoscincus* whose sides bristled with huge bony spines and whose back was protected by bony plates.

On the right and left of the entrance are two lightly but powerfully built flesh-eating dinosaurs known as *Gorgosaurus*. They were doubtless swift and fierce and preyed upon smaller and feebler animals.

Near these are examples of a small dinosaur whose general appearance suggests an ostrich, but with a long tail. On account of this resemblance it is known as *Struthiomimus*. This bird-like appearance, however, is purely superficial as it is not at all related to the ostrich. Never-

DINOSAURS AND THEIR EGGS (*Protoceratops andrewsi*). From the western Gobi





BALUCHITHERIUM. A gigantic fossil mammal 34 feet in length, probably related to the rhinoceros

theless, primitive birds originated from light-boned pre-dinosaurs of a far earlier epoch (Triassic). Some examples of fossil birds are shown in the further right hand corner of the hall, including the giant long-legged *Diatryma* with its powerful beak, and the ancient swimming water bird, *Hesperornis*. In a neighboring case are casts of the famous *Archæopteryx*. This creature was actually transitional between reptiles and birds, having the skeletal characteristics, clawed fore-limb, and tapering tail of the former and the beak-shaped jaws and feathered covering of the latter. On the wall opposite are fossils and drawings of the great flying reptile, *Pteranodon*. A huge thin fold of skin extending from the elongated fifth finger to the outer edge of the feet enabled it to flit through the air like a bat.

HALL OF MONGOLIAN VERTEBRATES

(Index Plan, p. 19, Floor IV, Hall 5)

Here are exhibits of specimens obtained by the Central Asiatic Expeditions. Among them are the famous dinosaur eggs and skulls and skeletons of the dinosaur, *Protoceratops*, that laid them. Here also is the skull of *Andrewsarchus*, the largest of carnivorous land-mammals; the shovel-tusk mastodon; and the skull and feet of *Baluchitherium*, an ancient relative of the rhinoceros, of titanic proportions. On the wall is a life-size model in low relief of this largest of all land-mammals.

OSBORN HALL OF THE AGE OF MAMMALS

(Index Plan, p. 19, Floor IV, Hall 3)

This hall includes fossil remains of mammals of the Tertiary Period. To the

left as one enters from the Hall of Mongolian Vertebrates, is a magnificent series of titanotheres, hoofed mammals related to the horses and rhinoceroses. This group has long been extinct but it embraces a remarkable series of evolutionary stages from creatures not much larger than a dog, up to great towering bulky animals with huge heads terminating in flat shovel-like horns of tremendous weight.

Opposite the titanotheres are the remains of condylarths and amblypods, very ancient hoofed mammals with no close relatives in the modern world. The most striking of these is the skeleton of *Uintatherium*, a six-horned amblypod with a tiny brain. This race became extinct early in the Age of Mammals.

Beyond the amblypods are cases devoted principally to the smaller fossil mammals. Although fragmentary, these are among the rarest and most interesting of fossils. The fossil primates (lemurs, monkeys, etc.) include unique specimens known throughout the world because of the light they cast on the earliest stages in the origin of man. Rodents (squirrels, rabbits, and their kin), insectivores (moles, hedgehogs, etc.), and

marsupials (opossums, kangaroos, and their allies) are also typically represented here.

The ancestry of dogs, cats, and other living flesh-eating mammals and the various sorts of extinct carnivores including rare creodonts is shown near the middle of the hall on the right.

Fossil rhinoceroses are shown near the center of the hall on the left. A fine series of skeletons illustrates the diverse types of American rhinoceroses, and a synoptic series shows the evolution of this group of mammals. The large block in the central aisle is from Agate, Nebraska, and contains heaped-up bones, chiefly of the double-horned rhinoceros, *Diceratherium*, still in the original rock, as found. There are twenty-one skulls and innumerable other bones in this single block, giving a graphic conception of the enormous numbers of prehistoric animals that once roamed over our West. Near this, in the center of the hall, is the skeleton of *Moropus*, a most extraordinary mammal of bizarre proportions and equipped with great claws. Nevertheless, it belongs among the hoofed mammals and is related to the horses and rhinoceroses.

In the last four alcoves on the right

TITANOTHERES. These strange creatures began as primitive forms about the size of a small fox. Their descendants evolved heavier bodies and nostrils equipped with large horns. The final types were unwieldy monsters of enormous size and finally became extinct





A GROUP OF MIOCENE CAMEL SKELETONS (*Stenomylus hitchcocki*) mounted in characteristic attitudes as if they were clothed in flesh and blood. Others are lying on the rock as their remains were actually found by a Museum expedition. These camels inhabited America at the beginning of the Miocene Period

side of the hall are specimens illustrating the evolution of the camel, deer, and other cloven-hoofed animals. Like the cow of to-day, these animals walked on the third and fourth toes, and the gradual reduction or disappearance of the other toes can be traced.

The exhibit of camel skulls and skeletons also forms an interesting evolutionary series. A striking display is the group of small camels in the central aisle. The graceful little animals, *Stenomylus*, lived in Nebraska during the middle of the Age of Mammals. Four skeletons are shown exactly as they were found in the rock, and five others have been mounted in various living poses.

Among the other cloven-hoofed mammals, the so-called giant pigs or entelodonts and the oreodonts are noteworthy. The latter, a totally extinct group somewhat pig-like in appearance but with teeth more like those of sheep, are strikingly represented by three complete skeletons huddled together, still intact in the rock just as death overtook them millions of years ago.

One of the most outstanding exhibits is the series of skeletons in the last alcove on the left showing the evolution of the horse. This is one of the most complete in the world, and contains two skeletons of *Eohippus*, the little four-toed dawn horse, as well as numerous other unique



MAMMALS OF THE LOWER PLIOCENE PERIOD IN NORTHERN NEBRASKA. During this period short-limbed rhinoceroses lived with ancient camels with no humps and single-toed horses of small size. Murals by Charles R. Knight

specimens. As shown by skeletons of horse and man in another hall, the single toe of the horse corresponds to the middle finger or toe of man, and the same correspondence is seen in each of the other leg and arm bones. In the modern horse, all but the middle finger and toe have disappeared, or have been reduced to "splint bones," but the remote ancestor of the horse had five toes. (See Guide Leaflet No. 36, The Evolution of the Horse.)

THE HORSE UNDER DOMESTICATION

(Index Plan, p. 19, Floor IV, Hall 2a)

This hall is devoted to exhibits illustrating the great modifications that man has brought about by selection in adapting the horse to his various needs.

Under his management speed has been

increased in the race horse, weight and strength in the draft horse, while the Shetland Pony has been reduced to a diminutive size. The modifications in the skeleton that have accompanied these changes are well shown in the notable series of beautiful skeletons mounted by S. H. Chubb.

The similarity in structure (homology) of the skeletons of horse and man is brought out in the exhibit of a rearing horse, controlled by man. It is interesting to note that both skeletons have the same principal parts, in spite of many conspicuous differences. In the horse the long upper and lower jaws, together with the high-crowned grinding teeth, form a very efficient mechanism for cropping and grinding the tough stems and hard kernels of grasses and similar vegetation, whereas the short upper and lower

MAMMALS OF THE UPPER PLIOCENE PERIOD IN NORTHERN TEXAS. The single-toed horses (*Plesippus*) were of larger size than those above, while the camels were more nearly like those of modern types. The *Glyptotherium*, a gigantic armadillo-like animal is shown in the lower left



EVOLUTION OF THE HORSE

The Ancestry of the Horse has been traced back through a long series of successive stages, represented by fossil skeletons found in the successive formations of the Age of Mammals, to small progenitors with four toes on the fore foot, three on the hind foot, with low-crowned simple teeth, small brains, and various other features common to all primitive mammals.

The modern horse has become highly specialized for grazing and swift running, has increased greatly in size and become more intelligent. The principal changes in this evolution are described by the fossil specimens shown on this panel, and by the associated statements in other parts of this album. The chief features are:

- I. Loss of the side toes and progressive concentration of the weight on the middle digit.
- II. Consolidation of the leg bones.
- III. Lengthening of the process of the tooth and sharpening of the surface set with an oblique grinding surface.
- IV. Increase in the size and complexity of the brain.

EARLY HORSE EQUUS

PLEISTOCENE HORSE EQUUS

PLIOCENE HORSE HIPPARION

MIOCENE HORSE MERYCHORUS

OLIGOCENE HORSE MESORHINUS

EOCENE HORSE EORHINUS

PLEISTOCENE EPOCH

PLIOCENE EPOCH

MIOCENE EPOCH

OLIGOCENE EPOCH


EOCENE EPOCH

HIND FOOT

SKULL

FORE FOOT

GEOLOGIC SUCCESSION



SKELETONS OF HORSE AND MAN COMPARED

jaws and low-crowned cheek teeth of man are adapted for a mixed diet. Moreover, the horse's long jaws enable him to reach his food, which is normally on or near the ground, while the short jaws of man have the food brought up to them by the hands.

The bony cranium or braincase of the horse is much smaller in proportion to the weight of the body than is the braincase of man, which is greatly enlarged by the enormous growth of the human brain.

It has been shown above (pp. 46-49) that the bony hands of the remote ancestors of the horse have become greatly modified during long ages of specialization for swift running. Thus each "hand" of the modern horse has but one finger, is very long and slender, and terminates in a thick horny hoof corresponding to the nail on the middle finger of the hand of man. Likewise the bone beneath the hoof corresponds to the last bone of the middle finger of the human hand. The visitor may enjoy making similar comparisons for himself: for example, where is the so-called "knee" of the foreleg of the horse and to what does it correspond in man? (Answer: the wrist.) Where is the true knee in the hind leg of the horse and where is its heel bone? What has become of the fibula or outer bone of the lower leg in the horse? Where is the "cannon bone" in the foot of the horse and to what does it correspond in man?

But why do the skeletons of horse and man have so many parts that correspond to each other? There can be no reasonable doubt that the remote common ancestors of horse and man were small mammals with five toes on all four feet. The structural differences have arisen as the result of gradually increasing differences in habits, the horse finally becoming highly specialized for running and leaping on all fours, while man uses his fore limbs as arms and hands and balances his body on his hind legs.

OSBORN HALL OF THE AGE OF MAN
(Index Plan, p. 19, Floor IV, Hall 2)

This hall is devoted to early man and his contemporaries, the mammoths and mastodons, and the giant ground sloths of South America. The collection, illus-

trating what is known of the early history of our own race as shown by the remains of early man and the implements used by him, is displayed through the center of the hall. As fossil remains of man are rare and usually very fragmentary, these are represented mainly by casts, but they include examples of all the more perfect and noteworthy specimens that have been found, from the Neanderthal and Gibraltar, to the Piltdown and Talgai. (See Guide Leaflet No. 52, The Hall of the Age of Man.) These are illustrated and further described on pages 118-119.

In the surrounding cases are some of the principal skeletons and skulls of animals mostly of Pleistocene Age, known to have been associated with man especially in North and South America. Skeletons and skulls on the right side of the hall show the evolution of the Proboscidea. They fall naturally into two groups; first, the mastodons; and secondly, the mammoths and elephants. In the former division, beginning near the entrance of the hall, are the most primitive mastodons, with two upper and two lower tusks, and a very short proboscis. The succeeding cases show the gradual reduction of the number of teeth and the shortening of the front part of the skull for the accommodation of the longer proboscis found in all of the later stages of mastodons and mammoths.

On the left is a group illustrating the famous asphalt trap of Rancho la Brea at Los Angeles, California, and fossils from South America, the most striking of which is the group of giant ground sloths. There are also good examples of glyptodonts, gigantic relatives of the armadillo. Among other strange extinct animals are the camel-like *Macrauchenia*, and the rhinoceros-like *Toxodon*. These evolved in South America during the Age of Mammals when it was an island continent as Australia is today. Here, too, is the great sabre-tooth tiger, one of the host of northern animals that invaded the southern continent upon its union with the northern world after the Isthmus of Panama was formed.

On the walls are mural decorations painted by Charles R. Knight showing the typical groups of Pleistocene animals of North and South America and Europe that were associated with early man.



MOUNTED SKELETONS OF EXTINCT ANIMALS OF SOUTH AMERICA



PREHISTORIC ANIMALS (*sabre-tooth tiger and giant sloth*). Caught in the tar pools of La Brea, California. (*Above*) as mounted skeletons; (*below*) as conceived by the artist, Charles R. Knight





(Above)
WOOLLY
MAMMOTH
on the River
S o m m e ,
France, dur-
ing the
Fourth Gla-
cial Period.



(Left)
SKELETON
OF THE
JEFFER-
SONIAN
MAMMOTH
from Indiana.

THE WOOLLY RHI-
NOCEROS
DURING A
GLACIAL
WINTER IN
NORTHERN
FRANCE.
The Murals
by Charles
R. Knight.





MODEL OF RHODODENDRON IN FORESTRY HALL. Many of the trees in the Forestry Hall are accompanied by models of leaves, flowers or fruit

FORESTRY

(Index Plan, p. 16, Floor I, Hall 3)

Jesup Forestry Hall. The Forestry Hall of the Museum contains a nearly complete collection of the native trees north of Mexico presented by Morris K. Jesup. On the right is a bronze tablet, by J. E. Fraser, the gift of J. J. Clancy, depicting Mr. Jesup as he walked in his favorite wood at Lenox, Massachusetts, and in front a bust of Charles Sprague Sargent under whose direction the collection was brought together. At the farther end is a bust of John Muir, by Malvina Hoffman, presented by Mrs. E. H. Harriman.

To the left is a section of one of the Big Trees of California, sixteen feet in diameter and 1341 years old. (See Guide Leaflet No. 42.) It began its growth in the year 550, so that it was nearly a thousand years old before America was dis-

covered. The label, illustrating the conclusions reached by Ellsworth Huntington as the result of long study, shows how the climate of the past is recorded by the trees, and how great historical events are related to great changes in climate.

In the center of the hall near the entrance from the 77th Street Foyer is a splendid life-size model in wax and other materials of a magnolia blossom surrounded by its long, tapering leaves belonging to the species *Magnolia macrophylla*.

Beyond, in a glass case extending through the greater part of the aisle, is the trunk of a fossil tree 45 feet long and several million years old.

In the last alcove to the right is the Menken Collection of Glass Flowers rep-

representing many of the common species of American flowers. They are modeled skillfully in glass and their colors faithfully copied from nature.

The other specimens in the hall show cross, longitudinal and oblique sections of the wood of North American forest trees, finished and unfinished, and

the labels give the distribution of the species, the characteristics of the wood and its economic uses. The trees are grouped by families and the location of each family will be found on the floor plans in the first case on either side of the hall. The reproductions of the flowers, leaves and fruits are made in the Museum laboratories.

MODEL OF A MAGNOLIA IN THE FORESTRY HALL



LIVING INVERTEBRATES

THE DARWIN HALL OF THE EVOLUTION OF LIFE

(Index Plan, p. 16, Floor I, Hall 5)

This hall is devoted chiefly to invertebrates and exhibits illustrating biological principles, especially those concerned with the evolution of life. It is, therefore, dedicated to Charles Darwin. Facing the entrance is a bronze bust of Darwin by William Couper, presented by the New York Academy of Sciences on the occasion of the Darwin centenary in 1909.

THE TREE OF LIFE

In the first upright case at the left is a Family Tree of the Animal Kingdom, each class being represented by a color sketch, the branches showing the relationships of the various classes and indicating the evolution of each group from the parent stem.

SYNOPTIC SERIES

The exhibits in the succeeding upright cases comprise examples of the various groups or orders included in the Classes shown on the Family Tree. Passing around the hall from left to right, the progress of evolution is illustrated from the lowest forms, the Protozoa, to the highest, the Primates, which include man.

Alcove 1, Protozoa. This alcove contains the lowest forms of animal life. All are single-celled individuals. Some are abundant in swamps and stagnant water, others are found in the sea. These exhibits are mainly models, some of which represent Protozoa enlarged more than a thousand diameters.

Alcove 2, Sponges. Sponges are principally of three kinds — distinguished from each other by their skeletons of lime, silica (i. e., flint) and of horny fiber. The sponges of commerce belong to the latter class. In the dry specimens exhibited, the skeleton only can be seen, the living tissue having been removed. Sponges range in size from the tiny *Grantia* of the New England coast to the gigantic "Neptune's goblets" of the eastern seas.

Alcove 3, Polyps. Here are shown coral animals and their relatives: among them, colonial hydroids; jellyfishes, brilliantly colored sea anemones, sea fans and sea plumes; the stony corals, and the precious coral.

Alcove 4, Flatworms. The best known species include the tapeworms, whose development and structure are shown by models in the left-hand alcove case. The less familiar free-living flatworms, which inhabit both salt and fresh water, are represented by enlarged models.

Alcove 5, Roundworms. The roundworms are parasitic, since they live in the digestive canal of mammals. The most familiar is the common stomach worm, *Ascaris*, of which an enlarged model shows the internal structure.

Alcove 6, Rotifers. The minute wheel animalcules, otherwise called rotifers, comprise many exquisite and grotesque forms, some of which construct tubes of a gelatinous substance, sand-grains, etc. A few species are parasitic, but most of them live a free, active life. They are found mainly in fresh water. See group in window showing rotifers in their natural environment and the comparative series of enlarged models of typical rotifers in the case to the left.

Alcove 7, Sea-Mats and Lamp-Shells. The sea-mats are minute, colonial animals of plant-like growth, often occurring as encrustations on shells and seaweed. A few species also occur in fresh water. The lamp-shells shown in this alcove superficially resemble clams, but by structure are more closely related to the sea-mats.

Alcove 8, Sea-Stars and Their Relatives. Here are shown sea-stars, brittle stars, sea-urchins, sea-cucumbers and sea-lilies. The sea-star is the pest of the oyster beds, where it feeds on oysters and destroys them in large numbers.

Alcove 9, Annulates. As typified by the familiar earthworm, these are worms whose bodies are made up of rings or segments. They are inhabitants of both fresh and salt water, many kinds living in the mud and sand of the shore while others bore into wood and shells. Their



A CORNER OF THE NAHANT TIDE POOL GROUP. On the rocky northern New England Coast are numerous basin-like crevices in the cliffs. At high tide, many of these are totally submerged, but as the water recedes they are left as stranded pools richly populated with marine animals and plants. In the Tide Pool Group in the Darwin Hall, sea-anemones and hydroids are disclosed among the rockweed, sea-lettuce and kelp



A DETAIL FROM
THE ROTIFER
GROUP. A world
of microscopic life
magnified a million
times shown in the
Darwin Hall



(Left) The curious
HORSE SHOE
CRAB is a "living
fossil" with ancestors
dating back
700,000,000 years. A
detail from the
Sound Bottom
Group



GLASS MODEL OF A TYPICAL RADIO-LARIAN. These tiny floating marine creatures make glassy shells of intricate patterns and, when they die, sink to the sea-bottom to form radiolarian ooze, a flinty sand used for polishing precious stones



MODEL OF A ROCK-FORMING PROTOZOAN (*Globigerina*). The microscopic creature shown above at the right builds tiny shells from lime dissolved in sea water. These become compacted into limestone layers on the sea-bottom. The Chalk Cliffs of Dover are composed of elevated masses of this rock



ENLARGED MODEL OF THE PLUMED WORM (*Diopatra*)



GLASS MODEL OF THE PORTUGUESE MAN-OF-WAR IN THE DARWIN HALL

body structures are often very beautiful and interesting examples of ingenious adaptation.

Alcove 10, Arthropods. Here are included the familiar crabs, lobsters, myriapods, insects, spiders and their relatives. The number of existing species in this group is greater than that of all the rest of the animal kingdom.

On the wall are the two largest lobsters ever taken. They weighed when alive thirty-one and thirty-four pounds, respectively. The largest of the arthropods is the giant crab of Japan, which, like that placed on the wall, may have a spread of about ten feet.

A series of models of insect heads, carefully wrought in wax and glass, shows, greatly enlarged, their comparative anatomy.

Alcove 11, Mollusks. The mollusks are next to the arthropods in the diversity and vast number of forms which they embrace, including marine, fresh-water and land animals. All mollusks have soft bodies, but nearly all secrete a shell which is often of pearly material (mother-of-pearl). Well-known examples of this group are the common clam and oyster. Enlarged models show the anatomy of these species. The main collection of mollusks is shown in the Hall of Ocean Life.

Alcove 12, Chordates, including Vertebrates. Vertebrates include the largest, most powerful and most intelligent of animals, the group culminating in man. Among the ancestral forms suggesting transitional stages from invertebrates are the "acorn-worm," *Dolichoglossus*; the Sea-squirts, or Ascidians; and the Lancelet, *Amphioxus*. Enlarged models showing, carefully dissected, their comparative internal anatomy are exhibited in the case to the left. Various species of Ascidians with their associated environment are shown among the animals on the wharf-piles in the window group. Other models in a case toward the front of the hall show the development of the egg of certain typical vertebrates.

WINDOW GROUPS

In several of the alcove windows are habitat groups of invertebrates illustrat-

ing the natural history of the commoner and more typical forms.

Marine Worm Group. In the Annulate Alcove is shown the Marine Worm Group, reproducing these animals with their associates in their natural surroundings, as seen in the harbor of Woods Hole, Massachusetts.

Shore Mollusk Group. In the Mollusk Alcove is shown the natural history of a sand-spit at Cold Spring Harbor, Long Island, including some of the shore mollusks and their associates.

Wharf Pile Group. This shows the submerged piles of an old wharf at Vineyard Haven, Massachusetts, covered with flower-like colonies of sea-anemones, hydroids and other stationary animals.

Rock Tide-Pool Group. In the further left-hand corner of the hall, a window group shows the animals and plants of a rock tide-pool, the "Agassiz Cave," at Nahant, Massachusetts. The falling tide has left a pool in a rocky basin, sheltered within which is a community of sea-anemones, sea-stars, and other invertebrates.

Sound Bottom Group. In the Arthropod Alcove, a group shows the struggle for existence among Crustacea on the sandy bottom of Vineyard Sound, Massachusetts. Here is a den of lobsters in a crevice beneath the seaweed-covered granite boulders forming the reef known as the Devil's Bridge.

Bryozoa Group. Another group represents two square inches of sea bottom as though enlarged under a microscope to an area five feet square. The front of the case is built to represent a huge magnifying glass, through which the visitor sees marine plants magnified to tree-like proportions, encrusted with colonies of Bryozoa or "sea-mats," composed of thousands of individuals, each of which builds a shell of vase-like form. Associated animals, such as the flower-like, tube-building worms and sea spiders, are enlarged to grotesque proportions.

Rotifer Group. A companion exhibit represents a cubic half-inch of pond bottom enlarged one hundred diameters or cubically a million times, transforming a minute area into a towering aquatic forest peopled by rotifers and myriads of other strange creatures ordinarily invisible to the naked eye.



A PORTION OF THE BAHAMAN CORAL REEF GROUP IN THE HALL OF OCEAN LIFE. This group, the largest in the Museum, contains more than forty tons of coral from Andros Island in the Bahamas and faithfully depicts a portion of the magnificent barrier reef as it appears from the sea bottom

(Right) BLACK ANGEL FISHES swim in stately fashion among the corals

(Below) BLUE PARROT FISH peer out from a mysterious cavern in the heart of the reef





SPINDLE SHELL (*Fusus*). These graceful shells are characterized by the long twisted spire and slender tapering canal terminating the body whorl

BIOLOGIC EXHIBITS

Variation under Domestication. Other exhibits illustrate certain facts made clear by Darwin and his successors. On the left, facing the entrance, variation under domestication is illustrated by various domestic animals, the wild species from which they have been derived being shown with some of the more striking breeds derived from them.

Variation in Nature. An example of this is the variation among the finches of the genus *Geospiza* in the Galapagos Islands.

Other displays show the range of color variation within a single species of the West Indian Sun Shell, and variations about the normal type of the common scallop.

Struggle for Existence. This law is portrayed by the meadow mouse, surrounded by its many enemies and yet continuing to survive by virtue of its great birth-rate.

Heredity. The Mendelian laws of heredity are illustrated by the inheritance of seed-coat color in the common pea, the color of sweet peas, and the coat-color of rats.

The Malaria Mosquito. In the center of the hall four large models show the mosquito, which is the active agent in the spread of malaria, and stages in its development.

THE CORAL REEF GROUP

(Index Plan, p. 16, Floor I, Hall 10)

As you enter the Hall of Ocean Life on the gallery level the **Bahaman Coral Reef Group** is seen at the farther end. Its proscenium arch rises from the main floor, passes through the gallery, and frames the upper part of the group in a half-circle thirty-five feet high.

The portion of the group above the gallery presents a vista of coral island, quiet lagoon, and tropical sky. On the distant horizon the low-lying Bahaman Island of Andros is visible, soft with its fringe of coconut palms. Here the finest coral barrier reef in the West Indies parallels the shore. The small island in the foreground is Goat Cay, just back of the barrier reef.

The section of the group below the gallery obviously depicts the coral forest as seen from the bottom of the sea. On either side, staircases permit visitors to descend from the gallery, to find themselves standing on the ocean floor, gazing into the heart of a magnificent coral forest. The branching trees of elkhorn coral (*Acropora palmata*) rise to the water surface sixteen feet above. A rocky arch at the right leads into the Cave of the Blue Parrot-fishes, inhabited by three of these magnificent creatures.

Between the rocky wall and the spread-

ing tangle of the coral forest a vista opens out into a clearing where a school of black-angel fishes swims by in the distance. In the foreground are squirrel-fishes, striped and gray grunts, blueheads, slippery dicks, and spotted hinds. Above, a school of yellow-tails swims around the coral cliff and hound-fishes dart about alarmed by the approach of a barracuda visible just beneath the water-surface at the upper left. Rock beauties, butterfly fishes, and blue angel-fishes swim among the sea fans, sea-bushes and sea-plumes; while a large rainbow parrot-fish, Nassau groupers, and a huge green moray lurk in the crevices and caverns under the coral. The latter is gay with encrusting and chimney sponges of scarlet, green, purple, yellow, and gray. To the left, above the great heads of brain-coral, orb-coral, and star-coral, swim queen trigger-fishes, numerous butterfly fishes, and a grotesque trumpet-fish.

THE GLORY OF THE SEA (*Conus gloriarius*). This is the rarest and most romantic of shells. Only a dozen specimens are known and none have been collected for more than a century. The Museum possesses two specimens



THE PEARLY OR CHAMBERED NAUTILUS (*Sectioned shell with animal in place*). This remarkable creature belongs to a bygone age. It is the only surviving species of a long line of fossil forms reaching back 500,000,000 years or more





THE SEVENTEEN-YEAR CICADA (*Cicada septendecim* Linnaeus). From a Group in the Insect Hall. During May or June of a "locust year," the immature seventeen-year-old Cicadas emerge from underground and ascend tree-trunks. Within a few hours their skin splits along the back and the adult emerges. The female deposits her eggs in a succession of slits in the slender twigs. The song is produced only by the male

HALL OF INSECT LIFE

(Index Plan, p. 18, Floor III, Hall 5)

This interesting hall is virtually a textbook of Entomology. A series of "A-cases" surrounds the hall giving a vivid presentation of insect biology, including the relations between insects and vegetation, the importance of insects as carriers of disease, and general biological facts and theories as illustrated by insects. These cases are numbered to facilitate the work of teachers sending students here for information.

In the center of the hall is a circle of exhibits, some of which show mounted insects in life-like artificial surroundings. Among the habitat groups is a series illustrating the life-histories of common butterflies. The very beneficial Lady Beetles are shown next to the very injurious Jap-

anese Beetle. Other groups are concerned with such tropical insects as the Leaf-cutting Ants.

The walls of the hall are used for supplementary exhibits. One of these displays strikingly beautiful butterflies and moths from all parts of the world. Another demonstrates the wealth of insect life at our very doors. The commercial use of insect silk and the use spiders make of their silk occupy the wall on either side of the entrance to the Reptile Hall. On the wall around the corner to the right are shown some of the results of the research work of the entomological department, especially in the field of experimental biology.

The insects in the railing cases of the



A GATHERING OF MONARCH BUTTERFLIES. In early autumn the Monarch Butterfly, *Anosia plexippus*, assembles in great swarms in the northeastern United States. At nightfall, large numbers crowd the leaves and branches of trees or shrubs. These flocks move southward, much as birds migrate. Individual females come north the next spring and reestablish the northern population.
The above group contains more than 10,000 specimens

adjoining Synoptic Hall of Mammals (Index Plan, p. 18, Floor III, Hall 3) are placed there temporarily.

The collections in general are arranged with special reference to the insects found near New York City. They are presented in two series:

General Series. This is arranged in a definite order which should be followed as indicated by numbers.

The topics treated are: Importance of Insects, Geological History and Relationships, Anatomy and Physiology, Development from Egg to Adult, Variation in Form and Color, Natural Selection, Inheritance, Collection and Identification,

Habits, Enemies, Injuries to Man, Benefits to Man.

Local Insects. In the Tower Room is a study collection of insects found in the vicinity of New York City. This is intended to aid in the identification of specimens and visitors wishing to use it for this purpose are invited to do so. Admission may be had by applying to the attendant.

Butterflies of New York State. A striking exhibit of some of the butterflies found in the State of New York is installed in the corridor of the Roosevelt Memorial Building (Index Plan, p. 16, Floor I, Hall 12a) just to the left of the entrance from the Fish Hall on the first floor of the Museum.

MASSING OF LADY BEETLES ON MOUNTAIN TOP. From a group in the Insect Hall. With few exceptions Lady Beetles (Coccinellidae), both larvae and adults, eat either plant-lice or scale insects. The species of *Hippodamia* specialize on plant-lice. In the West, the adults often gather in large masses under rocks on the tops of mountains to pass the winter. Such a gathering near Boulder, Colorado, is shown here





BUMBLE-BEE POLLINATING APPLE BLOSSOMS. From an exhibit in the Insect Hall. A few insects cause a loss of about one-fifth of our fruit, but we should have little or no fruit were it not for other insects pollinating the blossoms

MODEL OF A MOLE CRICKET (enlarged five diameters). An insect with fore-legs especially adapted for digging





THE SEA ROVERS. An undersea scene, showing a number of sharks attacking a sea turtle. In the lead is a twelve-foot Tiger Shark; on the left, a Hammerhead; and in the background, the White Shark or Man-Eater

HALL OF LIVING FISHES

(Index Plan, p. 16, Floor I, Hall 9)

On entering the Hall of Fishes from the Darwin Hall one faces a group of sharks, sweeping down upon a helpless logger-head turtle. The following sharks are represented in this group:

(1) **White Shark** or **Man-eater**. One of the largest sharks, growing to a length of 30 feet or more. This ferocious shark feeds on large fish and sea-turtles. It has been known to attack men and even small boats. Fortunately it is apparently rare everywhere and usually remains on the high seas.

(2) **Spot-fin Ground Shark** or **Shovel-nose**. May be recognized by its small second dorsal fin and very long tapering pectorals, in combination with a flattened shovel-like nose. Produces living young.

Feeds chiefly on fish and squid. Harmless to man.

(3) **Southern Ground Shark**. Somewhat resembles the Tiger Shark but differs in its very blunt snout, stouter body, very large pectoral fins, and complete absence of spots. Inhabits coastal waters, feeding on fish, etc. Common about wharves where it picks up refuse. Not dangerous to man.

(4) **Tiger Shark**. Sometimes reaches a length of 30 feet. A very active predaceous shark of the high seas, with wide jaws and powerful sickle-shaped teeth, preying upon large sea turtles, other sharks, fish and invertebrates. Much dreaded in the West Indies but no authentic record of attacks on human beings.

WHALE SHARK (*Rhincodon typus*). The largest species of shark represented by an eighteen-foot specimen. Note the wide mouth, rectangular jaw, white spots of its skin pattern, and the parallel ridges extending toward the tail





MODEL OF THE MANTA OR DEVIL FISH (*Manta birostris*). From a specimen taken off the west coast of Florida, measuring 17 feet across

(5) **Hammer-head Shark.** The strange flattened and widened face of this shark seems to serve as a bow-rudder, which is used in making very quick turns in pursuit of fish. It occasionally reaches a length of 12 feet.

(6) **Sand Shark.** May be recognized by its combination of a delicate nose, unreduced rather than sickle-shaped pectorals. This shark captures great numbers of small fish, which are its chief diet. There is no record that it attacks man.

The **Systematic Exhibit** includes a representative series of fishes, from the lowly "cartilage fishes," such as the sharks and rays, to the highest or most complexly constructed bony fishes. Noteworthy in this series are the mounted groups of "ganoids," including the sturgeons, spoonbills, bony gars, bowfins, all of ex-

ceptional scientific interest, since they are "living fossils," or descendants of the now extinct fishes of earlier geologic times. In the alcoves and wall cases on the right, the visitor will find many curious forms, such as the giant catfishes, the handsome rooster fish, the brilliant parrot wrasses, and butterfly fishes.

On the right side of the entrance to the inner enclosure is the **Biological Exhibit**. This considers the fish as a machine—its stream-line form, its main principles of construction, its locomotor machinery, and the mechanism of its jaws.

The **fish life of warm seas** is represented in the inner enclosure, including the giant Manta, or Devilfish, a small individual of the spotted Whale Shark, largest of fishes, and in the foreground a bit of sandy bottom with small species as it would appear about Bimini, Bahamas.



(Above) DEEP SEA ANGLERS. Note fishing rod with luminous tip

The model of a **Manta** or **Devilfish** (*Manta birostris*) was made from a specimen taken in 1915 near Captiva Islands, off the West Coast of Florida, by Russell J. Coles. It measures 17 feet across the out-stretched wings. Still larger specimens up to 22 feet wide are on record. The Manta, like other skates and rays, may be regarded as a "winged shark" in which the body has become depressed and the breast fins enlarged into "wings" which are the chief organs of locomotion.

The **Whale Shark** (*Rhineodon typus*) is an 18-foot specimen taken at Acapulco, Mexico, March 2, 1935. This species is the largest, the rarest and most character-

istically marked of living sharks. Records of about 60 specimens are known, among them one reaching 38 feet in length. The striking markings form a pattern of vertical yellow bars separating vertical rows of yellow spots.

The **Deep Sea Fishes** form a special exhibit in an inner room. Here in the semi-darkness we view some of the hobgoblins of the ocean depths — many of them covered with jewels of phosphorescent light.

Fishes that live at great depths have to be able to endure enormous water pressure, low temperatures and total darkness. At one mile depth each square inch

(Below) VIPER FISH (*Chauliodus*) PURSUING BIGHEADS (*Melamphaes*)



of surface of a fish's body is under a pressure equal to about one ton. But the pressure is equal in all directions. It permeates the whole body of the fish inside and outside and evidently does not injure the most delicate tissues.

A small exhibit in the left-hand corner of the central darkened room tells of the remarkable life-history in which there is a striking transformation of the "stalk-eyed fish" into a "Gleaming-tailed Sea Dragon." This exhibit is based on the investigations and material of Dr. William Beebe in connection with deep sea fishes taken off Bermuda. He proved that the minute "stalk-eyed fish," which carry their eyes out at the ends of long stalks, really grow up into the "Gleaming-tailed Sea Dragons" (*Indiacanthus fasciola*), formerly supposed to be a different species.

The deep sea life is dependent ultimately upon the rain of food-bearing particles from the richer waters of the surface. The countless myriads of microscopic plants are

absorbed by the microscopic animals and these by the billions of tiny copepods or shrimps which in turn are devoured by the ravenous small fishes.

Many different kinds of deep sea fishes have the power of lumi-

nescence.

In some fishes the surface of the body is studded with little glow lamps, each of which has a lens, a reflector and a gland for producing a substance called luciferin which emits a light when supplied with oxygen from the blood. The

little shrimps and other creatures upon which the fish feeds are attracted toward the lights as the moth to the flame. The lights also enable fishes of the same kind to find each other and keep together in schools.

Big Game Fishes. At the end of the Fish Hall toward the Roosevelt Memorial is the exhibit of Big Game Fishes, including many of great size taken with rod and line chiefly by Zane Grey and Michael

TUNA (*Thunnus thynnus*). A magnificent mounted tuna fish from the Exhibit of Game Fishes



also called Tunny and Horse Mackerel. It occurs in both the Atlantic and Pacific and huge individuals may reach a weight of over 1000 pounds.

The second specimen presented by Mr. Lerner is a fine mounted skin of a **Blue Marlin** (*Makaira nigricans ampla*) which weighed 305 pounds and measured 10 feet in length. Mr. Lerner caught it on rod and reel off Bimini, Bahamas, on July 2, 1934.

The tuna, the swordfish, the marlin, the sailfish, and the mackerel are all related, belonging to the same suborder of fishes, the Scombroidei, a group which attains the acme of speed and streamlined form. There is probably more confusion about the marlin than about any other large game-fish. This is due, first, to its similarity to its close relatives, the swordfish, the sailfish, and the spearfish; secondly, to the number

of different kinds of the marlin itself. The external

differences between the marlin and sailfish are obvious when one compares the former with the sailfish in the group forming the central exhibit at this end of the Hall of Fishes. The sail of the latter is much higher and longer than that of the marlin.

The swordfish above Case 53 shows a distinctly heavier body, longer and stouter sword, and shorter dorsal fin. The spearfish (Case 31) is a somewhat intermediate form. Its long dorsal fin is considerably lower than that of the marlins.

On the wall in connection with the Big Game Fish exhibit may be found charts of the world record rod and reel catches.


Lerner. The huge ocean sunfish, caught by Mr. Grey with harpoon and gaff, weighed nearly a ton. A 74-pound channel bass, a 588-pound broadbill, and a 758-pound tuna look down from the walls.

The central feature of the **Sailfish Group** is the mounted skin of a fish caught off the rocky coast of Cape San Lucas, Lower California. It is shown in the act of leaping from the water in a desperate effort to shake the hook from its jaws.

Many other fishes well known to anglers and sportsmen, or greatly desired as closer acquaintances, hang in these cases, such as salmon, trout, perch, muskallunge, barracuda, yellowjack, bonefish, etc.

Two fine specimens of the fishes caught and presented by Michael Lerner are exhibited in special cases as if rising through the water. One is the mounted skin of a tuna (*Thunnus thynnus*) which measured 8 feet, 3 inches in length and weighed 55 pounds. It was caught on a rod and reel off Wedgeport, Nova Scotia. This is the common or **Bluefin Tuna**,

BLUE MARLIN
(*Makaira nigricans ampla*)



LIVING REPTILES

(Index Plan, p. 18, Floor III, Hall 9)

As one enters this hall from the Insect Hall, the attention is attracted by four floor exhibits containing some of the largest existing reptiles, namely, — the alligator, leatherback tortoise, king cobra, and Galapagos tortoise. A fine habitat group showing the largest living lizards is at the right of the entrance. These are the **Dragon Lizards of Komodo**. The species *Varanus komodoensis* occurs only on Komodo and adjacent small islands in the Dutch East Indies. The scene in the group is laid on Komodo. A large male dragon lizard has just killed a wild boar, while another dashes forth from a nearby jungle to dispute ownership with the first.

Dragon lizards feed on deer, wild boar and water-buffalo; possibly also birds and their eggs. They readily attack each other and have been known to seize a wounded comrade.

The smaller lizard feeding on the boar is a female, the largest recorded individual of this sex. Few species of lizards

show such a pronounced difference between the sexes.

Komodo Island is uninhabited except for a convict village of Malays. Dragon lizards quickly secrete themselves on the approach of man. They apparently use vision alone in detecting their enemies, as they fail to react to sounds, and, in fact, appear to be deaf.

The species is diurnal and hides away at night in large dens which it digs under the roots of trees or under rocks in the open.

Varanus komodoensis is a large monitor lizard of the family Varanidae. It is closely related to certain monitor lizards of Australia, particularly to giant forms known only as fossils from the Pleistocene of that continent. These fossil species seem to have reached fifteen or more feet in length. *Varanus komodoensis* does not exceed ten feet, but large specimens may weigh over two hundred fifty pounds. It is therefore very much heavier than any other living lizard.

THE DRAGON LIZARD OF KOMODO ISLAND (*Varanus komodoensis*)





RHINOCEROS IGUANA. This great Iguana from Santo Domingo is the most powerful lizard in the Americas. It is terrestrial, digging burrows in limestone

The specimens and materials for this group, as well as the motion picture exhibited here, were secured by an expedition of the Museum under the leadership of Mr. William Douglas Burden.

Near this group a large chart is installed, showing in outline the history of all the vertebrate animals, including the dragon lizards.

The central part of the hall is devoted to a large series of **floor groups**, showing various species of reptiles and amphibia in their natural environment. The cases on the right of the hall answer questions frequently asked, such as, "How do reptiles and amphibians feed?" "How do they protect themselves?" and "How do they breed?" also, "What is the economic value of reptiles and amphibians?"

The left wall of the hall contains a series of exhibits installed in sunken panels, in which some of the principles controlling the existence of reptiles and amphibians are illustrated. Among them are "Natural Selection, the Directing Principle of Evolution," "Isolation, a Major Factor in the Origin of Species,"

"Concealing Coloration and Form," and "Parallel Evolution."

Other exhibits are devoted to snake yarns, the structure of reptile skeletons, and snake poisons and their treatment.

On the left of the hall, in an enclosed corridor, is a series of **habitat groups** portraying the home life of American reptiles and amphibians. The subjects of these in order from the front of the corridor are: — The Leatherback Tortoise; The Giant Salamander; The Bullfrog; A New England Marshland in Spring; West Indian Tree Frogs; Reptiles of the South West; Galapagos Iguana; Rhinoceros Iguana; Gila Monster; and the Florida Cypress Swamp. A few of these are described briefly.

The Rhinoceros Iguana Group illustrates the complete life history of a typical lizard. It inhabits the desert regions of Santo Domingo and is the most powerful lizard in the Americas.

It is a terrestrial animal, living in burrows which it digs through banks of limestone. The eggs are deposited during July in hills dug by the females in ad-



A CYPRESS SWAMP IN NORTHERN FLORIDA. Detail of a group in the Reptile Hall

joining sand flats. The young iguanas hatch out and frequently pull their egg shells with them to the surface. The Rhinoceros Iguana, like most other large iguanas, is a vegetarian, feeding on *Acacia* beans, *Saona* berries, and other products of the desert.

The group depicts the western shore of Lake Enriquilla, a dead sea in Santo Domingo, over 130 feet below the surface of the ocean.

The Reptiles and Amphibians of a Cypress Swamp. The primeval cypress swamps of northern Florida afford a home for the alligator, numerous turtles, lizards, snakes, and frogs. The large alligator on the left is a female guarding her nest (shown in cross section). Young turtles are hatching from eggs which have been hidden by the mother in the

alligator's nest. The group is a reproduction of a Florida cypress swamp and river cove in September. It portrays the feeding habits of several snakes, the breeding habits of various turtles and toads, and many other reptiles and amphibians.

A New England Marshland in Spring. Toads and frogs come to the marshes and ponds in the spring to breed. The males call loudly to attract mates. The shrill peeping which arises from so many ponds of eastern United States is made by a diminutive tree frog, while the trill which resounds from many orchards and water lily ponds is the voice of the gray tree frogs. Each species of frog and toad has a distinctive voice. In calling, the throat of many species is blown out into a balloon-like sac and acts as a resonating

organ. The group represents a small section of a swamp in southern New England during early May.

Gila Monsters. The Gila Monster is well known as the only poisonous lizard in the world. In the group, there are two species of Gila Monster, *Heloderma suspectum* of southwestern United States and *horridum* of Mexico.

The group represents a small section of one of the canyons of the Catalina Mountains, Arizona. The snake gliding over the rocks is the Sonoran Racer, *Masticophis semilineatus*. The desert tortoise, *Gopherus agassizii*, illustrated below, is seeking a hiding place for the night.

Amphibia and Reptiles of New York State. An exhibit showing the species found within the State of New York may be seen in the corridor of the Roosevelt Memorial on the first floor. (Index Plan, p. 16, Floor I, Hall 12a).



DETAIL OF A GROUP SHOWING THE
AMPHIBIANS OF A NEW ENGLAND
MARSHLAND IN EARLY SPRING

DESERT TORTOISE (*Gopherus agassizii*). A detail from the "Gila Monster Group," depicting the reptilian fauna of one of the Arizona canyons



LIVING BIRDS

THE WHITNEY WING

(Index Plan, pp. 16-19, Floors I-IV, Hall 19)

The Whitney Wing of the Museum, newest section of our structure, was a joint gift of the late Harry Payne Whitney, and the City of New York. It is wholly occupied by the Museum's Department of Birds. Three of its eight floors are devoted completely or in part to public exhibits.

The main entrance of this wing leads into Whitney Memorial Hall from the New York State Theodore Roosevelt Memorial. The display represents bird life on islands in the Pacific Ocean, covering an expanse from the Hawaiian Islands southward beyond New Zealand and from the Galapagos Archipelago and small islets off the coast of Peru westward to the Australian barrier reef and New Guinea. Foyers at the ends of the hall contain maps and mural texts which describe both purpose and plan of the exhibits. Near the ends of the main hall are bronze busts of the late Messrs. William C. Whitney and Harry Payne Whitney, father and son, to whom the building and its contents are dedicated.

WHITNEY MEMORIAL HALL

(Index Plan, p. 17, Floor II, Hall 19)

The design of Whitney Memorial Hall is intended to give Museum visitors the illusion that they are standing in the middle of the Pacific Ocean and viewing scenes in every direction throughout hundreds or even thousands of miles. In other words, the hall represents the Pacific itself, reduced to extremely small compass. A common horizon crosses the background of all 18 habitat groups, and from these the sky appears to rise behind the fronts of the cases and to be continuous with the blue dome that forms the ceiling of the hall. Suspended by invisible wires in this vault are examples of oceanic birds which inhabit the Pacific from the tropical environment depicted near the northern end of the hall to the edge of the Antarctic toward the south

end. It is through the latter that the visitor approaches from the Roosevelt Memorial building.

At the present time only about half of the exhibits are completed. In addition to the dome and the decorations in the two foyers, eight of the nine groups on the right-hand side of the hall are on display. These are as follows:

Ship-Followers. The open ocean south and east of New Zealand, in the zone of westerly winds. The point of view is from a deck of an old-fashioned sailing vessel. In the background is the Whitney South Sea Expedition schooner, the *FRANCE*, which served the Museum during ten years in Polynesia. The expedition collected most of the specimens used throughout this hall.

Pelagic birds shown in the exhibit comprise a variety of albatrosses and petrels, especially characteristic of the higher southern latitudes.

Samoa. A view from the hills of the island of Savaii toward the ocean. The site is at the point where forest meets more open slopes. The birds include those of both woodland and grassland, such as fruit pigeons, ducks, members of the parrot family and many smaller forms. Especially noteworthy is the tooth-billed pigeon (*Didunculus*), a very peculiar member of the pigeon family, confined entirely to a few islands of the Samoan group.

Tuamotu. The island of Hao, an atoll, with the coral-grown lagoon at the left and the surf of the open ocean on the right. In the distant background can be seen tree- and shrub-covered segments of the island ring. Among the coconut palms and other typical beach vegetation of a coral island are man-o-war birds, boobies, a nesting red-tailed tropic-bird, several terns, including the white fairy tern which lays its egg on rough bark or in the crotch of a bush, and also a number of shore birds of both migratory and resident species. The example of the latter is the rare or nearly extinct Polynesian



PERUVIAN GUANO GROUP IN THE WHITNEY HALL. OF OCEANIC BIRDS. This exhibit shows several guano islands in the Bay of Pisco, Peru, with their bird life. The guano-producing birds represented are the Peruvian pelican, booby and cormorant. Also included are the Peruvian penguin, Inca terns and two species of gulls

MACAWS (*Ara macao*). From the exhibit showing the bird life of Barro Colorado Island in the Panama Canal Zone. This island, made by the spreading of Gatun Lake, has cut off a portion of the continental tropical jungle with its abundant mammal and bird life



A DETAIL FROM THE SAN JOAQUIN VALLEY, CALIFORNIA, BIRD GROUP. This valley, once a vast desert, has now been irrigated. Well-watered grass lands have resulted, inhabited by birds in great abundance and variety



sandpiper, one of the smallest members of its family, of which two stand in the left foreground.

The Tuamotu archipelago occupies a huge area in the central South Pacific and is one of the most extensive island groups on earth.

Marquesas. A scene in the volcanic island of Nukuhiva, showing a rugged shore line and ridges dissected by the sea, as viewed from a height of nearly 2000 feet. On the right is the Valley of "Typee," famous as the locale of Herman Melville's romance of the same name.

The birds include the giant pigeon (*Serresius*), which exists only at the island of Nukuhiva, a smaller native fruit pigeon, swifts of the "edible-nest" group, warblers and old world flycatchers peculiar to this island, a forest rail, a ground dove and a pair of wild chickens or jungle fowl, the ancestors of which were widely distributed in the Pacific by the original Polynesian immigrants.

Peruvian Guano Islands. Looking southward across the Bay of Pisco, Peru, from the southern island of the Chincha group. The scene represents the rainless coast of Peru, where climatic conditions are responsible for the accumulation on such islands of sea bird manure known as guano, which was the fertilizer of the Incas and other ancient agricultural peoples of the west coast of South America.

Despite the exhaustion of the old supplies of guano, it has again become an important commercial resource in Peru, and the industry is now operated upon a scientific conservational basis.

The three principal species of guano-producing birds, all of which are peculiar to the coasts of Peru and northern Chile, are shown, namely, the Peruvian cormorant, booby and pelican. Other birds of interest are the white-moustached Inca tern, two species of gulls, and on the rocks of the painted background a distant cluster of Peruvian penguins.

Galapagos. A scene in the heart of the Galapagos archipelago, looking from James Island across the water toward Albemarle, the largest island of the

group. The Galapagos lie on the equator about 600 miles west of the South American coast. They are famous as the native home of many peculiar and long isolated species of both plants and animals, and they received their first notable scientific fame as a result of the visit of Charles Darwin in H. M. S. BEAGLE about 1834.

Man-o'-war birds, herons, an owl, mockingbirds and hawks are among the birds shown in the exhibit. Most of these are remarkable because of their total lack of shyness in the presence of man, a trait doubtless acquired during residence throughout a very long period in a land without man or other mammalian enemies. The most important of the Galapagos birds from a biological point of view are several species of small finches which show a great variation in the size of the bill. These mostly belong to the genus *Geospiza*, and Darwin's observations of them in the field is believed to have had much to do with his original ideas on the principle of natural selection as an explanation of evolutionary change.

Hawaii. This exhibit shows a deep and steep valley on the Hawaiian island of Kauai, with slopes and gorges descending about 4000 feet from the high plateau of the island toward low banks above the beach. The opposite or windward side of Kauai is extremely rainy and, on the right, fragments of storm clouds are shown whisking out over the valley which, however, is not very humid because most of the rainfall is precipitated farther to windward.

The Hawaiian archipelago, like that of the Galapagos, has been isolated from other land areas throughout many ages, and some of the native birds and other animals show even more peculiar and pronounced evolutionary changes. The Hawaiian honeycreepers (*Drepanididae*), for example, are obviously members of a single family of small land birds, yet the specializations in the bills of several species range from short, stout, almost parrot-like beaks to extremely long, pointed and sickle-shaped organs. Feeding habits are, of course, correlated with such structures, for the stoutest-billed species can manipulate hard seeds and



BROWN PELICANS (*Pelicanus occidentalis*). Brown Pelicans inhabit our coasts from South Carolina to the West Indies. They often fly in diagonal files and under favorable conditions sail long distances on set wings. Facing the wind, they travel high, but at times they skim just above the crest of curling breakers



EMPEROR PENGUIN (*Aptenodytes forsteri*). This is the largest of the existing species of the penguins. The mounted bird here shown, a male, weighed seventy-nine pounds. The Emperor Penguin is exclusively Antarctic, inhabiting the fringing ice of the south polar continent and the adjacent islands. It rarely sets foot upon land or rock. The single egg is laid on the ice in midwinter and is carried on top of the bird's foot until it hatches, the male and female taking turns at incubation

fruits, whereas those with long slender bills must use them in extracting nectar or small insects and spiders from the corolla of flowers. Several examples of these honeyeaters are exhibited but it would be impossible to show the whole range of variation in bills without drawing upon species inhabiting other islands of the Hawaiian group.

At the right of the group three geese are shown in flight, the species being peculiar to Hawaii. In the air, down the valley, are two white-tailed tropic-birds, and the small land birds include one or more species having tufts of brightly colored feathers which were used by the ancient Hawaiians in manufacturing the famous feather cloaks worn by chiefs of high rank.

Laysan. Albatrosses, of which there are some seventeen species in the world, resort during the nesting season to remote oceanic islands, where they carry on their remarkably elaborate courtship procedure, lay the single egg, and rear their chick before they depart once more on

the oceanic wanderings which they continue until the return of the next breeding season.

Most albatrosses inhabit the higher latitudes of the southern oceans and no species regularly enters the North Atlantic. The North Pacific Ocean, however, is the home of three kinds of albatrosses, two of which are here shown on the nesting ground of Laysan Island, a leeward outlier of the Hawaiian archipelago.

The two species shown are the white-breasted Laysan albatross and the all dark black-footed albatross. Both carry on an extraordinary ritual, commonly known as a courtship dance, although it really partakes of community behavior and the birds on the nesting ground salute, cross bills, and bow not only to their own mates but to other albatrosses of both sexes.

A pair of the small native teal of Laysan, found nowhere else in the world, is also shown in this exhibit, as well as such nesting sea birds as boobies, man-o'-war birds, the petrels that occupy burrows in the sandy soil, and the migrant bristle-thighed curlews, golden plovers and other shore birds that make the island a resting place during the course of their long migration from Alaskan breeding grounds to a winter home among islands of the south seas.

HALL OF BIOLOGY OF BIRDS

(Index Plan, p. 16, Floor I, Hall 19)

The Hall of Biology of Birds, on the first floor of the Whitney Wing, is devoted to diagrammatic exhibits illustrating the bird's place in nature and many different aspects of the structure, descent, relationship and behavior of birds. Other animals will be made use of when desirable. For example, in the consideration of flight, the plan and technique of the flight of insects, bats, pterodactyls, etc. will be shown in conjunction with various types of bird flight.

At this date, the construction of exhibits in the Hall of Biology of Birds has just begun and the hall is still closed to the public except for the first alcoves. In these are shown examples of the wide variety of bird architecture, as illustrated

by nests, and also a section of the exhibit devoted to the relationships of birds to their reptilian ancestors and the varying course that evolution has taken in different orders and families of modern birds.

GALLERY OF BIRD ART

(Index Plan, p. 19, Floor IV, Hall 19)

A collection of original drawings and paintings of birds by Louis Agassiz Fuertes is installed in the Gallery of Bird Art on the Fourth Floor of the Whitney Wing. These works cover most of Fuertes' life as an artist, from a painting made while a young boy to his mature work of the later years preceding his untimely death. The collection includes numerous studies made in the field, many of them while on expeditions of the American Museum, and finished pictures, both published and unpublished.

The same hall contains a series of original water-color paintings by Joseph Wolf which were published as illustrations of various of the ornithological monographs of D. G. Elliot, particularly the Monograph of the Pheasants.

Included in this hall, also, are two large oil paintings from the collection of Auduboniana, most of which is installed in the ambulatory of the Theodore Roosevelt Memorial Wing immediately adjoining. One of these paintings is by John James Audubon, showing a dog surprising a group of pheasants. The other is a portrait of Audubon with his dog, horse, and gun from the brushes of his sons Victor and John Woodhouse Audubon.

AUDUBON GALLERY

(Index Plan, p. 19, Floor IV, Hall 12a)

A noteworthy collection of objects relating to the life and work of John James Audubon is exhibited in the corridor on the fourth floor of the Roosevelt Memorial leading into the Whitney Wing. These include original sketches and paintings by Audubon, and by his son, John Woodhouse Audubon, mainly of the Quadrupeds of North America; some of the copper plates from which the Birds of America were printed, and a portrait of Robert Havell, their engraver and publisher of the first edition of the "Birds." Of special interest are the por-

traits of Audubon, one of which is displayed on the right-hand wall of the Whitney Gallery of Bird Art, just inside the entrance. Of more personal interest are the guns carried by Audubon on many of his expeditions and the buckskin suit he wore. (These have not yet been transferred to the Theodore Roosevelt Memorial Wing but will be found on the landing of the stairway between the second and third floors of the corridor, outside the entrance to the Mexican Hall. Index Plan, pp. 17-18, Floors II-III, Hall 2a.)

These objects were presented mainly by his grand-daughters, Maria R. and Florence Audubon, but the largest piece, a covey of pheasants, was given by Miss M. Eliza Audubon. Gifts have been received also from Dr. Edward H. Rogers, Miss Anne E. Roelker, Robert Havell Lockwood, and others.

BIRDS OF THE WORLD HALL

(Index Plan, p. 17, Floor II, Hall 2)

This hall is devoted to a projected series of twelve habitat groups to show the major faunal areas of the world and their characteristic birds. Nine groups have been completed and a tenth is under construction. The backgrounds, by Francis Lee Jaques, Frank McKenzie, and Arthur A. Jansson, are reproductions of actual scenes made from color sketches and photographs taken on the spot. Beginning at the right of the entrance, the completed groups are as follows:

Pampas Group. The pampas and lagoons of the South Temperate Zone of South America harbor a varied assemblage of birds. These include some twenty species of North American sandpipers and plovers that migrate to this region to spend the northern winter. Some of the birds are permanent residents. The scene is laid at Lake Chascomus, near Buenos Aires, Argentina, a region made famous by the writings of William Henry Hudson to whom the group is dedicated. Gift of Mrs. Anna E. Erickson.

High Andes Group. The Paramo Zone of South America is found at sea level at the southern end of the continent but occupies increasingly high elevations in

the Andes, below the snow line, as the equator is approached. In the neighborhood of Mt. Aconcagua, Chile, shown in the background, this zone is reached at 10,000 feet elevation but the birds are still closely related to those of the lowlands of Patagonia and southern Chile. The giant Condor is a characteristic species.

American Tropical Zone. Barro Colorado Island, in the Canal Zone, was once a hilltop and part of the unbroken humid tropical forest of the Panamanian lowlands but it was cut off from the surrounding forest when the valley of the Chagres River was flooded by the closing of Gatun Dam. It is now preserved as a natural laboratory under the care of the Institute for Research in Tropical America. It has been made known to many through the writings of Dr. Frank M. Chapman, particularly by his books, "My Tropical Air Castle" and "Life in an Air Castle."

South Georgia Group. The bird-life of the Antarctic regions is not as rich in species as that of the tropics but possesses certain very interesting forms among which the penguins are outstanding. The group shows an assemblage of King Penguins on the island of South Georgia, 1200 miles east of Cape Horn. Among the other characteristic species are the Wilson's Petrel (one of the birds known to sailors as "Mother Carey's Chickens"), the Kelp Gull, Giant Fulmar, the curious Sheathbill, and (painted) the Wandering Albatross.

East African Plains. The easterly third of Africa is largely a grassy country dotted with thorny bushes and trees. The Kidong Valley, scene of the group, lies some 40 miles northwest of Nairobi, Kenya Colony, in the Great Rift Valley that extends from northern Tanganyika to the Red Sea and southern Palestine. The Ostrich, Marabou, Bustard, Courser, Secretary Bird, Hoopoe, Coly, and Lark shown in the group are typical of the plains region though some of the other birds shown have close relatives in the forests. Gift of Mr. Henry W. Sage.

Congo Forest Group. The equatorial forests along the Congo River in western



BIRD LIFE OF THE GOBI

Africa are rich in bird-life. As in other tropical forests, many species of birds often band together in loosely mixed flocks that roam the woods for insects and other food, searching from the ground to the tops of the trees. The exhibit shows such an assemblage together with other inhabitants of the region. The scene is at Lukolela, about 500 miles upstream from the mouth of the Congo River. Presented by Mrs. Dwight Arven Jones.

Gobi Group. The extensive desert of central Asia, known as The Gobi, contains a number of brackish lakes, without outlets and fed by surface and underground streams from mountains such as the Altai Range shown in the background. The climate is cold except for a brief summer, and the bird-life consists largely of migrant species that go south for the winter, as the Demoiselle Crane, Great Bustard, and Ruddy Sheldrake. The Raven remains throughout the year. The interesting Sand-Grouse often travels long distances daily for water and has an irregular local migration.

Palæarctic Alpine Group. The Zermatt Valley and the Matterhorn, in Switzerland, are shown with some of the characteristic birds of the upper Alps at timberline at 7000 feet elevation. Some of the species, like the Wall Creeper and

the Snowfinch, probably reached the Alps from the Himalayas in prehistoric times when these two now distant mountain ranges may have been continuous. Others, like the Arctic Ptarmigan and Redpoll, may have come from the north, driven by the advancing ice of the Glacial Period. Still others are inhabitants of the lower elevations that have extended their ranges upward to the timberline.



GREAT AUK (A mounted specimen in the Synoptic Hall of Birds). The Great Auk, or Gare Fowl, is now extinct, no living specimen having been recorded since 1844

New Forest Group. The Palearctic Zone or Old World North Temperate Zone corresponds to the Nearctic or North Temperate Zone of North America. The families of birds found in the two regions are much the same and some of the species are identical although their local names may differ. Occasionally the same name is applied to quite different species as in the case of the European and American robins. The group shows the famous "Roosevelt Walk" in the New Forest, in the Valley of the Itchen, in Hampshire, where Lord (then Sir Edward) Grey and Theodore Roosevelt watched the birds together in 1910. The group is dedicated to Lord Grey and was the gift of Mrs. Carl Tucker.

HALL OF NORTH AMERICAN BIRD GROUPS

(Index Plan, p. 18, Floor III, Hall 1)

Here are the Habitat Groups of North American birds, prepared under the direction of Dr. Frank M. Chapman, Curator of Ornithology, who collected most of the specimens and made practically all the field studies. The backgrounds are reproductions of specific localities, painted from sketches made by the artist who usually accompanied the naturalists when the field studies for the groups were made. Practically all sections of the country are represented; thus the series depicts characteristic North American scenery as well as the bird-life. The backgrounds of the groups were painted by Bruce Horsfall, Charles J. Hittell, Hobart Nichols, Carl Rungius, W. B. Cox, Louis A. Fuertes, and Francis L. Jaques. The foliage and flowers were reproduced in the Museum laboratories from material collected in the localities represented. (See Guide Leaflet No. 28.) The visitor should follow the series to the right around the hall.

Orizaba Group. The distribution of birds, notwithstanding their powers of flight, is limited in great measure by climate. Thus in traveling from Panama north to Greenland there are zones of bird-life corresponding to the zones of temperature. This condition is illustrated on the mountain of Orizaba in Mexico, where in traveling from the tropical jungle at its base to its snow-clad peak the

naturalist finds zones of life comparable with those to be found in traveling north on the continent. Thus the Orizaba group, so far as the distribution of life is concerned, is an epitome of all the groups in the hall.

Cobb's Island Group. Among our most beautiful and graceful shore-birds are the terns and gulls, which (because of their plumage) were once ceaselessly hunted and slaughtered for millinery purposes. Thanks to protection they have now greatly increased in numbers. The group represents a section of an island off the Virginia coast, where the birds are now protected by law.

Duck Hawk Group. The Duck Hawk may be found nesting on the Palisades of the Hudson almost within the limits of New York City. It nests on the ledges of the towering cliffs. This hawk is the Peregrine Falcon which was so much used for hunting in the Middle Ages. It often comes into the city for pigeons.

Hackensack Meadow Group. In August and September the meadows and marshlands bordering the Hackensack River, New Jersey, formerly teemed with bird-life, but this is rapidly disappearing before the march of "improvements." In the group are swallows preparing to migrate southward, Bobolinks or "Rice Birds" in autumn plumage, Red-winged Blackbirds, Rails, Wood Ducks and Long-billed Marsh Wrens.

Wild Turkey Group. The Wild Turkey is a native of America and was once abundant in the wooded regions of the eastern portion of the United States, but is now very rare. It differs slightly in color from the Mexican bird, the ancestor of our common barnyard turkey, which was introduced from Mexico into Europe about 1530 and was brought by the colonists to America. (Reproduced from studies near Slaty Forks, West Virginia.)

Florida Great Blue Heron Group. The Great Blue Heron usually nests in trees. The bird flies with its neck curved back on its body, and because of this habit it can readily be distinguished from cranes, with which it is frequently confounded.



ARCTIC SEABIRD LIFE. From a group in the Gallery of North American Birds. The group depicts the lower part of a 1000-foot cliff on Little Diomed Island in Bering Sea. Here myriads of sea birds come each summer to lay their eggs and rear their young

(Reproduced from studies near St. Lucie, Florida.)

Water Turkey, or "Snake-bird," Group. In the yellow pond-lily swamps grown with cypresses and cabbage palmettos, the shy Water Turkey builds its nest. It receives the name "turkey" from its turkey-like tail, and the title "snake-bird" from its habit of swimming with only the long slender neck above water. (Reproduced from studies near St. Lucie, Florida.)

Sandhill Crane Group. Unlike the herons, the Sandhill Crane builds its nest of reeds in the water. It differs also in its manner of flight, always fully extending its neck when on the wing. (Reproduced from studies on the Kissimmee Prairies of Florida.)

Brown Pelican Group. Pelican Island, on the Indian River of Florida, has been made a reservation by the United States Government, and these grotesque birds now breed there in comparative safety.



CHIMNEY SWIFT



RED-TAILED HAWK



MOURNING DOVE



(Above) GREEN HERON

(Below) RED-WINGED BLACKBIRD

LOCAL BIRDS. In the corridor on the first floor of the Roosevelt Memorial, are shown all the species of birds which have been known to occur within fifty miles of New York City. The first four lettered Cases, A-D, on the right, opposite the entrance to the proposed new hall of North American Mammals, contain the permanent residents, and the next four lettered cases, E-H, the migrants. The latter are changed as necessary about the first of each month. Beginning at the entrance to the Mammal Hall on the left hand wall, the numbered cases contain the general collection of all birds found within this area

(See Index Plan, p. 16, Floor I, Hall 12a)



(Above) WOOD THRUSH

(Below) KINGBIRD

BALTIMORE ORIOLE



The view shows a section of the island at the height of the nesting season. (Reproduced from studies at Pelican Island, Florida.)

American Egret Group. This beautiful bird has been brought to the verge of extinction in this country through the use of its "aigrette plumes" for millinery purposes, and is now confined to a few protected rookeries in the South. The birds have these plumes only during the nesting season, at which time the death of the parent means the starvation of the young. (Reproduced from studies in a rookery of South Carolina.)

Turkey Vulture Group. The Turkey Vulture, or "buzzard," is one of the best-known birds of the South, where it performs a valuable service in acting as scavenger. On this account it is protected by law and by public sentiment and has become both abundant and tame. (Reproduced from studies at Plummer Island in the Potomac River, near Washington.)

California Condor Group. The California Condor is the largest and one of the rarest of North American birds. It is not so heavy as the condor of the Andes, and has a slightly smaller spread of wing. In the group the visitor is supposed to be standing in the interior of the condor's cave, and is looking down on the river of the cañon. (Reproduced from studies in Piru Cañon, California.)

Brandt's Cormorant Group. The foreground of the group shows a detail of the island that is painted in the background. The young birds are feeding, and it will be noticed that one fledgling is reaching down the mother's throat after the predigested food. (Reproduced from studies at Monterey, California.)

San Joaquin Valley Group. Formerly this area was an arid place with a characteristic desert bird fauna. Now the ranchmen have irrigated the land and aquatic bird-life abounds. This group is a good illustration of the influence of man on the bird-life of a region.

Bering Sea Bird Group. Little Diomedes and Big Diomedes form a group of two islands which lie in Bering Sea, fifty

miles south of the Arctic Circle and about midway between Alaska and Siberia.

The site of the group is the lower part of the 1000-foot cliff at the south end of Little Diomedes. Here, protected by isolation, as well as by the nature of their haunts, myriads of murres, guillemots, puffins, auklets, gulls, and cormorants come each summer to lay their eggs and rear their young.

Flamingo Group. There were estimated to be two thousand nests in this colony. The Flamingos construct their nests by scooping up mud with their bills and packing it down by means of bill and feet. The nests are raised to a height of twelve or fourteen inches. This protects eggs and young from disasters due to high water. Only one egg is laid, and the young, covered with down, is fed by the mother on predigested food. (Reproduced from studies in the Bahama Islands.)

Booby and Man-of-War Bird Group. In this group is shown a portion of a coral islet on which three thousand Boobies and four hundred Man-of-War Birds were nesting, the former on the ground, the latter in the sea grape bushes. (Reproduced from studies in the Bahama Islands.)

Florida Rookery Group. In this group are Roseate Spoonbills, Snowy Egrets, American Egrets, Little Blue Herons, Louisiana Herons, ibises, cormorants, and Water-Turkeys. Because of the great inaccessibility of this island it was one of the last places to feel the depredations of the plume-hunter. (Reproduced from studies in the Everglades of Florida.)

Whistling Swan Group. A Whistling Swan on the nest is visible far across the arctic tundra, the summer home of this species. The nest is built of moss, etc., and in it are laid two to five white eggs, four and a quarter inches long. Both male and female share the labor of nest-building, incubation, and caring for the young.

Whooping Crane Group. The Whooping Crane is so nearly exterminated that not only was it impossible to obtain a nest and young, but in making this group it was necessary to use specimens taken many years ago.

Golden Eagle Group. The Golden Eagle is one of the most widely distributed of birds. In North America it is common from the Rockies to the Pacific, as far east as Maine. Stories to the contrary notwithstanding, the eagle never attacks man.

Its food consists of rabbits, squirrels, woodchucks and occasionally sheep. (Reproduced from studies near Bates Hole, Wyoming.)

Klamath Lake Group. The bird-life here shows how normal nesting habits may be changed by birds being forced to live in a new locality. White Pelicans, which usually make a nest of pebbles; Caspian Terns, which commonly build their nests on sand, and Cormorants that nest on rocks are all nesting together here on the islets of the lake. Unfortunately the breeding ground shown here, with its wonderful bird-life, has been destroyed by ill-advised drainage. (Reproduced from studies at Klamath Lake, Oregon.)

Arctic-Alpine Bird-Life Group. The scene represented in this group is above the timber-line on the crest of the Canadian Rockies, 8,000 feet above the sea. Although these mountains are in the temperate region, the altitude gives climatic conditions that would be found in the Far North, and the bird-life is arctic in character. Here are nesting the White-tailed Ptarmigan, Rosy Snow Finches, and Pipits. (Reproduced from studies in the Canadian Rockies.)

Sage Grouse Group. This group shows a stretch of western plateau covered with sage brush. In this brush is seen the male Sage Grouse strutting and wooing a mate. (Reproduced from studies at Medicine Bow, Wyoming.)

Prairie Chicken Group. The Prairie Chickens are akin to the common grouse. The group represents a typical scene during the mating season. The male birds go through most surprising antics in their efforts to attract the females. They inflate the orange-colored sacs on the sides of their necks, dancing and strutting about and uttering a loud, resonant, booming note. (Reproduced from studies near Halsey, Nebraska.)

Wild Goose Group. The Wild Goose is one of the first birds to migrate north in the spring. It nests among the lakes of Canada even before the ice is melted. (Reproduced from studies made at Crane Lake, Saskatchewan, Canada.)

Grebe Group. The grebes are aquatic birds which build their nests in the water. During incubation the parent bird usually covers the eggs with grass and reeds when leaving the nest. Nesting at the same lake with the grebes was the Red-head Duck. (Crane Lake, Saskatchewan, Canada.)

Loon Group. The Loon is justly famed for its skill as a diver, and can swim with great speed under water. Its weird call is a familiar sound on the northern New England lakes. Many Loons pass the winter at sea fifty miles or more from land. (Lake Umbagog, New Hampshire.)

Bird Rock Group. This rocky island thirty miles from shore in the Gulf of St. Lawrence affords some protection to the sea birds which still nest in considerable numbers on its cliffs. Seven species are shown nesting in the group—the Razor-billed Auk, Leach's Petrel, Gannet, Puffin, Kittiwake Gull, Common Murre, and Brunnich's Murre. This was the Museum's first large group. (Bird Rock, Gulf of St. Lawrence.)

(See also Guide Leaflet No. 28, The Habitat Groups of North American Birds.)

SYNOPTIC AND GEOGRAPHIC HALL OF BIRDS (Index Plan, p. 17, Floor II, Hall 1)

The most striking feature is the exhibit of Birds in Flight in the domed ceiling.

In the first four main cases on the right, the 10,000 known species of birds are represented by typical examples of the principal groups arranged according to their natural relationship. The remaining cases on the right wall and all of those on the left show the geographical distribution of the bird fauna of the world.

In the alcoves near the entrance are several cases containing birds which have become extinct or nearly so. The Labrador Duck, the Heath Hen, and the Passenger Pigeon are shown here, now all extinct. Even the Great Auk and the

skeleton of the Dodo are present, the latter also being represented by a modeled life-size reproduction copied from an old Dutch painting.

In certain alcoves are several cases designed to present the natural history of birds.

The widely different plumages often worn by one species will be found illus-

trated in several cases. The relationship between structure and habits is illustrated in other exhibits, particularly by one showing the feeding habits of some birds.

At the farther end of the hall is a collection of Birds of Paradise displaying their gorgeous plumes, presented by Mrs. Frank K. Sturgis.

MAN-O-WAR BIRD (*Fregata minor*). The Man-O-War Bird inhabits tropical seas. Its proportionate wing-expanse is probably greater than that of any other bird. It can remain in the air indefinitely without apparent effort. Its tail-feathers seem to open and close in flight



LIVING MAMMALS

THE AKELEY MEMORIAL HALL OF AFRICAN MAMMALS

(Index Plan, p. 17, Floor II, Hall 13)

The main floor of this hall, entered from the Theodore Roosevelt Memorial Building, was opened to the public in the spring of 1936. Here are recreated examples of the mammals typical of Africa, in their natural surroundings.

At each side of the two doors are sculptured representations of African natives by Malvina Hoffman.

In the center, dominating the hall, stands a herd of **elephants** in characteristic formation when alarmed. The great bull is trumpeting his challenge, while a younger bull wheels to cover the rear of the herd from possible attack.

Immediately to the right of the entrance is the **Water Hole Group**. The animals of the dry plains must come to such seepage holes to drink. Here are reticulated giraffes, Grant gazelles, oryx with long straight horns and Grévy zebra. Other typical mammals are seen in the background, and several sand grouse in the foreground.

Next are seen the handsome antelopes, **Mountain Nyala**, on the heather-covered uplands of Abyssinia.

A herd of **African Buffalo** is next, emerging from the marshes along the Tana River, Kenya, in late afternoon.

A **family group of Lions** resting in the shade of a tree is the following scene, typical of the great plains of East Africa. In the background a herd of antelopes and zebra feed unconcernedly.

The **Bongo Group** shows a pair of these handsome antelopes in the bamboo forest high on the Aberdare Mountains, Kenya. They have disturbed another typical forest-dweller, the giant forest hog.

The next group on the right-hand side of the hall shows a fine pair of **Giant Eland**, the largest of the antelopes, in their natural habitat in southern Sudan.

The **Upper Nile Region Group** has now been completed. Waterbuck, kob, Nile lechwe, tiang antelope, sitatunga, roan antelope, and hippopotamus are the mammals shown in this group. The Nile, with crocodiles, forms the background.

At the end of a short hallway there is

a large-scale map of Africa, showing localities from which the various animals and their settings were taken.

On the left-hand side of the hall, beginning at the far end, is the **Plains Group**. Here is depicted the teeming mammalian life of the East African plains. The several kinds of antelope and the zebra in this group are typical of this part of Africa.

The **Greater Koodoo** bears the longest horns of any African antelope. An old male with a female and young male are placed here in a setting duplicating the rough, scrub-covered hills where these animals were collected.

The **Giant Sable** is noted for its handsome form, rich color, and long, saber-like horns. It is found in the dry, park-like country of central Angola, in a limited area, and is rapidly becoming extinct.

The **Gemsbok** is a larger relative of the oryx seen in the Water Hole Group. Although once widely distributed in South Africa, it is now common only in the dry Kalahari Desert.

Next is the family of **Okapi**, the strange forest-dwelling relatives of the giraffe.

A scene in the **Libyan Desert** is shown with several addax which possess spirally twisted horns and addra gazelles in a typical setting.

The **Gorilla** family is of particular significance to human beings, because these great apes are perhaps the most like man of all the living animals. They are shown here in a clearing in the dense rain-forest of the Kivu Mountains, an exact reproduction of their natural habitat.

MEZZANINE, AKELEY AFRICAN HALL

(Index Plan, p. 18, Floor III, Hall 13)

The first group on the right shows the **Klipspringer**, the small, rock-climbing antelope in the right background. East African Baboons are in the right foreground, and a pair of Chanler Reedbuck appears on the left. Among the rocks in the left foreground may be discovered a small hyrax or cony.


The next completed group contains several **Lesser Koodoo**, the males of which have twisted horns. There are two gerenuk in the group, strange, long-limbed and long-necked gazelles with a small



MOUNTAIN GORILLA (*Gorilla gorilla beringei*). Of all living animals, the gorilla appears to be most nearly like man. The adult males may reach a weight of 500 pounds. Their strength is tremendous, and they are dangerous when enraged. They are found in the rain forests in the highlands of the eastern Belgian Congo. Terrestrial in habit, they feed on fruits and herbage.

Detail of group in Akeley African Hall

THE REAR GUARD. Detail from the great elephant group in the Akeley African Hall. In every herd of elephants, in the wild condition, at least, one animal takes the responsibility of wheeling about at frequent intervals to see that all is well behind. The young male shown below is mounted in this position in the elephant herd. It was collected by John T. McCutcheon in 1910 when he was in the field with Carl Akeley





AFRICAN BUFFALO (*Syncerus caffer*). Detail of the group in Akerey African Hall



GREATER KOODOO GROUP (*Strepsiceros strepsiceros*)

head. A flock of Vulturine Guinea Fowl is seen in the background.

Impala prefer the park-like country in which they are shown. With handsome carriage and lyre-shaped horns, the males rank among the most beautiful of the antelopes.

The **White or Square-mouthed Rhinoceros** is third in size of the living land mammals. In front of this family group is an African Porcupine.

On the other side of the passage, at the end of which is a large map of Africa, a **Black Rhinoceros** family can be seen enjoying a mud wallow. A pair of long-nosed Dik-dik are included in this group.

Next there is a **Hunting Dog** pack at evening looking over the plains to where herds of Wildebeest and Zebra can be dimly seen. The dogs rarely bother these larger species but gazelles, impala and smaller animals are their usual prey.

The **South African Group** shows typical mammals of the high veldt as they were when white men first came. Now the Springbok are greatly restricted in numbers and Blesbok and Black Wildebeest are found only on a few farms where they are protected.

The **Ostrich Group** shows a pair of these large birds with young ones hatching from the eggs. The Warthogs would like to secure a few young ostrich, but the parents stand guard belligerently.

VERNAY-FAUNTHORPE HALL OF SOUTH
ASIATIC MAMMALS

(Index Plan, p. 17, Floor II, Hall 9)

We enter this hall from the left end of the Roosevelt Memorial Hall.

From 1922 to 1928 Mr. Arthur S. Vernay and Colonel J. C. Faunthorpe of Great Britain made six expeditions into India, Burma and Siam to collect and



WHITE RHINOCEROS GROUP (*Ceratotherium simum cottoni*)





DETAILS FROM WATER HOLE GROUP IN AKELEY AFRICAN HALL

(Above) GREVY ZEBRAS

GIRAFFES AND GAZELLES AT A WATER HOLE (*opposite page*)

later donate to the Museum this collection which now stands as the finest and most complete exhibition of the larger South Asiatic Mammals in existence.

The groups and architectural setting were designed and executed under the direction of James L. Clark. The accessories were constructed under the direction of Albert E. Butler.

Dr. Harold E. Anthony, Curator of Mammals, was responsible for the scientific direction.

Two fine examples of the **Indian Elephant** stand in the center of the hall, giving due prominence to the largest and perhaps most characteristic mammal of southern Asia. This species differs from the African Elephant by smaller ears, higher forehead, and arched back. It has also different teeth and trunk.

The Nilgai or **Blue Bull Group** is also

centrally placed. This is the largest Asiatic antelope. It exhibits marked sexual divergence in color, the female and young being reddish fawn, the male a blue gray. The Nilgai is related to the African twisted-horn antelopes like the Koodoo and Eland.

The **Indian Leopard** differs only slightly from those found in Africa. Both are forest animals, but occur in the dry bush country also. They feed on deer, pig, and the larger birds such as the peafowl that has been captured by the leopard in this group.

The **Sambar** is the largest of the Indian deer, found throughout the wooded part of southern Asia. Its size makes it an important source of food for the larger carnivores but it is powerful and, when brought to bay, may be dangerous. The red Wild Dog of India hunts in packs,



sometimes as many as forty strong. In combination these fierce animals attack and kill animals as large as the Sambar.

The **Black Buck** (the male alone is blackish, the females being yellowish-brown) is found on the high plains country. This is also the habitat of the Chin-kara, the Indian gazelle.

The **Muntjac**, or **Barking Deer**, is one of the most primitive of the true deer. Males, in addition to bearing small antlers, supported on bony pedicels, have well developed canine teeth. The Mouse "Deer" or Chevrotain is not a deer, but is probably more closely related to the camels.

The **Lion** formerly had an extended range in northern India, chiefly in the plains country. It is usually pale in color, but does not differ greatly from the several races found in Africa.

The **Four-horned Antelope** is the only living wild four-horned animal. It is found in small groups in most wooded and hilly parts of India but not in dense jungle. The **Smooth Otter** is found south

of the Himalaya Mountains in India, Burma and the Malay Peninsula.

The **Chital** or **Axis Deer** is one of the handsomest of the deer family. The young of all deer are spotted, but this species retains the spotted pattern through life. It frequents the bamboo jungle and wooded regions near water, and is found in suitable habitats throughout most of India and Ceylon.

The **Gaur** is perhaps the largest of the existing cow-like animals, large bulls standing over six feet at the shoulder. Gaur are found in forested hilly country from India to Indo-China and the Malay Peninsula.

Water Buffalo occur in the lowlands and swamps of central India, Ceylon, and the Malay Peninsula. Buffalo have been domesticated and used as beasts of burden and milch animals. Wild Buffalo are the most dangerous Asiatic bovines to hunt, for they frequently charge. A herd will attack a tiger without hesitation.

The great one-horned **Indian Rhinoceros** is characterized by thickened skin

THE LEOPARD GROUP IN SOUTH ASIATIC HALL (*opposite page*)

(*Below*) SAMBAR ATTACKED BY WILD DOGS





THE GAUR (*Bos gaurus*). The Gaur is an imposing animal of India, Burma and the Malay Peninsula. It is found in the forests, but sometimes feeds in grassy areas on the high hills. It is not found in the lowlands

which has the appearance of plate armor. Its prehensile upper lip indicates that it feeds partly at least on leaves and twigs, but it is found chiefly in the grass-jungles of Assam.

The **Banting** is perhaps the most like the domestic cow in appearance of all the wild bovines, and may be ancestral to the Indian cattle. It is, however, closely related to the Gaur, but is found chiefly in flat country and at lower altitudes. Banting are found from Burma and Cochin China to Bali in the Malay Archipelago.

The **Eld Deer**, or **Thamin**, is distinguished from other species by the graceful curve of the antlers in the male. It occurs on the alluvial plains and is found in suitable localities east of the Bay of Bengal, from Assam and Manipur to Cambodia, Hainan and the Malay Peninsula.

The **Sumatran Rhinoceros** is related to the Indian species but has two horns, and is much smaller in size. It is found in Assam, Burma, Siam, the Malay Peninsula, Sumatra and Borneo, but is rare and secretive. It is found exclusively in forests.

The **Sloth Bear**, or **Honey Bear**, is characterized by the long flexible muzzle, which is used to suck termites from their deep runways. These animals feed almost

exclusively on insects, fruit, and honey. They climb trees with difficulty. Bears are usually timid, but if wounded or cornered may be dangerous antagonists.

The **Hog Deer**, or **Para**, is a small relative of the Sambar and is found in the Indo-Gangetic Plain and in most of the flat country in Burma. It is usually solitary in habit.

The **Indian Wild Boar** is closely allied to the Eurasian Boar, but has a higher crest. It is one of the most "gamy" of the Indian mammals, fighting until killed.

Gibbons are the most primitive of the anthropoid apes, but the most arboreal. They are capable of walking upright, but travel by swinging from branch to branch and tree to tree. The Hoolock Gibbon inhabits the hills of Assam, Burma and southern Yunnan. Usually these animals are black, with white brows, but some individuals are pale yellowish-gray.

The **Swamp Deer**, or **Barasingha**, is related to the Thamin, but differs in the shape of the antlers. It is a large species, restricted to the vicinity of water in open forest, and on grassy plains. The Sambar is usually found in wooded regions, but is the most widely distributed species.

The **Tiger** is the largest Asiatic cat. Tigers live characteristically in the forest

and tall grass country, the stripes blending closely with the light and shadow of this habitat. They feed largely on deer and pigs, but frequently kill domestic cattle. Individuals, too old or decrepit for their usual prey, may turn man-eaters.

HALL OF NORTH ASIATIC MAMMALS

(Index Plan, p. 17, Floor II, Hall 5)

This hall is approached through the South Asiatic Hall from the Roosevelt Memorial. At present it is incomplete, but, when finished, the exhibits will cover the region north of the Himalayas, including Tibet, Afghanistan, Mongolia, and Siberia.

The **Giant Panda Group** is on exhibition and a **Siberian Tiger Group** is being prepared. Both of these are illustrated on pages 106-107.

ALLEN HALL OF NORTH AMERICAN MAMMALS

(Index Plan, p. 17, Floor II, Hall 3)

A new Hall of North American Mammals is being built on the first floor opening out of the center of the Roosevelt Memorial section. Exhibits of North American mammals have long been displayed in the Allen Hall on the second floor, approached through the North Asiatic Hall.

The first center exhibit to catch the eye is a group of American Bison and beyond this the Moose from New Bruns-

wick. These groups, mounted years ago, are still among the largest examples of their kind and are noteworthy accomplishments of the older taxidermy, especially as pioneer achievements in that art.

Mountain Sheep. Mountain Sheep inhabit the more inaccessible mountain ranges of the West, from northern Mexico through the Bad Lands and Rocky Mountains almost to the shore of the Arctic. They are gregarious, occurring in small flocks. When undisturbed, each flock is headed by a ram, but when danger threatens, he assumes the rear guard and a ewe takes the lead.

Rocky Mountain Goat. This animal is a goat-antelope, with its only close relatives in the Himalaya Mountains. It is found from Idaho to Montana northward through British Columbia to the mouth of Copper River, inhabiting deep mountain ranges and inaccessible peaks.

Roosevelt Elk. At the end of this hall is a group of Roosevelt Elk found in the Coast Range from British Columbia to Northern California. Once abundant, they have become much reduced in numbers, though an effort is now being made to preserve them.

Beaver. The Beaver, formerly the most important of North American mammals from a commercial standpoint, and one intimately connected with the early history and exploration of the continent, is represented actively at work. The opening

ASIATIC WATER BUFFALO (*Bos bubalis*). These buffaloes are the cattle of the grassy plains of India. They are widely domesticated as draft animals and furnish milk to the natives. They have been employed for hunting the Indian lion





THE GIANT PANDA (*Ailuropoda melanoleuca*). This interesting creature lives in the bamboo forests growing on the sides of the mountains of western China. Though it resembles a bear in outward appearance, anatomical studies show that it is more closely allied to the raccoon



HEAD OF SIBERIAN TIGER. To be shown in a group for the North Asiatic Hall

in the lodge is not natural, but made to show the interior.

Cats, Wolves and Foxes. The cats, wolves and foxes, and the host of small creatures like squirrels, rats and mice, are represented by numerous characteristic examples. Here are the Jaguar, the largest of the American cats, the Puma, the well-known Coyote or Prairie Wolf and the little-known white Arctic Wolf from the extreme north of Greenland. Here too is the Arctic Fox in its two color phases.

Timber Wolf. One of the most beautiful groups in the Museum is that showing part of a pack of Timber Wolves following the tracks of deer.

Virginia Deer. The Virginia or White-tailed Deer, found over a large part of North America, is shown in its summer coat. Other species of our deer are displayed in the adjoining cases.

Peccary. The Peccary, one of two species related to the pig family and peculiar to the Americas, is really an intruder from South America.

Grizzly and Alaskan Brown Bears. At the end of the hall are the Grizzly and Alaskan Brown Bears, the latter the largest members of the family, as well as a splendid specimen of Giant Moose of Alaska.

Grant's Barren Ground Caribou. The Barren Ground Caribou are animals of the waste and treeless regions of Arctic America where it is impossible for other members of the deer family to exist. At regular intervals these animals gather in immense bands and migrate, going northward in spring and southward in the fall.

Musk-Ox. The Musk-Ox is adapted for life in the far north and usually travels in bands of a dozen or more. Its food in summer consists mainly of grass, in winter of trailing willows, pawed up from under the snow. The specimens in the group were collected by Commander Robert E. Peary on Bache Peninsula, Ellesmere Land, October, 1898.

Pronghorn Antelope. The handsome Pronghorn Antelope, peculiar to North America, once found in vast numbers on the western plains, was verging on extinction but is now increasing in numbers.

Muskrat. Owing to its wide distribution, the rapidity with which it breeds,

and the growing scarcity and increasing demand for furs, the muskrat has become one of the most important fur-bearing animals.

Black Bear. A group at the right-hand side of the hall shows general color variations of the Black Bear. Among these are the Cinnamon Bear, the Glacier Bear, and Kermode's White Bear.

Puma. The Puma is very wide-ranging, being found over a great part of North and South America. In its many forms or species, it displays great adaptability to environment and is found not only in heavily forested districts and high mountains, but on arid desert areas as well.

Polar Bear. The Polar Bear inhabits the coast of the Arctic Ocean, wandering over the great ice-floes and along the shores of northern islands seeking seals and young walrus. The huge flat paws and powerful muscles make the animal a strong swimmer. The coat of long, almost woolly hair and a thick layer of fat protect it from the intense cold. The large male in the group was brought from Payer Harbor, Greenland, in the spring of 1902 by Commander Robert E. Peary.

OCEANIC MAMMALS

(Index Plan, p. 16, Floor I, Hall 10)

Leading from the Hall of Fishes is the **Hall of Ocean Life**. In this hall are displayed whales, porpoises, marine mammals, the great coral reef group, and shells. Although much of the space is now occupied by permanent exhibits, the final plans have not yet been fully consummated, and additions to the exhibits in the hall will be made from time to time.

Immediately upon entering, the visitor will note the large skeletons and models of whales and porpoises suspended from the ceiling. Just in front of the entrance to the hall is the striking full-sized model of the **Killer Whale** with contrasting black and white markings, a fierce predatory cetacean capable of swallowing a fur seal or a small porpoise at a gulp. Near the Killer and facing it hangs the model of a **Blackfish**, like the Killer a species of giant porpoise but of a much milder disposition. Skeletons of these animals are hanging beneath the models. Above the balcony in front of the entrance is suspended a lifelike model of a **Giant Squid**,



BIGHORN OR MOUNTAIN SHEEP (*Ovis canadensis*)



HARPOONING THE SPERM WHALE DURING THE DAYS OF SAILING SHIPS. One of a series of murals in the Hall of Ocean Life depicting whaling in olden times when sail-rigged vessels were used and the whales were killed with a harpoon thrown by hand

one of the marine animals upon which the Sperm Whale preys. The large skeleton to the right is that of a **Sperm Whale**, the largest of the living toothed whales, formerly much sought by whalers as the source of spermaceti. Beyond the Sperm Whale, on the same side, hangs a skeleton of the **Finback Whale**.

Just above these two large skeletons are found skeletons of several species of toothed whales, including several rare types, and the **Narwhal**. At the near end of this row is a model of the Sperm Whale, and at the far end is a small model of the **Sulphur-bottom Whale**, the largest animal in the world.

Along the left side of the hall, three skeletons of whales are suspended, the one

nearest the entrance being a **Right Whale**, a **Pigmy Right Whale** in the middle, and a **California Gray Whale** at the far end. Above them is a long row of lifelike models of porpoises ranging in species from the common dolphin to the rare river and lake dolphins. Here also is a model of the **Pigmy Sperm Whale**. At the far end are two large models, one of the spectacular **Narwhal** with long ivory tusk (at the right), the other the **False Killer**, formerly a very rare species but in recent years appearing unexpectedly off the British Isles and the coast of South Africa, where a large number were stranded in shoal water. At the opposite end, on the left of the entrance, is a model of the **White Whale**, a large northern porpoise.

(Below) **SKFLETON OF THE ATLANTIC RIGHT WHALE (*Eubalaena glacialis*).** The "whale-bone" is shown in the skeleton suspended from the roof of the mouth as close-set, horny plates





A BULL WALRUS FROM THE PACIFIC WALRUS GROUP IN THE HALL OF OCEAN LIFE.
One of the specimens secured by the Stoll-McCracken Expedition to Bering Sea. Group presented
by Mrs. Andrew Carnegie

Around the walls of the balcony are spaces for twelve mural paintings, of which nine have been completed. Along the right side are four great paintings showing scenes typical of **American Sperm Whaling** and titled respectively, "The Chase," "The Attack," "Towing the Carcass," and "Trying Out." On the left wall are three canvases portraying the life of **Typical Species of Whales** and including "Bowhead Whale," "Finback Whale," and "Killer Whales attacking a Gray Whale." These seven murals are the work of Mr. John P. Benson, the noted marine painter.

At the far end of the hall is the large habitat group showing a **Coral Reef in the Bahamas**. The group extends from the main floor of the hall up to the limits of the balcony ceiling and shows the multitudinous life below the surface, as well as the land, sea and sky above. This group was completed after twelve years study and preparatory work. (See pages 61-63.)

At either side of the painted background of the coral reef group is a large mural showing dolphins in a running sea.

Below the level of the balcony and hanging just beyond reach from the rail at the head of the stairway is a cast of a

Young Sperm Whale which came into New York Harbor and eventually was held a captive in the Gowanus Canal at Brooklyn. It was brought to the Museum in the flesh.

On the main floor of the Hall of Ocean Life and under the balcony are the habitat groups of marine mammals. Beginning at the first right corner, the first of these is the group of **Northern Elephant Seals**, huge, ponderous mammals hauled out on the rocky beach of Guadaloupe Island, Lower California. The full-grown male of this species has a long, pendulous proboscis suggestive of an elephant's trunk. Continuing along the right side of the hall, the next exhibit is that of the **Florida Manatee**, a thick-set, homely beast, well adapted to its aquatic life. Next is the group of **Pacific Walrus**, one of the largest in the Museum, which shows these Arctic Sea mammals at home on an ice floe.

In the first left corner is a large group of **Steller Sea Lions** at home on St. George Island, one of the Pribilofs. The male Sea Lions are huge, powerful seals with massive necks and shoulders.

Adjacent to the Sea Lions are found the **Alaska Fur Seals** on Kitovi Rookery,



GROUP OF PROBOSCIS MONKEYS (*Nasalis larvatus*). These remarkable monkeys occur only on the island of Borneo. They are characterized by the flaming orange-red color of the face and by the elongated proboscis which gives them their name

St. Paul's Island. Many details of the home life of these beautiful seals are to be noted in this group, which shows the vigorous dominant bulls, each with his harem of sleek, slender cows, the bachelor bulls, and the playful pups.

On the floor of the hall are several cases with special exhibits. One of these is the **Townsend Fur Seal**, a species on the verge of extinction and only recently rediscovered after it was believed by many to have disappeared completely. Another case displays several types of diving gear with full equipment of pump, telephone, etc.

At either side, at the right side of the hall, main floor, are two cases with the beautiful **Undersea Paintings** by Mr. Zarh H. Pritchard.

Suspended from the ceiling at the far end of the hall is the **Lindbergh Plane, "Tingmissartok."** This, together with the equipment used in flying across Bering Strait to China, and later in exploratory flights over Greenland, Iceland, the North Atlantic, Europe, the South Atlantic Ocean and South America, was the gift of Colonel and Mrs. Charles A. Lindbergh.

SYNOPTIC HALL OF MAMMALS

(Index Plan, p. 18, Floor III, Hall 3)

This hall, entered from the Insect Hall, is devoted mainly to a series of exhibits illustrating the characters of mammals, their principal groups, or orders, the main subdivisions of these, known as families, and various interesting peculiarities of habits and structure. Each family is, so far as possible, represented by a mounted specimen and a skeleton. Starting from the further end and walking around the room from left to right, one passes from the egg-laying Platypus to man, represented by the figure of an Australian native, armed with the characteristic boomerang. Certain exhibits demonstrate modifications of form and structure for various

modes of locomotion, and superiority of the brain of mammals over that of other vertebrates. Others show illustrations of albinism and melanism; that animals outwardly similar may be only very distantly related; how the coat of the hare changes from brown to white; and the adaptations of plants and animals to a desert habitat.

Of special note is the skeleton of **Jumbo**, the largest elephant ever brought to this country alive.

The fruit bats, often known as flying foxes, the largest members of the Chiroptera, and found only in the warmer parts of the Old World, are represented by a small portion of a colony from Calapan, Philippine Islands. Such a colony may number several thousands, and may be very destructive to bananas and other fruits.

The most striking object in the hall is the life-size model of a **Sulphur-bottom Whale**, seventy-six feet in length. The original of this specimen was captured in Newfoundland, and the model is accurately reproduced from careful measurements. This species of whale is not only the largest of living animals, but, so far as we know, the largest animal that has ever lived. A specimen of this size weighs from sixty to seventy tons, twice as much as *Brontosaurus*. Although whales and porpoises live in the water, they are not fishes, but mammals, as they are warm-blooded and breathe by means of lungs, not gills.

Mammals of New York State. A complete series of the living animals which have been known to exist within the limits of New York State is presented in the corridor on the first floor of the Roosevelt Memorial in the neighborhood of the elevators (Index Plan, p. 16, Floor I, Hall 12a). This exhibit includes skins of all animals of moderate size, models of the larger species and cutout figures of the whales and other large sea animals, the latter recorded from the waters around New York.

ANTHROPOLOGY

(INCLUDING ORIGIN OF MAN)

HALL OF PRIMATES

(Index Plan, p. 18, Floor III, Hall 2)

The Systematic Series of Primates, intended to give some idea of the number of species in this order, and their range in size, form, and color, begins on the left with examples of man and is continued in the wall cases around the room, ending with the lemurs. Noteworthy among the Primates is the Gorilla, largest and most powerful of apes; the curious "Proboscis" Monkey from Borneo; and the Aye-aye of Madagascar.

The center corridor contains groups of Primates characteristic of various parts of the world, Africa, Asia, South America and Madagascar, and a group of African Pygmies, a "low" race of men, to be compared with the "high" apes.

Outside of the central corridor, on the left side of the hall, is a group of Orang Utans from Borneo.

At the farther end of the hall, a series of skeletons demonstrates the comparative structure of the Primates and the changes that take place in passing from Lemurs to Man.

Temporarily placed in this hall also is an exhibit of domesticated dogs, which, though small, includes some noteworthy examples of various breeds.

HALL OF THE NATURAL HISTORY OF MAN

(Index Plan, p. 18, Floor III, Hall 4)

The Hall of the Natural History of Man when completed will consist of two parts, the first entitled "Introduction to Human and Comparative Anatomy," the second dealing with the physical characteristics of the Races of Man, Development, Growth and allied topics.

The first part begins by showing **Man in His Cosmic Aspect**, conceived as a living engine which derives its working capital of energy directly or indirectly from the energy of the sun stored up in plant and animal tissue. This energy is appropriated by man in food substances and distributed through the various anatomical systems.

In another exhibit the **Elements of the Locomotor Apparatus** are set forth. It is

shown how red muscle fibres of the fish are combined into W-shaped muscle flakes, or myomeres.

Other exhibits deal with the anatomy of man as compared with lower vertebrates, following the chief organic systems and the locomotor apparatus.

The position of man among the vertebrates and the evidences of his evolution from lower types are illustrated by comparisons of skeletal structure in living and fossil types and with comparisons of muscle systems with lower forms, as well as by comparative embryology. An analysis of the nervous system, and the evolution of the human brain are dealt with and their functions are demonstrated.

The second part of the exhibit, on the right side of this hall, is devoted to **exhibits illustrating human biology**. It is planned to show the growth and development of the individual, the differentiation of man by constitutional and endocrine types, the racial classification of man, human genetics and race mixture, population problems and the technique of physical anthropology.

There has already been installed an exhibit demonstrating by x-ray films the process of growth and maturation of the human hand. A series of full-sized figures showing some of the major racial types has been placed in the central alcove.

Also in this alcove two charts are displayed. One illustrates the natural habitats of the various racial types exhibited. The other depicts the major population movements throughout the world since 1492.

THE SKELETON FROM FISH TO MAN

(Index Plan, p. 18, Floor III, Hall 4)


The judgment of science is that our pre-human ancestors only reached the grade of humanity after millions of years of slow promotion from lower to higher grades of life.

Owing to the enormous number and variety of living forms in all ages and to the wholesale destruction of their skeletons by natural agencies, only about thirty of the fossil forms which we have discovered to date happen to lie in or near

THE SKELETON FROM FISH TO MAN

THE skeleton of man, like that of all other vertebrate animals, is the passive part of the locomotor machinery while the muscles and nerves are the active part. Comparative study of the skeletons of all known types of fossil and modern animals has made it possible to decipher the record of progress from fish to man. The series of forms here shown does not form a *direct* line of descent from fish to man but each stage shown is the nearest to the direct line so far discovered.

KEY
Sk. Skeleton and Ribs
Gr. Girdles and Limbs



Stage 1
Cheirolepis

Stage 2
Eusthenopteron

Stage 3
Diplovertebron

Stage 4
Seymouria

THE FIRST FOUR STAGES FROM FISH TO MAN. (From water-living to land-living)

the direct line of ascent from fish to man. Nevertheless the story of the evolution of the skeleton from fish to man is already clear in its main outlines as shown by this exhibit prepared under the direction of Dr. William K. Gregory.

The **First Stage** represents the earliest true fishes by a model based on a fossil fish from the Old Red Sandstone (Devonian of Scotland) named *Cheirolepis*. This fish, which breathed by gills in the normal fish way, must have looked somewhat like a trout, but its tail was more like that of a shark. The body moved forward in the water by a wriggling movement caused by the regularly arranged

muscle flakes along either side of the body. The axis of the body was an elastic rod called the notochord (similar to that which appears in the embryonic stages of all higher vertebrates, including man). The fins were folds of skin, serving as keels and rudders.

The **Second Stage**, of Upper Devonian age, represents a long step in advance. It is based on a fossil fish named *Eusthenopteron*, from the Upper Devonian of Canada. This fish still had gills but there is some evidence that it also possessed an air-sac or lung. It had two pairs of paddles, corresponding to the fore and hind limbs respectively of four-footed animals.



Stage 5
Cynognathus

Stage 6
Opossum

Stage 7
Notharctos

Stage 8
Gibbon

THE SECOND FOUR STAGES FROM FISH TO MAN. (From ground-dwelling to tree-dwelling)

The **Third Stage**, from the Carboniferous age, represents the oldest known type of four-footed animals. The skeleton of the hands, feet and limbs is much more developed than in the previous stage. There are five digits on each of the hands and feet.

The **Fourth Stage** represents the primitive reptilian or lizard-like stage, from the Lower Permian of Texas. The skeleton on the whole is not greatly different from the preceding stage (except in detail) but the limbs were better developed.

The **Fifth Stage** represents an advanced mammal-like reptile (*Cynognathus*) from

the Upper Triassic of South Africa. In this form the limbs were better adapted for running and there are many features of the skull, backbone and limbs that approach those of mammals.

For the **Sixth Stage** the skeleton of a modern opossum was used. It retains in the main the leading characters of the skeletons of the older fossil mammals. This form has five-toed grasping hands and feet, by means of which it climbs about in the trees. It has retained a relatively low type of skull, teeth and brains.

In the **Seventh Stage** we come to a form that lies near the lower limits of the order of Primates. These were thoroughly



Stage 9
Chimpanzee and Gorilla

Stage 10
Man

THE TWO FINAL STAGES FROM FISH TO MAN. (On the ground again, and attainment of erect posture)


adapted for life in the trees but they had much larger eyes and bigger brains than any of the preceding stages.

The **Eighth Stage** is represented by the skeleton of the gibbon, an East Asiatic ape which is a tree-living descendant of the first family of the tail-less or man-like apes. When on the ground he is the only existing man-ape which normally walks on his hind legs. His skeleton begins to be almost human in many ways but his arms are excessively long.

The **Ninth Stage** is represented by our distant cousins the gorilla (below) and the chimpanzee (above). These apes retain the essential characters of the fossil apes of

India and South Africa, some of which in turn approached quite near to the oldest known fossil men. The ape brain is much more developed than the brains of lower animals and ape intelligence at times is almost human.

In the **Tenth Stage** we see that the human skeleton is built upon the same general plan as those of the chimpanzee, gorilla and gibbon, but that in man the backbone, pelvis and limbs are modified to enable him to walk on his hind legs and to use his forelegs as arms and hands rather than as supports. His brain is much larger and more highly developed than in the apes.



ANCESTRY OF MAN. This exhibit illustrates the origin of man and the present-day apes, monkeys, and lemurs belonging to the great order, Primates. The relationships of these groups are shown by the branching lines of ascent from the common stock. See text below

ANCESTRY AND EARLY RACES OF MAN

(Index Plan, p. 19, Floor IV, Hall 2)

The exhibits in the central aisle of the Hall of the Age of Man deal, first, with Man's origin from the lower Primates, and, secondly, with the older races of mankind as shown by their fossil remains and by preserved fragments of their handiwork.

Two exhibits show **present views regarding man's ancestry.** One near the entrance of the hall displays on one side a series of skulls and skull-casts of the various types of prehistoric man, and on the other a series of skulls of living anthropoid apes. From these, converging black lines pass downward to a possible common ancestor, represented by a fossil skull of a primitive ape of the Lower Oligocene. The black lines indicate the prob-

able relationships of the various races as in a genealogical tree.

The other exhibit, in which a branching tree is modeled pictorially in bas-relief, brings the ancestry still farther back to a primitive Primate (*Notharctus*) of the Eocene, and also postulates *Dryopithecus* of the Mio-Pliocene as possessing the requirements for an approximate "structural ancestor" for both apes and men.

Ancient Races of Mankind. Beginning with a skull-cast of Trinil, or Java "ape-man," skeletal remains or casts represent Piltown Man, Heidelberg Man, Neanderthal Man, and Cro-Magnon Man. An excellent series of sculptured restorations of these types, four of which are illustrated below, have been made by Dr. J. H. McGregor, and are generally considered

RESTORATIONS OF HEAD AND SHOULDERS OF EARLY MAN. These restorations were made by Professor J. H. McGregor following scientific principles and utilizing the skull-remains of the various types as a starting point. They are as follows:

(1) Trinil Ape-Man
Pithecanthropus erectus

(2) Piltown Man
Eoanthropus dawsoni

(3) Neanderthal Man
Homo neanderthalensis

(4) Cro-Magnon Man
Homo sapiens cro-magnonensis





CRO-MAGNON ARTISTS OF SOUTHERN FRANCE. At work in one of the limestone grottoes in France. They are engaged in painting on the rough stone walls pictures of the woolly mammoths, which were then living in that region

as embodying the most recent scientific deductions as to the general appearance of these primitive races of mankind, the earliest possibly bringing man back to the Upper Pliocene, more than 1,000,000 years ago.

Weapons and implements of rough and polished stone and of bone are exhibited as evidence of the gradual up-building of human culture through the "rough stone" and "polished stone" ages of man's prehistoric periods, while reproductions of the cave-paintings of Cro-magnon man in France and Spain attest the artistic abil-

ity of the early stock which first represents modern man in Europe.

A series of mural paintings by Charles R. Knight over the doorways of the Hall of the Age of Man give a vivid idea of the various races of early man as visualized by the artist in harmony with our best scientific knowledge.

The Hall of Prehistoric Cultures on the second floor of the Museum (Index Plan, p. 17, Floor II, Hall 6) is also devoted to exhibits of the early arts and industries of the European Cave Men and Lake Dwellers, as well as of North American prehistoric men.

STAG HUNTERS OF THE NEOLITHIC OR NEW STONE AGE. These men came into Europe after the climax of the glacial climate had passed. Their descendants apparently still exist in parts of Europe. This mural represents a family living on the shore of the Baltic. These people were the forerunners of later civilized man





THE WOODLAND INDIANS

(Index Plan, p. 16, Floor I, Hall 4)

Almost the entire hall is devoted to the Indians of Northeastern United States and Canada—the Great Eastern Woodland. The whole of this area was in forest.

The culture of these Woodland Indians is characterized by the bark wigwam and the birch canoe.

Its geographical center was the Great Lake Area. Hunting and fishing were daily occupations, but wild rice and maple sugar were staple foods, while some corn, beans, squashes, tobacco, etc., were raised where the climate permitted.


The above photograph of a miniature group shows how the Indians of the sugar maple region made sugar from maple sap in the early spring. Men and women took part in the work. The sugar camp was made near a clearing in the sugar maple forest. The dome-shaped, bark-covered house was the storage place for the utensils when they were not in use.

The trees were gashed, usually on the sunward side, with a stone ax. A spout, consisting of a shallow, trough-like section of wood, was inserted in each slot, and a bark vessel placed beneath to catch the dripping sap. (See illustration at left.)

The sap was boiled in bark kettles hung over the fire from wooden hooks and stirred and tested with wooden paddles, like that at the right.

When the sap, which was boiled twice, was of the correct thickness, it was poured, still warm, into a wooden trough where it was pounded with a wooden ladle (above at left).

The American Indian exhibits radiate left and center from Memorial Hall. Toward the left, we meet first the Indians of New York and New England and the successive exhibits are so arranged that you can imagine





USE OF BIRCH BARK AMONG THE EASTERN INDIANS (From a miniature group in the Woodland Indians Hall)

yourself walking across the United States from east to west.

The eastern woodland of the United States extended westward almost to the Mississippi River. Objects in the cases show that these Indians lived in the forest and the materials they used came from the forest, which fact influenced their houses, tools, weapons, clothing and ornaments so that they look different from those of Indians in the other halls.

While, as already stated, the forest Indians were primarily hunters, and also practiced some agriculture, nevertheless, their woodland environment led to various simple industries naturally dependent upon such raw materials as were at hand and adaptable to their daily needs.

Wood was used for canoes, mortars, spoons, bowls, dishes, houses, wood splints and baskets. Bark of various kinds was a favorite material. For ex-

MAKING CORN BREAD IN AN IROQUOIS HOUSE (From a miniature group)





ample, the birchbark industry, as shown in the model figured on page 121, is exemplified by containers and ornaments in many of the cases.

Skins were originally used for costumes, but cloth was frequently bought of white traders. Many wild plants and trees furnished fibre from which these Indians made good string and cord for making fish-nets and weaving bags. Every well-furnished home required mats for the floor and for sleeping, as shown in the group pictured below on page 121.

Climate influences the ways of life. In this hall, the tribes represented range from near-Arctic Canada to sub-tropical Florida. Their clothing varies from fur garments among the Dene and the Cree, to thin cloth dresses of the Seminole.

A number of miniature groups along the side walls show tribal costume, housing and industries. Especially interesting subjects are rock-shelters; making rabbit-skin clothing; weaving with basswood fibre; making a false face; and the stages by which grains of corn are transformed into bread.

Travel was on foot. Canoes were used in summer where streams and lakes were available. Snow shoes were used in winter and, in the north, the toboggan was common.

Examples of Indian inventions are canoes, maple sugar, tobacco pipes, corn-husk weaving, splint baskets, tump-line, wampum, la crosse game, netted snow shoes, toboggan, and water-drum.

The Indians' history begins with the landing of white men. Many of the objects shown in the cases are historic, but others, such as the stone, bone and shell objects found in the ground are usually prehistoric. In the exhibits dealing with Manhattan and Staten Islands, from which the Indians were driven by the first settlers, we can exhibit nothing but pottery, stone, bone and shell objects.

The relics of our local Indians will be found near the entrance of the hall. On the left are some specimens of pottery vessels and many small objects of stone and bone recovered from Manhattan Island and the neighboring territory of Staten Island, Long Island and Westchester County. Nearby on the same side of the hall are collections obtained from

A DAKOTA SIOUX WARRIOR (Model in Plains Indian Hall)

living Indians of the coast region north and south of New York. These are the Penobscot and Passamaquoddy of Maine, the Micmac and Malecite of the lower provinces of Canada, and a few but rare objects from the Delaware who once occupied the vicinity of New York City and the State of New Jersey. The age and historical relations of these cultures are shown in a large label at the left of the entrance.

A family group of Micmac Indians, in a birchbark conical house, is shown half way down the hall.

On the opposite side are the Iroquois, whose league comprised the Mohawk, Seneca, Oneida, Onondaga, Cayuga, and later the Tuscarora. They dominated New York and much adjoining territory. The exhibits represent particularly the agriculture of the East, which was carried on with rude tools by the women.

In a case in the aisle are exhibited wampum belts which were highly esteemed in this region. They served as credentials for messengers and as records of treaties and other important events. Later, wampum beads came to have a definite value as currency, especially in trade between the white man and the Indians.

In the farther end of the hall, on the left, are the collections from the Ojibway, Hiawatha's people, who lived mainly north of the Great Lakes. They had but little agriculture, living chiefly by hunting and fishing. Beyond the Ojibway are the Cree, who lived still farther north.

Opposite the Ojibway are the great Central Algonkin tribes, the Menomini and Sauk and Fox, who lived south and west of the Great Lakes. They gathered wild rice and hunted and fished, also practicing some agriculture.

The dwellings are of several forms, among which may be mentioned the long rectangular houses of the Iroquois covered with oak bark; the dome-shaped huts of Long Island and vicinity which were covered with mats and bundles of grass, and the familiar conical wigwam of the Ojibway covered with birchbark. The utensils are of pottery, wood or birchbark. Pottery was made by most of the Eastern tribes and seems to be associated with the practice of agriculture. The de-



A DAKOTA SIOUX WOMAN (Model in Plains Indian Hall)

signs are incised, never painted. Bowls, trays, and spoons are made of wood and often decorated with animal carvings. The use of birchbark in the construction of light, portable household vessels is a particular trait of our Eastern Indians.

In the southeastern portion of the United States, agriculture was highly developed. These tribes are represented by the Cherokee and Yuchi, who made pottery, and by the Choctaw and Chitimacha, who made interesting baskets of cane. The Seminole of Florida have maintained an independent existence in the Everglades for nearly a century. Their prehistoric arts are illustrated in the table case. They excelled in polishing stones and working shell.

PLAINS INDIANS

(Index Plan, p. 16, Floor I, Hall 6)

The keynote to Plains Indian life could be sounded by such terms as "tipi," "buffalo," "horse," and large decorated "pipes." The tipi and the pipe are especially conspicuous in the center of the hall.

The art of these Indians is highly original and popular. Painting upon skin is the usual method, but many designs in beadwork and quills are shown prominently in the hall.

Artists look upon the feather headdress of these Indians as the most beautiful type of headdress to be found anywhere in the world. With this and his highly decorated costume, the Plains Indian is colorful.

Indians of the Plains comprised the tribes living west of the Mississippi and east of the Rocky Mountains as far south as the valley of the Rio Grande and as far north as the Saskatchewan.

Occupying the greater part of the hall, beginning on the left, are the buffalo-hunting tribes: the Plains-Cree, Dakota, Crow, Blackfoot, Gros Ventre, Arapaho and Cheyenne. These tribes did not practice agriculture but depended almost entirely on the buffalo. Buffalo flesh was their chief food, and of buffalo skin they made their garments. In some cases a buffalo paunch was used for cooking, and buffalo horns were made into various im-

A MANHATTAN INDIAN WOMAN COOKING IN A POTTERY BOWL (Group in Woodland Indians Hall). Not much is known of the Manhattan Indians except from traditions handed down by early settlers. Some remains of their clothing and implements are in existence as illustrated below





LEACHING CORN MEAL AMONG THE HUPA INDIANS OF CALIFORNIA. Water is placed in a basket and brought to the required temperature with heated stones

plements of industry and war. The spirit of the buffalo was considered a powerful ally and invoked to cure sickness, to ward off evil, and to give aid in the hunt. Wherever the buffalo herds led the way, the more nomadic Plains tribes moved their tipis and followed. With the extermination of the buffalo the entire life of the Plains Indians was revolutionized.

On the right, near the entrance, are the village tribes of the Plains: the Mandan, with whom Lewis and Clark passed the winter of 1804-1805; the Hidatsa who now live with them; and the Omaha, Kansa, Iowa and Pawnee. All these tribes raised corn and lived in earth-covered houses of considerable size. A small model of one of these houses stands near the exhibits.

In the center of this hall is a Blackfoot Indian tipi with paintings of otters on the sides, representing a vision of the owner. This tipi has been fitted up to show the home life of a typical buffalo-hunting Indian.

There were numerous soldier societies among the Plains Indians which included

practically all the adult males. Each society had a special dance and special costumes. (See the Arapaho cases for costumes of dancers.) There were other dances connected with tribal religious ceremonials, the best known and most important of which is the Sun Dance, illustrated by a model at the left of the tipi. The Sun Dance was held annually in the early summer in fulfilment of a vow made during the preceding winter by some member of the tribe who wished a sick relative to recover. The dance involved self-torture, great physical endurance and a fast lasting three days.

In the center of the hall is a genuine medicine pipe, held in awe by the Indians and dearly parted with; also the contents of a medicine-pipe bundle. The contents of another medicine bundle, belonging to a leading man of the Blackfoot tribe (medicine-man), together with the head-dress which he wore in ceremonies, are in a case near the tower. Other remarkable bundles, particularly the skull bundle, are in the Pawnee case, on the north wall.



(Above) APACHE WOMAN BUILDING FRAMEWORK OF A HOUSE to be covered with thatch and rushes

(Below) A NAVAJO MEDICINE LODGE. For the celebration of the Navajo Chant a special house is erected. The medicine man is laying down an elaborate ceremonial sand-painting. Group in Southwest Indian Hall





(Above) BLACKFOOT SQUAW AND CHILD TRAVELING WITH TRAVOIS, which are attached to the horse and dog and are dragged behind them. A primitive method of transportation. From a miniature group in the Plains Indian Hall

(Below) A BULL BOAT OR CORACLE OF THE NORTH DAKOTA PLAINS INDIANS was made by stretching skins over a basin-shaped wooden frame. It was used for fording streams



The Plains Indians are noted for their picture-writing on skins and for their quillwork, which has now been superseded by beadwork. They have a highly developed decorative art in which simple geometric designs are the elements of composition, this being one of the most interesting features of their art. (See Dakota case and Guide Leaflet No. 50, also Handbook No. 1, North American Indians of the Plains.)

THE INDIANS OF THE SOUTHWEST
(Index Plan, p. 16, Floor I, Hall 8)

This region is famous for two reasons: the picturesque living Indian tribes, and the large number of ruins built by prehistoric Indians. Since many of the latter are placed upon high rocks or in the walls of canyons they are spoken of as Cliff Dwellers.

The front of the Hall is devoted to the living Indian tribes, the rear to the prehistoric.

Finally, in the far end of the Hall is a small collection of the objects from the Indians of California.

A conspicuous feature in this Hall is the series of three large habitat groups: the Hopi, the Navajo and the Apache.

The conspicuous objects characteristic of the region are Navajo blankets and silverware, decorated pottery, and beautiful baskets.

Turquoise was used by the prehistoric as well as the historic Indians. Special exhibits will be found in the center of the Hall.

Another point to be emphasized is the method by which prehistoric ruins can be dated by studying the rings in the cross sections of the logs used in building. A case in the aisle explains this process.

This hall presents collections from both the prehistoric and the living Indians of the Southwest. On the right are the nomadic tribes: the Apache, Navajo, Pima, Papago and Havasupai. In the first alcove to the right is a basketry exhibit, showing types of baskets and the methods of weaving. The home life of the San Carlos Apache is illustrated by a life-sized group, the first in a series of groups on the right side of the hall. Adjoining is a larger group showing a Navajo hogan in Can-

yon de Chelly and the Night Chant ceremony. The painted background in this group gives a view of the canyon, and in a cave of its walls, one may see the famous White House ruins.

In the nearby cases, silverwork, basketry, and other objects are shown. The Navajos are the present-day blanket makers. They make use of the wool of the sheep they raise, carding, spinning, and weaving it with simple implements and looms. This art has arisen since the coming of the Spaniards and it is known to have passed through several stages in the last sixty years. Some of the older types of blankets here shown contain yarn which was obtained by cutting or raveling from imported flannels, called in Spanish "bayeta," from which these blankets receive their name. These are either bright red or old rose in color, resulting from cochineal dye. Several blankets are made of yarn bought ready dyed from traders and are called Germantowns. The greater number, however, are made of yarn of native spinning, dyed with native vegetable and mineral dyes.

The Navajo are a large and widely scattered tribe. During the winter they occupy log houses, but in milder weather they camp in the slight shelter of a cliff or windbreak and shade made of brush. They live by raising corn in the moist valleys, and on the flesh of their numerous flocks of sheep.

The Western Apache live along the upper portion of the Gila and Salt rivers, where they practice agriculture, gather the wild products, and hunt. People, related to these, under Geronimo, raided the settlements of southern Arizona and northern Mexico and evaded our troops for years. They live in grass-thatched houses or in the open under the shade of flat-topped, open-sided shelters.

The Eastern Apache lived in buffalo skin tipis. They went far out on the plains in search of the buffalo herds, avoiding, if possible, the Plains tribes, but fighting them with vigor when necessary. In dress and outward life they resemble the Plains Indians, but in their myths and ceremonies they are like their Southwestern relatives and neighbors.

Apache baskets are shown in the large case to the right of the entrance, which



MODEL OF A
KWAKIUTL
HOUSE (In the
North Pacific
Hall). The Kwaki-
utl Indians live on
Vancouver Island,
and on the main-
land to the north.
They build their
rectangular houses
of split cedar
planks on a frame-
work of heavy
posts and beams.
The front is deco-
rated with fantas-
tic designs and a
totem pole near
the house door is
carved with gro-
tesque figures as a
coat of arms of the
owner

(Right) CEREMONIAL
RATTLE OF THE
HAIDA INDIANS



(Below) TLINGIT BAS-
KETS. Twined basketry
made by the Tlingit In-
dians of the British Co-
lumbian sea coast. Spruce-
root fibers are used for
both warp and woof





is in contrast with the corresponding case of pottery on the opposite side. Not the environment, but social habits, caused one people to develop pottery and the other to make the easily transported and not easily breakable baskets. (See Handbook No. 2, Indians of the Southwest.)

At the left of the hall, as we enter, are exhibits for the modern village Indians — first types of pottery from San Ildefonso, Laguna, Santo Domingo, Zuni, and Hopi.

The Pueblo Indians live in large community houses, built of stone or adobe, often with several receding stories. They depend chiefly upon agriculture for their food, make a great variety of pottery, and have many elaborate religious ceremonies. The nomadic peoples live in tipis or small brush and thatched houses which are moved or deserted when they are forced to seek the wild game and wild vegetable products which furnish much of their food. They make baskets for household purposes which are more easily transported than vessels of clay. In the hall are models of the pueblos of Taos and Acoma, of prehistoric cliff-dwellings, and of the houses used by the Navajo.

The inhabitants of Zuni are believed to be the descendants of the first people seen by the Spaniards in 1540. Their former villages, many of which now are in ruins, were probably the "Seven Cities of Cibola," for which de Coronado was searching at that time. Although there were missionaries among them for about three centuries, they have retained many of their own religious ceremonies. Many ceremonial objects as well as those pertaining to everyday life are shown in this alcove.

In the Hopi section are costumes, masks, images, and basketry plaques used in their ceremonies. Their best known ceremony is the Snake Dance, the performance of which is supposed to increase rainfall and the crops. Some of the regalia for this dance are shown. On the right side of the hall, next to the Navajo group, is a representation of Hopi life.

In the center of the hall, as well as in the farther half of the left side, are special exhibits for the prehistoric Indians of the Southwest. Near the center is an exhibit showing how many prehistoric ruins have been dated by the tree-ring method.

A chart at the entrance to the hall gives the successive culture periods for the Southwest, beginning with early Basket Maker and ending with the modern Pueblo villages. Typical objects made by the Basket Makers are shown in small cases in the center of the hall and in upright cases to the left.

Two of the most famous prehistoric Southwestern ruins are Bonito and Aztec. A model of the latter stands in the center, and near the entrance is an exhibit of turquoise from Pueblo Bonito. Other collections from these two ruins are shown in cases at the left of the hall. One contains a remarkable collection of pottery from Pueblo Bonito. Similar black-on-white wares with very elaborate and splendidly executed designs, shown in adjacent cases, are from Rio Tularosa, and in part from cliff-dwellings. In another case will be found material gathered by the Museum expedition which explored the Galisteo Valley, New Mexico. (See Guide Leaflets Nos. 55 and 73, Basketry Designs of the Mission Indians and Pottery of the Southwestern Indians.)

At the farther end of the hall, at the right, is an exhibit from the Indians of California.

INDIANS OF THE NORTH PACIFIC COAST (Index Plan, p. 16, Floor I, Hall 1)

The Jesup North Pacific Hall is devoted to the Indians living in the heavily forested, but mountainous coastal belt extending from the Columbia River in Washington to Mt. St. Elias in southern Alaska as well as on the offshore islands. They are the most skilful wood workers on the American continent as demonstrated here by the models of their houses; their intricately carved and painted totem, house, and grave posts; their ceremonial masks, boxes, implements, and tools. Paralleling their dependence on their forest environment for housing, clothing, and utensils, was their dependence upon the products of the sea for food. Travel and transportation were mainly by water, for which canoes, like the large Haida war canoe in the center of this hall, were built by skillfully hollowing out giant cedar logs.

Except for two tribes, the Shushwap and Thompson, who live in the interior

CARVED WOODEN FIGURE made by the
Quinault Indians inhabiting the northwestern
coast of the State of Washington





ESKIMO WOMAN FISHING THROUGH THE ICE (Group in the Eskimo Hall)

of British Columbia, the exhibits are arranged in the order in which the several tribes are encountered in traveling from south to north along the coast of Washington, British Columbia, and Alaska. On the right side of the hall are the Bella Coola, Tsimshian, Haida; on the left, the Nootka, Kwakiutl, Tlingit.

The murals of Will S. Taylor illustrate

not only the industries, religious and social life of these Indians, but also their heavily forested and fog and rain-drenched environment. The murals on the right side are devoted to ceremonial and religious life; on the left to daily life and industries; over the entrance to games; and at the further end of the hall is depicted the return of a victorious war party.

As conspicuous as is their technological skill in handling wood (see models showing methods of wood working and completed objects) is their adeptness in weaving (see Chilkat ceremonial blankets) in mountain goat wool and shredded bark, in making baskets (see Tlingit baskets, etc.), and in carving stone, bone, and ivory. Examples of all of these are shown for the various tribal groups.

Outstanding perhaps is the wealth of decoration observable on all their products. The typical grotesque art motives, based on the distortion of animal forms, are found in equal abundance on utilitarian and ceremonial objects.

ESKIMO CORRIDOR

(Index Plan, p. 16, Floor I, Hall 7a)

The Eskimo are frequently cited as the primitive peoples who have achieved the most complete adjustment to their environment. They occupied the northern shores and adjacent islands of North America, from easternmost Siberia and the Aleutians to East Greenland and Newfoundland. All these Eskimo, who differ somewhat in details of culture, according to locality, are here represented in some measure, though not with equal completeness.

The Eskimo were hunters and fishermen. In summer, they hunted the caribou, musk-ox, and birds, inland; in winter, they hunted sea mammals, especially seals. Their summer dwellings were tent-like frames covered with deer or sealskin; their winter houses were of stone built over shallow excavations and covered with earth. The familiar snowhouse was a more temporary dwelling. (See the models.) They were excellent workers in skin from which they made all their clothing. Wood, bone, and ivory were utilized for their ingeniously made implements and utensils which were frequently decorated with naturalistic incised designs.

Many of the objects shown here are from the collections made by the Peary, Comer, MacMillan, and Stefansson-Anderson expeditions.

Near the entrance of the corridor is an Eskimo woman fishing through the ice. She has formed a windbreak with blocks of ice. The fishing rod and hook and the long ladle are made of bone and with

this latter she keeps the water in the hole from freezing over while she is fishing. In another case will be found an Eskimo woman cooking in the interior of a snow hut or igloo lined with sealskin. She is using a stone lamp filled with seal oil, which feeds the flame over which the meal is being prepared.

MEXICAN AND CENTRAL AMERICAN HALL (Index Plan, p. 17, Floor II, Halls 2a and 4)

Continuing through the Birds of the World Hall, we enter the gallery and wing devoted to the ancient civilizations of Mexico and Central America, which were founded by American Indians and have no direct connection with Old World civilizations of India, China, and the Near East. The gallery contains material from Costa Rica, Nicaragua, and Panama. The right half of the main hall (Hall 4) is given over to the Maya of Guatemala and Yucatan and the early or less evolved cultures of Mexico, and the left side to the civilizations of Mexico, like the Zapotec, Olmec, Toltec, and Aztec.

Peoples and Time: The history of ancient Middle America is little known. Contemporary archaeological opinion gives the following rough dates: —

10,000 B. C.-500 B. C. Period of Population and Settlement. No remains yet identified.

500 B. C.-500 A. D. Early Cultures (see right side of hall), growth of techniques of farming, weaving, ceramics, stone work, establishment of permanent villages. Some persist until Spanish Conquest.

300 A. D.-1000 A. D. Ritualized Civilizations with Temple Cult, Polytheism and Sacred Calendar, like Maya of Guatemala, Zapotec of Oaxaca, Olmec of Vera Cruz, Toltec of Valley of Mexico.

1000 A. D.-1200 A. D. Period of Unrest and Migration, Chichimec Period in Valley of Mexico, Mexican invasion in Yucatan.


1200 A. D.-1519 A. D. Domination of Mexican Peoples. Mexican Period in Yucatan, Mixtec Period in Oaxaca, Aztec Period in Valley of Mexico.

There are specimens shown in the hall whose makers are absolutely unknown, but whose style is distinctive. Conceiv-

ably in time we may be able to assign them to the speakers of some one of those fifty languages recorded for Mexico, a fact which in itself indicates that in Middle America there were tribes not empires.

Nature of Objects: The majority of objects shown in the Hall are made of pottery, stone, bone, shell, and metal, because these substances best resist the destructive action of time and weather and are preserved through the centuries. Therefore, the wooden drums in the Aztec case and the obsidian mirror with the wooden frame are great treasures, since only a handful of examples of the wood-carver's art survived the Conquest.

Architecture: The varied and imposing temple architecture of Middle America may be estimated by the models distributed throughout the hall. The Maya buildings of which we have examples ranging through the span of their history show how a sculptured platform evolved



AZTEC PICTURE WRITING recording the last of the "New Fire Ceremonies" before the Spanish Conquest in 1519. It also represents an eclipse of the sun, an earthquake, and the drowning of two thousand warriors on their way to make war on the people of Southern Mexico

into one supporting a massive shrine, and how that in turn developed into temples and priests' quarters. Yet the architecture of the Zapotec, Toltec, and Aztec is hardly less imposing, and the cast of a Serpent Column from Chichen Itza brings vividly home the tremendous scale of these Indian temples.

Sculpture: It is in sculpture that we may gauge best the tremendous attainments of the ancient peoples of Middle America. The polytheistic religion required many images depicted in a great variety of forms human, animal, and grotesque. The casts of Maya stelae from Quirigua indicate that the native sense of design could function in terms of an enormous mass. The intricate monuments from Copan likewise show how skillful a mass sculpture can be. Equally



GOLD AND PRECIOUS STONES FROM MEXICO AND CENTRAL AMERICA


important are the casts from the southwest coast of Guatemala ranged along the stair to the first floor. Yet there is an abundance of original material, which includes for the Maya some of the cream of the Copan style as well as original examples from Yucatan collected by the famous traveller, Stephens, a century ago. The abilities of the Aztec are displayed both in casts and original examples, which cannot be duplicated in this country. The work of the Totonac and Olmec, in the form of masks and small figures including jades, is thought by various authorities to be the best produced in Indian America, while the vigorous barbarity of the Guetar carving of Costa Rica is worthy of attention. A series from Oaxaca shows the laborious methods of carving stone with stone, since no metal

tools hard enough for this purpose were developed by the Indians.

The figures in baked clay are worthy of considerable attention, since the Middle Americans developed this type of work into a fine art. Especially interesting are the historical series of figurines from the Early Culture and Toltec horizons, which represent the change in styles in two cultures, over a period of nearly a thousand years. The most notable clay sculpture is the life size warrior of the Chichimec period of the Valley of Mexico. However, for sheer vigor and vitality the large clay figures from Western Mexico are preeminent. A profound grasp of realistic appreciation of human features is displayed by the Vera Cruz exhibit of clay heads, laughing ones from the Totonac area, more serious ones from the

CAST OF MAYA FIGURE IN RELIEF. Figure in relief of priest making an offering. From Jonuta, Tobasco, Mexico. The original of this cast is in the National Museum of Mexico and is one of the finest examples of the Palenque style of Maya sculpture. This piece dates from the Maya Great Period in the centuries immediately preceding the year 1,000





MODEL OF A MAYA TEMPLE. This, the best known model of a Maya temple, represents the Temple Rio Bec restored from a photograph of the original ruin in the eastern part of the State of Campeche, Mexico

Tuxtla region. A culmination of ceremonial requirements is to be seen in the funerary urns from Oaxaca, where a great sense of design mitigates the grotesque forms employed.

Writing: Examples of the methods of writing used in Middle America are found in different parts of the hall. The simple pictographic style of the Aztec and Mixtec are represented by original paintings on cloth and by skillful reproductions. A post-Conquest land map and genealogical tree from Tlaxcala throws much light on dress and costume fifty years after the Conquest. The Zapotec and Maya writing was expressed by highly conventionalized signs. On the Maya

casts long inscriptions relating to the dates of astronomical phenomena may be found. Aztec writing can be read, Maya writing partly deciphered.

Jewelry: The cases down the center of the hall show priceless examples of Middle American jewelry. Jade was the substance most prized and there are several local styles of working it. The American variety of jadeite and nephrite is distinct from the Asiatic type. Especially important are the Zapotec and Olmec collections, which include two of the finest specimens in the world. Gold was esteemed only as an easily malleable metal but the workmanship on the Mexican pieces and the design of the Costa Rican



FIGURE OF A GOD. MAYA CULTURE. Limestone sculpture from Copan, Honduras. This is one of the finest examples of Maya sculpture in the round, showing how perfectly the Maya represented their physical type, and how beautifully they could express their art without the use of metal tools of any kind. Around the tenth century



MOCIUTLNOCHTIL, THE GOD OF GAMES AND FLOWERS. A fine example of Mexican terra cotta pottery dating from about 1400 A. D.

ornaments attest again the high level of Indian civilization.

Metals and Precious Stones: Silver is very rare, owing to the difficulty of extracting the ore, but copper was used in late times for tools and ornaments. Mirrors of iron pyrites used in their matrix and as a mosaic show an interesting utilization of this mineral. Obsidian or volcanic glass, commonly used for tools, was wrought into mirrors and ornaments with the simplest abrasives. Rock crystal, amethyst, moonstone, opal, jasper, and porphyry were other stones valued and worked as ornaments by these people.

Pottery: The commonest product recovered by archaeology is pottery and the halls are full of vessels recovered from graves and ceremonial deposits. These vessels were not made on a wheel, and building up the pots with strips of clay brings about a squat appearance to our eyes. However, the variety of shape and design shows how each tribe or community had its own styles. Notable techniques are the vitreous ware from Salvador and the plaster cloissonné from Jalisco. Note also the common use of lost-color or batik decoration in Jalisco and Costa Rica. Vessels of huge size were

BOY AND DOG (*Below*). This little pair of clay figures from Colima, Mexico, shows the vitality of western Mexican art




sometimes made, like the Toltec vessels from Azcapotzalco. Even the earliest forms from the early cultures of the Valley of Mexico reveal a development of technique and style that attests long years of experimentation. Few regions in the world can show such a wealth of form and ornament as Middle America.

Design: The textile art was important in Middle America but time and weather have destroyed almost all of it. However, hints are given by the ancient picture writings and the use of textile designs on pottery. The art is old and cotton has been recovered from the earliest levels in the Valley of Mexico. Examination of the designs on the Puebla pottery, on the West Mexican figurines, and on the dress of the figures on the Maya stelae will show how skilled these people were. In various cases the clay weights for spindles are exhibited, many of which are beautifully carved and polished. The size and weight seem to be gauged in some cases to the fineness of the thread.

Musical Instruments: Music was not highly developed in ancient Middle America, but many examples of flutes, whistles, shell trumpets and rattle bones attest to an interest in tone and rhythm. Most notable are the Aztec two toned drums which give forth very pleasing notes. A pottery whistling jar in the form of a rain god is one of the outstanding pieces in the Salvador collection.

Tools: The chief tools of the ancient Middle Americans were made of stone, bone and wood. Copper tools were only sporadically employed and in late times at that. The great wonder of Middle American civilization is that with these simple elements and without knowledge of the wheel or draft animals, these people were able to achieve an imposing culture comparable to the great civilizations of the Old World, whose technical basis was so much more highly developed.

LIFE SIZE TERRA COTTA FIGURE OF THE GOD XIPE. Xipe, worshipped by the Mayas as the God of the Flayed, is shown here wearing a human skin. When the skin was fresh it was tied on the God. As it dried it wrinkled, and the wrinkles formed the scales. This practice flourished among the Mayas about the year 1200





CORN GODDESS OF THE ANCIENT AZTECS. Sculptured from black basalt from Ixtapalapa, Mexico. An outstanding example of Aztec art showing great naturalistic skill in presentation. Fifteenth century



FIGURE OF A SEATED AZTEC WOMAN. A splendid example of clay modeling from western Mexico illustrating the remarkable ability of the sculptors of these ancient peoples in depicting form and expression

LAUGHING CLAY HEAD.

An example showing conscious humor. Clay heads of this type are said to be parts of complete figures. They come from central Vera Cruz. Nearly all the figures are laughing or smiling in a very contagious manner



MAYA VASE WITH FIGURE PAINTING. From San Jacinto, Salvador. Not only does it illustrate great skill in depicting attitudes, but seems to indicate a remarkable sense of humor in the artists

INDIANS OF SOUTH AMERICA
(Index Plan, p. 17, Floor II, Hall 8)

This hall contains exhibits from the Indians of South America. With the exception of Paraguay and Uruguay all of the South American countries are represented in the collections. The largest portion of these illustrate the prehistory of the peoples of Peru and Bolivia and are arranged in the front of the hall.

Unlike the ancient peoples of Mexico and Central America, the Peruvians had no written language. They were tillers of the soil and raised maize, potatoes, oca, quinoa, beans, coca, and cotton. They domesticated the llama, which was used as beast of burden. They excelled in the manufacture and decoration of pottery

vessels, in metal work, and in textile fabrics.

In the cases directly in front of the entrance, the gold and silver objects, such as beads, cups, pins, plates, and ear ornaments, show the high degree of skill attained in the beating, soldering, and casting of metals.

In weaving, the Peruvians were perhaps preeminent among prehistoric peoples of the world, many of their textiles exhibited here being unsurpassed at the present day. The materials used were cotton and the wool of the llama, alpaca, and vicuna. In the cases near the entrance are examples of these textiles and the fibers, spindles, thread, looms and other equipment used in their manufacture.

On the right side of the hall are col-

MUSICAL WIND INSTRUMENTS OF ANCIENT PERU. The wind instruments of the ancient inhabitants of Peru, as illustrated below, included the panpipe or syrinx shown in the center; resonator whistles, (*right*); trumpets of clay and shell; a great variety of simple whistles; and the double whistling jar, (*lower left*)





POTTERY OF THE EARLY CHIMU PERIOD. A warrior in full regalia is depicted on the vessel at the left. In his right hand he holds a mace; in his left, a shield, spear thrower, and javelins. The central piece is a "portrait" jar. The vessel at the right shows a hand to hand combat between mythical beings

lections from important localities in Peru, followed by exhibits from Ecuador, Colombia, Venezuela, Brazil, and Panama. In case 57, near the center of the hall, selected examples of pottery show the different forms and decorations which distinguish the various important cultures of Peru and Bolivia. As far as our present knowledge permits, the changes which occurred in the course of time are also

indicated. Each of these cultures is shown in greater detail in individual cases. Outstanding is the beautiful work of the Nazca people in cases to the left of the entrance. In special exhibits are grouped such things as musical instruments, whistling water jars, examples of intentionally deformed human heads and trephined skulls showing the successful practice of a delicate surgical operation by the ancient

POTTERY OF EARLY NAZCA PERIOD. The Valley of Nazca was the center of the earliest and in some respects the most highly developed culture in ancient Peru. It dates from the beginning of the Christian Era. The two jars at the left show conventional representations of the feline-monster deity



Peruvians. Much of our knowledge of their daily life we owe to a fortunate combination of climatic conditions and tribal customs. Along the coast of Peru, where the extreme dryness of the climate and nitrous character of the soil have preserved perishable materials for centuries, are more extensive burial places than anywhere else in America. Countless thousands of bodies were interred with such things as had been most useful and prized during life and such articles as were considered to be most serviceable in a future life. Examples of these mummy bundles are displayed, as it was from such as these that many objects in the hall were secured.

The mummy in the case at the west

side of the room was found in a copper mine at Chuquicamata, Chile. The body is that of an Indian miner who was killed by the falling in of rocks and earth while engaged in getting out the copper ore (atacamite) used by the Indians in making implements and ornaments in prehistoric times. The tissues of the body have been preserved by copper salts with which it is impregnated. The implements he was using at the time of his death are shown beside him in the case.

Much more primitive than any of the prehistoric peoples just mentioned were the nomadic hunters and fishermen who inhabited the southern end of the continent and the adjacent islands. Their story from the time when they hunted


PREHISTORIC DOUBLE CLOTH. This is the finest example of ancient South American technique in weaving in the Museum collection. The double cloth is woven on two looms, one above the other, arranged so that the warps are parallel. Warps and wefts of contrasting colors are used in each loom





PERUVIAN EMBROIDERED SHAWL. The designs in polychrome chain stitch embroidery depict mythical warrior figures.

Weaving was an outstanding artistic and technical achievement of the ancient Peruvian civilizations. The thread was hand-spun from cotton and wool and the fineness has never been surpassed. The textiles, from 500 to 2000 years old, have, for the most part, been preserved as mummy wrappings in the graves of the dry desert of Peru




A PERUVIAN WOMAN'S WORK BASKET. Containing spindles, bobbins, carded fibre, and other materials for spinning and weaving

the extinct native American horses and ground sloths was recovered from caves and shellmounds. The simple tools and weapons which they used are arranged chronologically in a case in the rear of the hall. Nearby are examples of the equipment of the various tribes surviving in the same region at the present time.

In neighboring cases are exhibits for other living Indians of South America.

As there are a great many distinct tribes, sometimes living in widely different geographical areas, the collection is far from complete. An example of native life in the tropical rain forest of northeastern Peru is shown in a miniature group of the Chama Indians. They raise plantains and cassava and hunt small game so their equipment is naturally specialized for these occupations.

(Below) AN EXAMPLE OF SOUTH AMERICAN EMBROIDERY. This elaborate fabric is a Paracas type solid polychrome embroidery



(Below) A PERUVIAN TAPESTRY. An excellent tapestry from Pachacamac, Peru, with slits left open between color areas as part of the design





EASTER ISLAND STATUE. Easter Island in the South Pacific is famous for the immense stone statues found there, from one of which the Museum expedition made the cast illustrated above

PACIFIC ISLANDS

(Index Plan, p. 19, Floor IV, Halls 6 and 8)

Two halls are devoted to the Islands in the Pacific Ocean. The first contains collections from the **Polynesian** and the **New Guinea** areas. The second is principally an exhibit for the natives of the **Philippine Islands**. However, the collections from New Guinea and New Zealand extend into this hall.

The conspicuous objects in these halls are as follows: a statue from Easter Island; life-sized models, showing the fire-walk, grating of coconut, etc.; a Hawaiian feather cape; a collection of tat-

toed heads from New Zealand; and a tree-house from the Philippines.

SOUTH PACIFIC HALL

On entering the South Pacific Hall (Floor IV, Hall 6) beyond the Hall of Minerals, the visitor faces a huge monolithic figure. This is a cast of one of the famous images found on Easter Island and was brought back in 1935 by the Templeton Crocker Expedition. Statues such as these, representing departed chieftains, were found set up on stone platforms all along the coast of Easter Island. Circular stone mats of red tufa formerly completed the figure.

Directly in the center of the hall is a Tahitian priest taking part in the fire-walking ceremony, in which the participants walk over heated boulders of lava. On each side is a group showing natives engaged in typical activities, — grating coconut, preparing kava, or plaiting *Pandanus*.

Near the entrance is a fine Hawaiian feather cape, such as was formerly worn by the highest ranks of Hawaiian society. Red and yellow honeysucker feathers completely hide the netted twine foundation. The value of these garments was proportionate to the enormous labor expended on their manufacture.

The hall is roughly divided into two main sections. In the first half are exhibited the collections from Polynesia and Micronesia, while the second half is devoted to New Guinea, Melanesia and Australia. However, it proved impossible to be wholly consistent and to separate Melanesian Fiji from Samoa and Tonga.

In the **Polynesian** section the examples of decorated native bark cloth (*tapa*) are especially noteworthy, and a number of canoe models remind us that these people are daring seafarers. A series of ceremonial adzes from the Cook Islands in the farther quarter of the hall shows aboriginal carving at its highest level.

In the section on the right, the elaborately carved sacred masks, about 14 feet back of the Tahitian priest, illustrate the æsthetic tendencies of **Melanesia**, which are also apparent in a carved pole set on top of a vertical case. Very different from these artistic manifestations are the carv-



MINIATURE MODEL OF A SOUTH SEA ISLAND CANOE. The Polynesians made canoes hollowed out of tree-trunks. An outrigger on one side kept them from capsizing easily

ings of the **New Zealanders** (Maori) characterized by the dominant spiral motive. A series of dried and tattooed Maori heads forms one of the most remarkable exhibits in the Museum. (See Guide Leaflet No. 71, *The Maoris and their Arts*.)

Near the boundary between the two main sections are the **Australian** cases with numerous boomerangs and very crude stone tools, which should be compared with those in the archæological hall. The further corner is devoted to a collection from the **Admiralty Islands**, including a model of a village of the Manus tribe, a lagoon-dwelling, fishing people who build their houses on piles far from land. In the left corner of the hall are shields, clubs, carvings and household utensils from **New Guinea**.

The islands of the Pacific Ocean are of two kinds; first, those which are the remnants of a sunken land mass running southeast from Asia formerly connecting Australia and Tasmania with the mainland; and secondly, in the case of the numerous islands to the eastward, those

which were formed by volcanic action and coral growth. The inhabitants belong physically to two very distinct races: the frizzly-haired, nearly black Papuans and the former inhabitants of Tasmania; and the wavy haired, light colored Polynesians of the islands stretching nearly across the Pacific. South of these islands are others inhabited by the Melanesians, who have straight or wavy hair and darker skins.

The cultural grouping is generally similar to that of the physical types. The Polynesians manufacture bark cloth and matting, have no pottery, drink kava, fight with clubs, and are skilled navigators. They are governed by chiefs who trace their ancestry back many generations. The Melanesians make some pottery, chew the betel nut, do grotesque carving, use bows and arrows for hunting, and spears for fighting. They have secret societies and the men live in clubs. Between these two are the Micronesians possessing some of the cultural traits of both their neighbors but differing con-



TAHITIAN KAVA-BREWER AND ROOF-MAKER. The Tahitian woman, at the left, is preparing a stimulant from the roots of a species of pepper. The beverage is known as ava in Tahiti but is identical with kava of other islands. The woman to the right is manufacturing roofing from pandanus leaves in an elaborate form often employed in Tahiti. Life size figures cast in the Museum from Tahitian fire-walkers living in New York City

siderably from each. Their islands being small, they depend for food chiefly on fish and pandanus and coconut palms. They are socially divided into castes: nobility, commoners, and slaves.

In addition to these cultural groups there are two specialized ones: the Polynesian Maori of New Zealand, and the Negroid inhabitants of Australia; the former having a very rich development of

TAHITIAN FIRE-MAKER AND COCONUT GRATER. The old way to make fire in Tahiti was to rub a blunt-pointed stick in a groove made in another until the dust became ignited. The natives produced fire within a few minutes. In preparing grated coconut the Tahitians sit on a stool which has a blade projecting in front. This blade is used for grating the white inside part of the coconut





POLYNESIAN BARK CLOTH OR TAPA. This cloth was made from the inner bark of the paper-mulberry tree which is steeped in water, thinned out with a shell scraper, and pounded on a board with a mallet. Designs may be painted on the cloth free-hand, but more frequently they are printed from wooden stamps

practical and esthetic arts, and the latter almost without them. Besides, there are the inhabitants of New Guinea, generally Melanesian-like, but varying somewhat in race, language, and culture, and as yet not very well known.

COLLECTIONS FROM NEW GUINEA, PHILIPPINES AND MALAYSIA

(Index Plan, p. 19, Floor IV, Hall 8)

This hall is reached by turning to the right in the South Sea Islands Hall.


The side aisles are devoted to the Philippine Islands. The farther section of the hall contains exhibits from other parts of Malaysia with an interesting series of marionettes from Java.

At the right of the entrance is a case containing life casts of faces, nose and hair from the different races represented in this hall, also charts of stature and head form, with distribution maps.

In the center is a model of a Filipino bamboo-walled and thatch-roofed house. At the far end a native tree house dominates the scene, and on the left may be seen the model of a woman weaving a garment on a native loom.

The visitor should note that, like the African Negroes, but unlike all other primitive stocks, the Malayan tribes represented in this hall used iron tools. The

Below are shown implements used in the manufacture of tapa cloth, including a mallet and beater for pounding the bark, a roller for making parallel lines which look like water marks, and a wooden die-block for stamping the designs





CEREMONIAL ORNAMENTS FROM MELANESIA

numerous iron weapons — spears, battle-axes, and krises (daggers with serpentine blades) — are especially remarkable.

On the left side of the hall will be found a number of synoptic exhibits of native krises, shields, fabrics, basketry and ceramics. Pottery is not highly developed in this area, but the textile arts flourish to a remarkable degree. The industrial life of the Bagobo of Mindanao is particularly well illustrated in the collections.

Much more primitive in their culture than the other Malaysians are the Negri-

tos, a dark-skinned and frizzly-haired pygmy stock forming with similar groups in other parts of the world a distinct division of the Negro race. They are everywhere hunters, using the bow and arrow, and ignorant of agriculture. Their simple implements are shown in a table case in the further section of the hall.

The islands lying close to the coast of Asia have been subjected to several migrations and to varying cultural contacts. Judging from the Andaman Islands and the Negrito remnants in the Philippine



Islands, the original inhabitants were physically the most primitive of living men, related to the African Bushmen and the extinct Tasmanians. The present population is predominantly Malay in origin, members of the great Mongolian race. Their cultural arts include pottery, metal work, and textiles. The metal work is especially fine in the weapon-making of Java and among the Mohammedan inhabitants of the Philippines. Among the textiles are exhibited the batik work of Java, the tie dyeing of the Bagobo in the Philippines, and fine textiles of Luzon.

They possess fowls and pigs, cultivate rice, and use the Carabao, or water buffalo, as a domestic aid in agriculture and transportation. They possess the outrigger canoes generally in use throughout the Pacific. Their weapons are blow-guns, bows and arrows, spears, and knives. They are devoted to head-hunting, considering it necessary for religious peace and security.

The original culture of the first black race has disappeared. That existent at present is basic Malay, on which has been superimposed the influence of India and China, the first affecting thought and philosophy, and the latter furnishing, through commerce, cherished objects of art and utility. Next came Mohammedanism, which is the prevailing religion in some of the islands, and about three hundred years ago Christianity and European culture were brought by the Dutch and Spaniards.

SACRED MELANESIAN
FLUTE

CARVED WOODEN HOOKS
USED IN DECORATING
MEN'S HOUSES IN NEW
GUINEA





(Left) BRIDE'S APRON OF SHELL MONEY, MELANESIA. A Melanesian woman's dress used on festival occasions. Her costume is part of the payment which her kin make to her husband's family. The most important part of her dress comprises the two aprons woven of shell money



MELANESIAN MASK



USIAI CARVED WOODEN BOWL FROM MELANESIA



PHILIPPINE TREE HOUSE



AN EMPEROR'S BIRTHDAY GIFT. An assemblage of elaborate carvings fashioned from purest white jade and fitted together

ASIATIC COLLECTIONS

(Index Plan, p. 19, Floor IV, Hall 6,
also Hall 4, and p. 18, Floor III, Hall 6)

The famous **Drummond Collection** of carved Chinese jade, amber, Japanese ivory, and sword-guards is in the South-west Tower on the fourth floor, opening out of the South Sea Islands Hall. This magnificent collection gathered by the late Doctor I. Wyman Drummond and presented to the Museum in his memory, is installed as a unit, largely according to Doctor Drummond's original arrangement.

It is really a group of collections, each one of the greatest importance and beauty. The **jade collection** alone is a rich and well balanced series, representative of all periods and covering a cultural range of more than thirty centuries. The left half of the room is devoted to jade arranged by periods while the right half is given over to **amber, ivory, lacquer and bronze sword-guards**. The oriental amber displayed is the finest of its kind in the world.

A unique composite piece of white jade, occupying the center of the room,


was a birthday gift to the Emperor Kien Lung from the officials of his court. This assemblage of jade carvings consists of thirteen pieces fashioned from purest white jade and fitted together. Surrounding the central piece are twelve segments fitted together, each of which is carved with a representation of one of the twelve terrestrial branches corresponding to the signs of the zodiac.

A very fine piece of white jade of the Kien Lung period of renaissance in glyptic art is in the form of a "Scepter of Good Luck" (Joo-i scepter). On the long handle of this piece are carved in high relief the figures of the Eight Immortals, the half mythical, half historical personages so often represented in Taoist art. Each of these carries some characteristic object, such as the flute of Han Hsiang-tzu, whose marvelous tone caused flowers to grow and blossom instantly.

Other fine examples of jade are also to be seen in the Morgan Gem Collection (Floor IV, Hall 4) and in the Asiatic Ethnology Hall on the third floor (Index Plan, p. 18, Floor III, Hall 6), where are installed collections from eastern and

JADE SCEPTER (*Right*). From the Drummond Collection

JADE CUP (*Below*). The dragons on this jade cup are of the form which developed in China in the Ming dynasty





K'WAN YIN, GODDESS OF THE FISH. A carved ivory Japanese figure of great beauty from the Drummond Collection. This ivory statuette is characteristically Japanese both in conception and rendering. It immortalizes in ivory the story of the princely fisherman who set up a shrine to this goddess after he had repeatedly found her image in his net instead of the fish he sought



WAN MU, THE CHINESE QUEEN OF THE FAIRIES. This is a carved ivory figure from the Drummond Collection. Though produced by a Japanese artist, it is founded upon a Chinese myth. It is said that the palace of Wang Mu is in the Juen-lun Mountains, where she guards the Tree of Immortal Peaches that grows beside the Lake of Gems, whose fruit ripens upon her birthday, every 3000 years. Here gather to the Feast of Peaches all the immortals to renew their immortality by eating the celestial fruit



CHINESE BRONZES. A set of three bronze ornaments inlaid with silver from the Sung Dynasty, 960-1279 A. D. To the right is a bronze libation cup, probably used in religious ceremonies, from the Shang Dynasty, 1766-1122 B. C.

northern Asia. Specimens illustrating the culture, industries, religion and manufacture of China are on the left. Others, showing the mode of living, the costumes, and the war implements of Siberia, are on the right.

The fur-work, costumes, and rugs of the people of eastern Siberia reveal remarkable skill in workmanship. Two models show respectively summer and winter scenes in Siberia. In the rear are collections from Japan, the Ainu and the Amur River tribes noted for decorated fabrics and picturesque costumes.

The collections on the left side of the hall deal mainly with the everyday life of the modern Chinese and have a special value, as they were made just before the sweeping changes of the last few years took place. These abolished many of the customs in which these objects were used. For example, the series of weapons and material showing the tests to which a soldier was submitted on entering the army have been rendered obsolete by the introduction of modern weapons and tactics. Bamboo, porcelain, basketry, inlaid work, cloisonné enamel, agricultural im-

THE EIGHT IMMORTALS. A group of figurines in Formosa coral depicting eight legendary beings who became immortal. From the Morgan Hall of Gems and Minerals on the fourth floor of the Museum





(Above) CHINESE BRONZE BOWL. This large bronze bowl has the original scroll design characteristic of the Chou dynasty. Attributed to the Han Period

(Below) A PAIR OF CHINESE BRONZE HORSES. They may have represented the horses of a chariot which has been lost. Ts In dynasty





SIX EXAMPLES OF CHINESE CLOISONNÉ ENAMEL FROM THE CHINESE COLLECTION
OF THE MUSEUM



THREE BRONZE STATUETTES FROM THE TIBETAN COLLECTION. (Above) NARO KHE-CHO-MA. A feminine divinity, invoked to confer superhuman power

TSONG-KHA-PA. The great fifteenth century Reformer of Lamaism

YAK-HEADED RAKSAI. One of the animal-headed goddesses who appear in the Bardo, or After-Death State

plements, carvings in wood, ivory and stone, and examples of embroidery, are shown to advantage.

A special collection of great value is comprised in the ancient bronzes shown in the wall cases near the entrance. In the tower is the Whitney Collection from Tibet, illustrative of the costumes and religious rites of that little-known region.

An exhibit illustrates the production of cloisonné by the Chinese. A series of eight vases is displayed showing various stages of the process.

The foundation of all enamel objects is red copper of the shape and size desired. The decorations are first sketched on paper by special artists. These patterns are traced with a stylus on the copper. Vase No. 1 shows the simple copper foundation. No. 2 is a vase to which has been glued a network of thin copper wire following the tracings of the pattern. The whole is then powdered with a composite of silver filings, copper and borax (No. 3). The vase is now enclosed in an iron vise placed in an iron wire cage filled with burning charcoal which produces a per-

fect soldering (No. 4). Then an acid solution of apricots is brushed over it, and it is ready to receive the enamel. The enamel paste is troweled into the cell-like compartments ("cloisons") formed by the copper wire (No. 5).

After cooling, the vase is again exposed to the fire to properly harden the pigments. Nos. 6, 7, and 8 show the vases after successive firings. Very fine pieces of work may be fired eight times. Next the vases are polished with a steel file—then with sandstone and lime tree charcoal while the vase revolves on a lathe. Finally it is gilded.

The Koryak of Siberia. The Koryak live in northeastern Siberia, south of the Chukchee, between the Anadyr River and the central part of Kamchatka. Their number is about 7500. In language they are related to the Chukchee and Kamchodal, with whom they also share their arts and practices. Like the Chukchee, the Koryak are divided into a Reindeer and a Maritime Branch but differ from their neighbors in the almost exactly equal size of these divisions. The Reindeer

Koryak subsist mainly on the flesh of their herds. The Maritime group depend largely on fishing, while the hunting of sea mammals is also important but relatively less so than among the Maritime Chukchee. The Reindeer people live in movable tents. The stationary, partly underground house of the Maritime division is illustrated by a model in this hall. Both divisions of the Koryak wear clothing made of reindeer skins.

Before contact with other peoples the Koryak had no metal and made all their implements by chipping stone. At present, several settlements are renowned for their iron technique, which may antedate the coming of the Russians, since the Tungus and Yakut were both familiar with the blacksmith's art. The dressing of skins and the weaving of baskets by the coiled and twined methods are important industries. Remains brought to life by excavations of old dwellings show that the ancient Koryak knew how to manufacture pottery. In art the Koryak have attained a high degree of perfection as carvers in wood, antler, and ivory, as well as in the tasteful ornamentation of clothing and fur rugs.



(Right) KORYAK MAN IN ARMOR. Life size figure, clothed in original Koryak armor. From the Jesup North Pacific Collection

(Below) IVORY CARVING OF BOY AND ON FROM EASTERN SIBERIA





RED CAM-
WOOD BOXES
FROM MANG-
BETULAND.
These boxes
have hollow
sections of ivory
engraved with
hunting episodes
like those shown
above and below
the picture. The
tops represent
the hairdress of
a man and two
women




AFRICAN ETHNOLOGY HALL.
(Index Plan, p. 18, Floor III, Hall 8)

In this hall the installation is roughly geographical, i. e., as one proceeds through the hall he meets the tribes that would be found in passing from south to north in Africa, and the west coast is represented along the left-hand wall, the east coast along the right-hand wall, the central Congo tribes at the far end.

There are three aboriginal races in Africa: the Bushmen, the Hottentots, and the Negroes. In the north the Negroes have been greatly influenced by Hamitic and Semitic immigrants and have become mixed with them.

Nothing is more characteristic of the Negro culture, to which the rest of the hall is devoted, than the art of smelting iron and fashioning iron tools. The process used by the African blacksmith is illustrated in a group on the left, and the finished products, such as knives, axes and spears, are amply shown throughout the hall. The knowledge of the iron technique distinguishes the Negro culturally from the American Indian, the Oceanian and the Australian.

All the Negroes cultivate the soil, the



AFRICAN TOM-TOM DRUMMER. Exhibited
in the Akeley Memorial Hall of African Mam-
mals. Sculptured by Malvina Hoffman

WOODEN MASK
FROM WESTERN
AFRICA





CARVED IVORY
ARTICLES FROM
THE CONGO.
Ivory carvings are
among the most
cherished posses-
sions of African
chiefs as the em-
blems of rank and
power

women doing the actual tilling, while the men are hunters and, among pastoral tribes, herders. Clothing is either of skin, bark cloth, or loom-woven plant fiber. The manufacture of a skin cloak is illustrated by one of the figures in the group to the left of the entrance; bark cloths from Uganda are shown in the farther right-hand section of the hall, while looms and the completed garments are

shown in the large central rectangle devoted to Congo ethnology. The most beautiful of the last-mentioned products are the "pile cloths" of the Bakuba, woven by the men and supplied with decorative patterns by the women. Very fine wooden goblets and other carvings, especially a series of ivories from the Congo, bear witness to the high artistic sense of the African native, who also ex-

**IVORY HANDLED
STEEL WEAPONS
OF THE MANG-
BETU.** The great
sickle-shaped knives
were worn over the
shoulder by the
king and other
prominent men
when they were
sitting in council,
partly as proof of
the wearer's readi-
ness to strike. At
other times the
knives were pushed
under the belt



cel other primitive races in their love for music, which is shown by the variety of their musical instruments.

A unique art is illustrated in the Benin case in the farther section of the hall, where the visitor will see bronze and brass castings made by a process similar to that used in Europe in the Renais-

sance period. It is doubtful to what extent the art may be considered native.

The religious beliefs of the natives are illustrated by numerous fetiches and charms, believed to give security in battle or to avert evils. Ceremonial masks are shown, which were worn by the native medicine-men.



THE DANCE. The dance, next to hunting, was the most popular subject of the prehistoric artist

SOUTH AFRICAN ROCK PICTURES

These are reproductions from figures painted abundantly on rocks in South Africa by bushmen and their ancestors. Some authorities say they range in time from about 10,000 B. C. down to the present day and may have been used for religious or incantation purposes by early African man. The reproductions in the Museum were made by M. K. McGullie, a South African artist, from the original polychrome pictures on the rocks there. The spirit and composition of these paintings as well as their artistic character mark them as outstanding examples of primitive art.



THE CHARGE. A black-maned lion pursuing a group of fleeing men

HALL OF BIOLOGICAL PRINCIPLES AND APPLIED BIOLOGY

(Index Plan, p. 18, Floor III, Hall 12a)

Food Needs and Food Economics: The central portion of this hall is devoted to the Food Exhibit which represents in graphic form the needs of the human body. One case shows the chemical composition of the human body as represented by a man weighing 154 pounds. Special emphasis is laid on the need for mineral salts and for the indispensable elements called vitamins. Models illustrate the commoner foods which supply the daily needs of energy and vitamins.

The composition of certain familiar foods as regards protein, carbohydrates, fat, mineral salts, water and refuse is graphically represented. A special series of models shows the size of 100 calorie portions of the more important food-stuffs and another exhibit stresses the necessity of eating the right quality of foods as well as the proper quantity. A combination of charts and a model represents sources of the world's food supply.

The balance of this hall is devoted to exhibits dealing with Water Supply, Sewage Disposal, Insects, Rats and Parasites and their Relation to Health.

Water Supply: The farther end of the hall has models, maps, and charts which illustrate various phases of the problem of water supply. A wall case has glass models of the principal microorganisms, Algae and Protozoa, which grow in reservoirs and impart tastes and odors to water. Samples and models here also illustrate the variations in composition which occur in natural waters.

A series of relief maps on the wall shows the growth and development of the water supply of New York City since 1664, and a large floor model displays accurately the location of the reservoirs and aqueducts of the Ashokan Water System. Similar relief maps of the region about Clinton, Massachusetts, before and after the construction of the Wachusett Reservoir for the water supply of Boston, show how surface water supplies are collected by impounding streams.

Several cases contain models illustrating the purification of water by storage, filtration and disinfection.

Sewage Disposal: A model depicts the dangers from improper disposal of the liquid wastes of the city and how they may be avoided, showing where polluted harbor waters, and shellfish beds constitute a menace to health.

Modern methods for treatment of sewage on scientific lines are illustrated by a series of models of screens, sedimentation tanks, and filter beds of various types.

Insects, Rats and Parasites and Disease: Charts, models and maps form this exhibit. Toward the center of the hall are two illuminated cases; one contains photomicrographs of disease-producing parasites and the other, glass models of principal types of bacteria associated with disease.

The transmission of disease germs by insects is shown by a series of exhibits. The most striking features are greatly enlarged models of the fly, the flea, the louse and the yellow fever mosquito.

The scientific reason for the association of malaria with swampy regions is that the *Anopheles* mosquito, the carrier of the malarial parasite, breeds in such places. A small relief map indicates drains used for eliminating mosquito-bearing pools, and diagrams illustrate mosquito control in New Jersey. Another exhibit illustrates the world distribution and seasonal prevalence of malaria and yellow fever in relation to the habits of their mosquito hosts. Here are also shown some of the practical methods of control.

A series of small-scale models demonstrates methods and results of tropical sanitation for yellow fever prevention. A hospital at Panama is shown as it was during the former regime, with mosquito-breeding pools all about, contrasted with a modern hospital with no stagnant water and wards screened and ventilated.

Flies and Disease: Models, specimens and charts deal with the life history of the fly, and other exhibits show how fly-breeding may be prevented.

Typhus and Other Diseases: Some

space is devoted to insect carriers of disease germs in tropical and semi-tropical countries. Specimens of *Glossina* are shown which transmit sleeping sickness and the nagana disease in Africa; as well as the ticks, which spread Texas fever of cattle; relapsing fever; African tick fever; and the Rocky Mountain spotted fever of man.

Bubonic Plague: The relation of the flea and rat to the terrible bubonic plague is illustrated in considerable detail. In several cases are specimens of the principal animals which harbor the plague-

germ and serve as reservoirs from which it is carried by the flea to man, such as the rat and California ground squirrel, and preventive measures are demonstrated.

Military Hygiene: The problem of military hygiene, so successfully solved during the Great War, is dealt with. Diagrams illustrate the relative deadliness of disease germs and bullets in earlier wars, reinforced by a representation of the relative importance of injuries received in action and effects of typhoid fever during the Spanish War.

BEHIND THE SCENES

The fifth floor of the Museum is devoted to the administrative offices, the offices and laboratories of the scientific departments and the library. On this floor are the work rooms of the Department of Vertebrate Palaeontology, where the skeletons of fossil animals are prepared and mounted, and the laboratory where the beautiful models of invertebrates are made. These, like the other laboratories, are of necessity not open to the public.

Scientific Laboratories and Study Collections. On the sixth floor of the African Section are the well equipped laboratories devoted to experimental biological research and to physiology and life histories based on the study of living animals.

Most of the scientific study collections are on the fifth floor. These are for the benefit of investigators and to preserve the evidences and records of our vanishing animal life and of the life and customs of primitive peoples.

The vast majority of the Museum's natural history specimens are in study

collections to protect them from deterioration and for ready accessibility to scientific investigators. A careful selection is made of objects of greatest educational value and these form the basis of the Museum displays in its exhibition halls.

Work Shops. An important part of the Museum not seen by the public comprises the work shops, located in the basement and provided with machinery of the most improved pattern. Here, among other things, are constructed the various types of cases used in the Museum. There is also a fully equipped printing establishment. In other parts of the Museum, also not open to the public, are the studios where the varied work of preparing exhibits is carried on by a large staff of artists and artisans. Here are cast, modeled or mounted the figures for the groups, while leaves and flowers are fashioned so accurately that they seem to grow and bloom. The latter are for accessories in the groups. Reptiles and amphibians are mounted and anatomical models of fishes are created in wax and other materials with painstaking care.

THE AMERICAN MUSEUM OF NATURAL HISTORY

Founded in 1869

Board of Trustees

FREDERICK TRUBEE DAVISON, President
A. PERRY OSBORN, First Vice-President
CLEVELAND E. DODGE, Second Vice-President
E. ROLAND HARRIMAN, Treasurer
CLARENCE L. HAY, Secretary

MALCOLM P. ALDRICH	ROBERT EARL McCONNELL
JAMES ROWLAND ANGELL	JUNIUS S. MORGAN
ROBERT WOODS BLISS	FREDERICK H. OSBORN
GEORGE T. BOWDOIN	DANIEL E. POMEROY
ARTHUR H. BUNKER	WILLIAM PROCTER
DOUGLAS BURDEN	H. RIVINGTON PYNE
SUYDAM CUTTING	A. HAMILTON RICE
LEWIS W. DOUGLAS	JOHN D. ROCKEFELLER, 3RD.
LINCOLN ELLSWORTH	KERMIT ROOSEVELT
LIVINGSTON FARRAND	DEAN SAGE, JR.
CHILDS FRICK	LEONARD C. SANFORD
CHAUNCEY J. HAMLIN	ARTHUR S. VERNAY
ARCHER M. HUNTINGTON	FREDERICK M. WARBURG
WILTON LLOYD-SMITH	CORNELIUS V. WHITNEY

IORELLLO H. LA GUARDIA, Mayor of the City of New York
JOSEPH D. MCGOLDRICK, Comptroller of the City of New York
ROBERT MOSES, Commissioner of Parks of the City of New York

Administrative and Scientific Staffs

Officers of Administration

ROY CHAPMAN ANDREWS, Director
WAYNE M. FAUNCE, Vice-Director and Executive Secretary
FREDERICK H. SMYTH, Bursar
EDWIN C. MEYENBERG, Assistant Bursar
WALTER F. MEISTER, Assistant Bursar
REX P. JOHNSON, General Superintendent
CHARLES C. GROFF, Mechanical Superintendent
WILSON L. TODD, Power Plant Engineer
LOUIS W. KINZER, Custodian
CHARLES J. O'CONNOR, Membership Secretary
RICHARD H. COOKE, Business Manager of the Hayden Planetarium
HANS CHRISTIAN ADAMSON, Assistant to the President
WILLIAM D. CAMPBELL, Assistant to the Director

Scientific Staff

ROY CHAPMAN ANDREWS, SC.D., Director
WAYNE M. FAUNCE, SC.B., Vice-Director and Executive Secretary
CLARK WISSLER, PH.D., LL.D., Dean of the Scientific Staff
H. E. ANTHONY, D.SC., Secretary of the Council of Heads of the
Scientific Departments

Astronomy and the Hayden Planetarium

CLYDE FISHER, PH.D., LL.D., Curator-in-Chief
WILLIAM H. BARTON, JR., M.S., Executive Curator
MARIAN LOCKWOOD, Assistant Curator
ARTHUR L. DRAPER, Assistant Curator
ROBERT R. COLES, Associate Lecturer
HUGH S. RICE, A.M., Associate in Astronomy
FREDERICK H. POUGH, PH.D., Research Associate in Meteorites

Geology and Mineralogy

HERBERT P. WHITLOCK, Curator
FREDERICK H. POUGH, Ph.D., Assistant Curator

Palaeontology

CHILDS FRICK, B.S., Honorary Curator of Late Tertiary and
Quaternary Mammals
BARNUM BROWN, Sc.D., Curator of Fossil Reptiles
WALTER GRANGER, D.Sc., Curator of Fossil Mammals
GEORGE GAYLORD SIMPSON, Ph.D., Associate Curator of Vertebrate
Palaeontology
EDWIN H. COLBERT, Ph.D., Assistant Curator of Vertebrate Palaeontology
HAROLD E. VOKES, Ph.D., Assistant Curator of Invertebrate Palaeontology
RACHEL HUSBAND NICHOLS, A.M., Staff Assistant
WILLIAM K. GREGORY, Ph.D., Research Associate
CHARLES C. MOOK, Ph.D., Research Associate

Living Invertebrates

ROY WALDO MINER, Ph.D., Sc.D., Curator
WILLARD G. VAN NAME, Ph.D., Associate Curator
GEORGE H. CHILDS, Ph.D., Assistant in Comparative Invertebrate Anatomy
FRANK J. MYERS, Research Associate in Rotifera
HORACE W. STUNKARD, Ph.D., Research Associate in Parasitology
A. L. TREADWELL, Ph.D., Sc.D., Research Associate in Annulata
ROSWELL MILLER, JR., C.E., Field Associate
WYLLYS ROSSETER BETTS, JR., Field Associate

Entomology

FRANK E. LUTZ, Ph.D., Curator
C. H. CURRAN, D.Sc., Associate Curator of Diptera
W. J. GERTSCH, Ph.D., Associate Curator of Spiders
R. E. BLACKWELDER, Ph.D., Assistant Curator of Coleoptera
FRANK E. WATSON, B.S., Staff Assistant in Lepidoptera
CHARLES W. LENG, B.S., Research Associate in Coleoptera
HERBERT F. SCHWARZ, M.A., Research Associate in Hymenoptera
E. L. BELL, Research Associate in Lepidoptera
CYRIL F. DOS PASSOS, LL.B., Research Associate in Lepidoptera
T. D. A. COCKERELL, Sc.D., Research Associate in Fossil Insects
ALFRED E. EMERSON, Ph.D., Research Associate in Termites

Living and Extinct Fishes

WILLIAM K. GREGORY, Ph.D., Curator
JOHN T. NICHOLS, A.B., Curator of Recent Fishes
FRANCESCA R. LAMONTE, B.A., Associate Curator
E. W. GUDGER, Ph.D., Honorary Associate
CHARLES H. TOWNSEND, Sc.D., Research Associate
C. M. BREDER, JR., Sc.D., Research Associate
E. GRACE WHITE, Ph.D., Research Associate
LOUIS HUSSAKOF, Ph.D., Research Associate in Devonian Fishes
WILLIAM BEEBE, Sc.D., Research Associate in Oceanography
VAN CAMPEN HEILNER, M.S., Field Representative
MICHAEL LERNER, Field Associate

Herpetology

G. KINGSLEY NOBLE, Ph.D., Curator
C. M. BOGERT, M.A., Assistant Curator
HARVEY BASSLER, Ph.D., Research Associate in Herpetology

Experimental Biology

G. KINGSLEY NOBLE, PH.D., Curator
FRANK A. BEACH, PH.D., Assistant Curator
KATHARINE K. APLINGTON, A.M., Staff Assistant
PRISCILLA R. RYAN, A.B., Staff Assistant
DOUGLAS BURDEN, M.A., Research Associate
O. M. HELFF, PH.D., Research Associate
CHARLES E. HADLEY, PH.D., Research Associate
WILLIAM ETKIN, PH.D., Research Associate
LIBBIE H. HYMAN, PH.D., Research Associate
R. E. BOWEN, PH.D., Research Associate

Ornithology

FRANK M. CHAPMAN, SC.D., Curator
JOHN T. ZIMMER, M.A., Executive Curator
ROBERT CUSHMAN MURPHY, D.Sc., Curator of Oceanic Birds
JAMES P. CHAPIN, PH.D., Associate Curator of Continental Old World Birds
ERNST MAYR, PH.D., Associate Curator of the Whitney-Rothschild Collections
CHARLES E. O'BRIEN, Assistant Curator
ELSIE M. B. NAUMBURG, Research Associate
A. L. RAND, PH.D., Research Associate
PHILIP B. PHILIPP, Research Associate in Oology
ALBERT R. BRAND, Associate in Ornithology

Mammalogy

H. E. ANTHONY, D.Sc., Curator
GEORGE G. GOODWIN, Assistant Curator
G. H. H. TATE, D.Sc., Assistant Curator of South American Mammals
T. DONALD CARTER, Assistant Curator of Old World Mammals
JOHN ERIC HILL, PH.D., Assistant Curator
RICHARD ARCHBOLD, Research Associate
WILLIAM J. MORDEN, PH.B., Field Associate
ARTHUR S. VERNAY, Field Associate
WILLIAM D. CAMPBELL, Field Associate

Comparative and Human Anatomy

WILLIAM K. GREGORY, PH.D., Curator
H. C. RAVEN, Associate Curator
GEORGE PINKLEY, PH.D., Associate Curator
G. MILES CONRAD, A.M., Assistant Curator
J. HOWARD MCGREGOR, PH.D., Research Associate in Human Anatomy
DUDLEY J. MORTON, M.D., Research Associate
S. H. CHUBB, Research Associate

Anthropology

CLARK WISSLER, PH.D., LL.D., Curator
N. C. NELSON, M.L., Curator of Prehistoric Archaeology
GEORGE C. VAILLANT, PH.D., Associate Curator of Mexican Archaeology
HARRY L. SHAPIRO, PH.D., Associate Curator of Physical Anthropology
MARGARET MEAD, PH.D., Assistant Curator of Ethnology
BELLA WEITZNER, Assistant Curator of Anthropology
JUNIOUS B. BIRD, Assistant Curator of Anthropology
CLARENCE L. HAY, A.M., Research Associate in Mexican and Central American Archaeology
WILLIAM W. HOWELLS, PH.D., Research Associate in Physical Anthropology
MILO HELLMAN, D.D.S., D.Sc., Research Associate in Physical Anthropology
GEORGE E. BREWER, M.D., LL.D., Research Associate in Somatic Anthropology
FREDERICK H. OSBORN, Research Associate in Anthropology
ROBERT VON HEINE-GELDERN, PH.D., Research Associate in Anthropology

W. C. BENNETT, PH.D., Research Associate in Anthropology
WILLIAM K. GREGORY, PH.D., Associate in Physical Anthropology
ANTOINETTE K. GORDON, Associate in Asiatic Ethnology

Asiatic Exploration and Research

ROY CHAPMAN ANDREWS, SC.D., Curator
WALTER GRANGER, D.SC., Curator of Palaeontology
CHARLES P. BERKEY, PH.D., SC.D. (Columbia University), Research
Associate in Geology
AMADEUS W. GRABAU, S.D. (The National Geological Survey of China),
Research Associate
PÈRE TEILHARD DE CHARDIN (The National Geological Survey of China),
Research Associate in Mammalian Palaeontology

Woods and Forestry

CLARENCE L. HAY, A.M., Honorary Curator
CHARLES RUSSELL, PH.D., Staff Associate

Education

CHARLES RUSSELL, PH.D., Curator
GRACE FISHER RAMSEY, PH.D., Associate Curator
WILLIAM H. CARR, Assistant Curator (Outdoor Education)
JOHN R. SAUNDERS, Assistant Curator
HERMAN A. SIEVERS, Staff Assistant
FARIDA A. WILEY, Staff Assistant
WILLIAM LORD SMITH, M.D., Staff Assistant
GEORGINE MASTIN, Staff Assistant
HAZEL L. MULLER, B.A., Staff Assistant
GLADYS L. PRATT, Associate in Education

Library

HAZEL GAY, Librarian
HELEN GUNZ, Assistant Librarian
JANNETTE MAY LUCAS, B.S., Assistant Librarian—Osborn Library

Arts, Preparation and Installation

JAMES L. CLARK, D.SC., Director
ALBERT E. BUTLER, Associate Chief
FRANCIS L. JAKES, Staff Associate
RAYMOND B. POTTER, Staff Associate
ROBERT H. ROCKWELL, Staff Associate

Public and Press Information

HANS CHRISTIAN ADAMSON, Chairman
JEAN E. WIEDEMER, Staff Assistant

Scientific Publications

ETHEL J. TIMONIER, Associate Editor of Scientific Publications

Natural History Magazine


EDWARD MOFFAT WEYER, JR., PH.D., Editor
DONALD R. BARTON, B.A., Assistant Editor
FREDERICK L. HAIN, Production Manager
SHERMAN P. VOORHEES, Advertising Manager of Museum Periodical Publications


The Junior Natural History Magazine

DOROTHY L. EDWARDS, Editor

The Sky Magazine

CLYDE FISHER, PH.D., LL.D., Editor
HELENE C. BOOTH, Assistant Editor





AMNH LIBRARY



100051165