

REFERENCES

- Adams, J.M., and H. Faure. 1998. Review and atlas of paleovegetation. Internet resource (<http://www.esd.ornl.gov/projects/qen/adams1.html>), accessed March 12, 2009.
- Adler, G.H., and R. Levins. 1994. The island syndrome in rodent populations. *Quarterly Review of Biology* 69: 473–490.
- Ainsworth, B.E. 2002. The compendium of physical activities tracking guide. Prevention Research Center, Norman J. Arnold School of Public Health, University of South Carolina. Internet resource (http://prevention.sph.sc.edu/tools/docs/documents_compendium.pdf), accessed December 8, 2010.
- Alber, M., E.M. Swenson, S.C. Adamowicz, and I.A. Mendelsohn. 2008. Salt marsh dieback: an overview of recent events in the U.S. Estuarine, Coastal and Shelf Science 80: 1–11.
- Albertzart, L.S., and B.H. Wilkinson. 1990. Barrier backbeach shell assemblages from the central Texas Gulf Coast. *Palaios* 5: 346–355.
- Alexander, C.R., and V.J. Henry. 2007. Wassaw and Tybee Islands—comparing undeveloped and developed barrier islands. In F.J. Rich (editor), *Fieldtrips of the 2007 Annual Meeting, Southeastern Section, Geological Society of America*. Georgia Southern University (Statesboro, GA) 1: 187–198.
- Allen, E.A., and H.A. Curran. 1974. Biogenic sedimentary structures produced by crabs in lagoon margin and salt marsh environments near Beaufort, North Carolina. *Journal of Sedimentary Petrology* 44: 538–548.
- Alley, R.B. 2000. The Younger Dryas cold interval as viewed from central Greenland. *Quaternary Science Reviews* 19: 213–226.
- Alley, R.B., P.U. Clark, P. Huybrechts, and I. Joughin. 2005. Ice-sheet and sea-level changes. *Science* 310: 456–460.
- Alley, R.B., D.A. Meese, C.A. Shuman, A.J. Gow, K.C. Taylor, P.M. Grootes, J.W.C. White, M. Ram, E.D. Waddington, P.A. Mayewski, and G.A. Zielinski. 1993. Abrupt accumulation increase at the Younger Dryas termination in the GISP2 ice core. *Nature* 362: 527–529.
- Anderson, J.B., A.B. Rodriguez, K.T. Milliken, and M. Taviani. 2008. The Holocene evolution of the Galveston estuary complex, Texas: evidence for rapid change in estuarine environments. In J.B. Anderson and A.B. Rodriguez (editors), *Response of upper Gulf Coast estuaries to Holocene climate change and sea-level rise*. Geological Society of America Special Paper 443: 89–104.
- Anderson, L.C., and R.A. McBride. 1996. Taphonomic and paleoenvironmental evidence of Holocene shell-bed genesis and history on the northeastern Gulf of Mexico shelf. *Palaios* 11: 532–549.
- Anderson, S. 1981. The raccoon (*Procyon lotor*) on St. Catherines Island, Georgia, U.S.A.: nesting sea turtles and foraging raccoons. *American Museum of Natural History Novitates* 2713: 1–9.
- Anderson, S., and E.M. Hudson. 1980. The raccoon (*Procyon lotor*) on St. Catherines Island, Georgia: 6. Time and place of activity of radio-tagged individuals. *American Museum of Natural History Novitates* 2700: 1–28.
- Andrews, P.B. 1970. Facies and genesis of a hurricane washover-fan, St. Joseph Island, central Texas coast. Bureau of Economic Geology, University of Texas, Austin, Report of Investigations 67: 1–147.
- Andrus, C.F.T., and D.E. Crowe. 2008. Isotope analysis as a means for determining season of capture for *Mercenaria*. In D.H. Thomas, *Native American landscapes of St. Catherines Island, Georgia II. The data*. Anthropological Papers of the American Museum of Natural History 88 (2): 498–518.
- Armonies, W. 1994. Drifting meio- and macrobenthic invertebrates on tidal flats in Konigshafen: a review. *Helgol Meeresunters* 48: 299–320.
- Austin, R.J., B.E. Ensor, L. Carlson, and J. Endonino. 2004. Multidisciplinary investigation at West Williams, 8HI509: an Archaic Period archaeological site located within Florida Gas Transmission Company's Bayside lateral pipeline corridor, Hillsborough County, Florida. Tampa: Southeastern Archaeological Research, Inc.
- Baggerman, B. 1953. Spatfall and transport of *Cardium edule*. *Néerlandaises de Zoologie* 10 (3): 315–342.
- Bahr, L.N., and W.P. Lanier. 1981. The ecology of intertidal oyster reefs of the South Atlantic

- coast: a community profile. Washington, DC: U.S. Fish and Wildlife Service, Office of Biological Services, FWS/OBS-81/15.
- Bailey, G.N., and A. Craighead. 2003. Late Pleistocene and Early Holocene coastal paleoeconomies: a reconsideration of the molluscan evidence from Northern Spain. *Geoarchaeology* 18 (2): 175–204.
- Bailey, G.N., and N.C. Flemming. 2008. Archaeology of the continental shelf: marine resources, submerged landscapes and underwater archaeology. *Quaternary Science Reviews* 27: 2153–2165.
- Baity, E.C., A.F. Aveni, R. Berger, D.A. Bretternitz, G.A. Clark, J.W. Dow, P.-R. Giot, et al. 1973. Archaeoastronomy and ethnoastronomy so far [and comments and reply]. *Current Anthropology* 14 (4): 389–449.
- Baker, G.S., T.E. Jordan, and J. Pardy. 2007. An introduction to Ground Penetrating Radar (GPR). In G.S. Baker and H.M. Jol (editors), *Stratigraphic analyses using GPR*. Geological Society of America Special Paper 432: 1–18.
- Baldwin, W.E., R.A. Morton, T.R. Putney, M.P. Katuna, M.S. Harris, N.W. Discoll, J.F. Denny, and W.C. Schwab. 2006. Migration of the Pee Dee River system inferred from ancestral paleochannels underlying the South Carolina Grand Strand and Long Bay inner shelf. *Geological Society of America Bulletin* 118: 533–549.
- Balsillie, J.H., and J.F. Donoghue. 2004. High resolution sea-level history for the Gulf of Mexico since the last glacial maximum. Tallahassee: Florida Geological Survey Report of Investigations 103.
- Bard, E., B. Hamelin, M. Arnold, L. Montagnoni, G. Cabioch, G. Faure, and F. Rougerie. 1996. Deglacial sea-level record from Tahiti corals and the timing of global meltwater discharge. *Nature* 382: 241–244.
- Barlow, K.R., and M. Heck. 2002. More on acorn eating during the Natufian: expected patterning in diet and the archaeological record of subsistence. In L.R. Mason and J.G. Hather (editors), *Hunter-gatherer ethnobotany*: 128–145. London: Institute of Archaeology, University College.
- Barlow, K.R., and M.D. Metcalfe. 1996. Plant utility indices: two Great Basin examples. *Journal of Archaeological Science* 23: 351–371.
- Bartholomew, M.J., and F.J. Rich. 2007. The walls of colonial Fort Dorchester: a record of structures caused by the August 31, 1886 Charleston, South Carolina, earthquake and its subsequent earthquake history. *Southeastern Geology* 44 (4): 147–169.
- Bartholomew, M.J., F.J. Rich, S.L. Lewis, B.M. Brodie, R.D. Heath, T.Z. Slack, C.H. Trupe, III, and R.A. Greenwell. 2007. Preliminary interpretation of Mesozoic and Cenozoic fracture sets in Piedmont metamorphic rocks and in coastal plain strata near the Savannah River, Georgia and South Carolina. In F.J. Rich (editor), *Guide to fieldtrips: Boulder, Colorado, Geological Society of America, 56th Annual Meeting, Southeastern Section*: 7–38.
- Bartlein, P.J., M.D. Edwards, S.L. Shafer, and E.D. Barker. 1995. Calibration of radiocarbon ages and the interpretation of paleoenvironmental records. *Quaternary Research* 44: 417–424.
- Barwis, J.H., and M.O. Hayes. 1985. Antidunes on modern and ancient washover fans. *Journal of Sedimentary Research* 55: 907–916.
- Basan, P.B. 1975. Actual paleontology of a modern salt marsh near Sapelo Island, Georgia. Ph.D. dissertation, University of Georgia.
- Basan, P.B., and R.W. Frey. 1977. Actual-paleontology and neoichnology of salt marshes near Sapelo Island, Georgia. In T.P. Crimes and J.C. Harper (editors), *Trace fossils 2*. Geological Journal Special Issue 9: 41–70.
- Berger, R., R.E. Taylor, and W.F. Libby. 1966. Radiocarbon content of marine shells from the California and Mexican west coast. *Science* 153: 864–866.
- Bertness, M.D., and E. Groschotz. 1985. Population dynamics of the ribbed mussel, *Geukensia demissa*: the costs and benefits of an aggregated distribution. *Oecologia* 67 (2): 192–204.
- Bettinger, R.L., R. Malhi, and H. McCarthy. 1997. Central place models of acorn and mussel processing. *Journal of Archaeological Science* 24: 887–899.
- Beukema, J.J., and J. deVlas. 1989. Tidal-current transport of thread-drifting postlarval juveniles of the bivalve *Macoma balthica* from the Wadden Sea to the North Sea. *Marine Ecology Progress Series* 52: 193–200.
- Bigham, G.N. 1973. Zone of influence—inner continental shelf of Georgia. *Journal of Sedimentary Petrology* 43 (1): 207–214.
- Billes, A., and J. Fretey. 1992. Nest morphology in the Leatherback Turtle. *Marine Turtle*

- Newsletter 92: 7–9.
- Bird, D.W. 1997. Behavioral ecology and the archaeological consequences of central place foraging among the Meriam. *In* C.M. Barton and G.A. Clark (editors), *Rediscovering Darwin: evolutionary theory and archaeological explanation*: 291–306. *Archaeological Papers of the American Anthropological Association* 7.
- Bird, D.W., and R. Bliege Bird. 1997. Contemporary shellfish gathering strategies among the Meriam of the Torres Strait Island, Australia: testing predictions of a central place foraging model. *Journal of Archaeological Science* 24: 39–63.
- Bird, D.W., R. Bliege Bird, and J.L. Richardson. 2004. Meriam ethnoarchaeology: shellfishing and shellmiddens. *Memoirs of the Queensland Museum, Cultural Heritage Series* 3 (1): 183–197.
- Bird, K.E., W.J. Nichols, C.R. Tambiah, and R. Rangel. 2002. Integrating local knowledge and outside science in sea turtle conservation: a case study from Baja California, Mexico. *In* J.A. Seminoff (compiler), *Proceedings of the 22nd Annual Symposium on Sea Turtle Biology and Conservation*. Miami, Florida: National Oceanographic and Atmospheric Administration Technical Memorandum NMFS-SEFSC-503: 63–64.
- Bishop, G.A. 1990. Modeling heavy mineral accumulation on an evolving barrier island on the southeastern coast. University System of Georgia, Chancellor's Special Funding Initiative: 1–12.
- Bishop, G.A. 2003. *Handbook for sea turtle interns* (2nd ed.): 1–49. Statesboro, GA: Georgia Southern University. Internet resource (<http://www.scistp.org>), accessed January 6, 2009.
- Bishop, G.A. 2007. The St. Catherines Island sea turtle program. Internet resource (www.scistp.org), accessed January 9, 2009.
- Bishop, G.A., and E.C. Bishop. 1992. Distribution of Ghost Shrimp; North Beach, St. Catherines Island, Georgia. *American Museum of Natural History Novitates* 3042: 1–17.
- Bishop G.A., and N.A. Brannen. 1993. Ecology and paleoecology of Georgia ghost shrimp. *In* K.M. Farrell, C.W. Hoffman, and V.J. Henry, Jr. (editors), *Geomorphology and facies relationships of Quaternary Barrier Island complexes near St. Marys, Georgia*: 19–29. Atlanta: Georgia Geological Society.
- Bishop, G.A., and N.B. Marsh. 1994. The 1992 St. Catherines sea turtle program: nest validation by beach stratigraphy. *In* B.A. Schroeder and B.E. Witherington (compilers), *Proceedings of the 13th Annual Symposium on Sea Turtle Biology and Conservation*: NOAA Technical Memorandum MNFS-SEFSC 341: 22–24.
- Bishop G.A., and N.B. Marsh. 1995. Computer utilization in the St. Catherines sea turtle conservation program: University System of Georgia Rock Eagle annual computing conference, 1995. *Rock Eagle Proceedings*: 2–11.
- Bishop, G.A., and N.B. Marsh. 1998a. Accumulation, distribution, and radioactivity of heavy mineral sands on St. Catherines Island. *In* F.J. Rich and G.A. Bishop (editors), *Geology and natural history of the Okefenokee Swamp and Trail Ridge, Southeastern Georgia-Northern Florida, Georgia*. 33rd Annual Georgia Geological Society Field Trip Guidebook 18 (1): 9–26.
- Bishop, G.A., and N.B. Marsh. 1998b. Electronic earth science education: an integrated, holistic approach. University System of Georgia Annual Computer Conference, Rock Eagle Proceedings: 13–20.
- Bishop, G.A., and N.B. Marsh. 1999a. The St. Catherines/Eisenhower Natural History science education model. *In* 1999 Sigma Xi Forum Proceedings: Reshaping undergraduate science and engineering education: Tools for better learning: 143–144.
- Bishop, G.A., and N.B., Marsh. 1999b. Sea turtle nesting habitat assessment: a rapid, integrated, technological approach. *Proceedings of the Rock Eagle Technology Conference*, Office of Information and Infrastructure Technology, University of Georgia: 1-15.
- Bishop, G.A., and F.L. Pirkle. 2008. Modern meaning in a 70 million-year-old sea turtle nest. *State of the world's sea turtles* 3: 20.
- Bishop, G.A., and D.H. Thomas. 2008. Modeling paleoeconomics of harvesting sea turtles and sea turtle eggs in a pre-contact indigenous society on the Georgia coast. Paper presented at the 28th Annual Sea Turtle Symposium, International Sea Turtle Society, Loreto, Baja California.
- Bishop, G.A., and A.B. Williams. 2005. Taphonomy and preservation of burrowing Thalassinidean shrimps. *Proceedings of the Biolog-*

- ical Society of Washington 118 (1): 218–236.
- Bishop, G.A., N.B. Marsh, J. Barron, F.L. Pirkle, and R.S.U. Smith. 1997. A Cretaceous sea turtle nest, Fox Hills Formation, Elbert Co., CO. Geological Society of America, Abstracts with Programs 29 (6): A104.
- Bishop, G.A., N.B. Marsh, J. Barron, F.L. Pirkle, and R.S.U. Smith. 1997. A Cretaceous sea turtle nest, Fox Hills Formation, Elbert Co., CO. Geological Society of America, Abstracts with Programs 29 (6): A104.
- Bishop, G.A., N.B. Marsh, and F.L. Pirkle. 2000. Fossilized Cretaceous sea turtle nest from Colorado. *In* H.J. Kalb, and T. Wibbels (compilers), Proceedings of the Nineteenth Annual Symposium (1999) on Sea Turtle Biology and Conservation: 101–104. U.S. Department of Commerce. NOAA Tech. Memo. National Marine Fisheries Service–Southeastern Fisheries Service Center-443.
- Bishop, G.A., R.K. Vance, and B.K. Meyer. 2007. Evolution of emerging electronic technologies; St. Catherines Island sea turtle conservation program. *In* University System of Georgia Rock Eagle Technology Conference: 1–11. Internet resource (http://www.usg.edu/oiit/re/re07/proceedings/evolution_emerging.pdf), accessed January 8, 2009.
- Bishop, G.A., R.H. Hayes, B.K. Meyer, H.B. Rollins, F.J. Rich, D.H. Thomas, and R.K. Vance. 2007. Transgressive barrier island features of St. Catherines Island, Georgia. *In* F.J. Rich (editor), Fieldtrips of the 2007 Annual Meeting, Southeastern Section, Geological Society of America: 39–86. Statesboro, Georgia Southern University.
- Bishop, G.A., R.K. Vance, F.J. Rich, B.K. Meyer, E.J. Davis, R.H. Hayes, and N.B. Marsh. 2009. Evolution of geology field education for K-12 teachers from field education for geology majors at Georgia Southern University: historical perspectives and modern approaches. *In* Steven J. Whitmeyer, David W. Mogk, and Eric J. Pyle (editors), Field geology education: historical perspectives and modern approaches. Geological Society of America, Special Paper 461: 223–251.
- Bishop, G. A., N.B. Marsh, F.J. Rich, and R.K. Vance. In press. The St. Catherines Island sea turtle conservation—teacher quality science education program—a 14-year perspective. *Journal of Geoscience Education*.
- Bjorndal, K.A. 1979. Biology and conservation of sea turtles: Washington, DC: Smithsonian Institution Press: 1–583.
- Blair, E.H., and D.H. Thomas. 2008. Estimating shellfish return rates on St. Catherines Island. *In* D.H. Thomas (editor), Native American landscapes of St. Catherines Island, Georgia. I. The theoretical framework. *Anthropological Papers of the American Museum of Natural History* 88 (1): 85–113.
- Blair, E.H., L.S.A. Pendleton, and P. Francis, Jr. 2009. The beads of St. Catherines Island. *Anthropological Papers of the American Museum of Natural History* 89: 312 p.
- Blanchon, P., and J. Shaw. 1995. Comment and reply: reef drowning during the last deglaciation: evidence for catastrophic sea-level rise and ice-sheet collapse. *Geology* 23: 958–959.
- Blanton, D.B., and D.H. Thomas. 2008. Paleoclimates and human responses along the central Georgia coast. *In* D.H. Thomas, Native American landscapes of St. Catherines Island, Georgia II. The data. *Anthropological Papers of the American Museum of Natural History* 88 (2): 799–806.
- Bliege Bird, R.L., and D.W. Bird. 1997. Delayed reciprocity and tolerated theft: the behavioral ecology of food-sharing strategies. *Current Anthropology* 38: 49–78.
- Bliege Bird, R.L., E.A. Smith, and D.W. Bird. 2001. The hunting handicap: costly signaling in human foraging strategies. *Behavioral Ecology and Sociobiology* 50: 9–19.
- Bliege Bird, R., D.W. Bird, E.A. Smith, and G. Kushnick. 2002. Risk and reciprocity in Meriam food sharing. *Evolution and Human Behavior* 23: 297–321.
- Blood, E.R., P. Anderson, P.A. Smith, C. Nybro, and K.A. Ginsberg. 1991. Effects of Hurricane Hugo on coastal soil solution chemistry in South Carolina. *Biotropica* 23: 348–355.
- Bloom, A.L. 1983. Sea level and coastal geomorphology of the United States through the Late Wisconsin Glacial maximum. *In* S.C. Porter (editor), Late Quaternary environments of the United States. I. The Pleistocene: 215–229. Minneapolis: University of Minnesota Press.
- Blum, M.D., and A.E. Carter. 2000. Middle Holocene evolution of the central Texas coast: Transactions of the Gulf Coast Association of Geological Societies 50: 331–341.
- Blum, M.D., T.J. Misner, E.S. Collins, D.B. Scott, R.A. Morton, and A. Aslan. 2001. Middle Holocene sea-level rise and highstand at +2 m,

- central Texas coast. *Journal of Sedimentary Research* 71 (4): 581–588.
- Blum, M.D., A.E. Carter, T. Zayac, and R.J. Goble. 2002. Middle Holocene sea-level and evolution of the Gulf of Mexico coast (USA). *Journal of Coastal Research. Special Issue* 36: 65–80.
- Blum, M.D., J.H. Tomkin, A. Purcell, and R.R. Lancaster. 2008. Ups and downs of the Mississippi Delta. *Geology* 36 (9): 675–678.
- Bond, G. 2005. Are Dansgaard-Oeschger cycles and multicentennial cycles of the Holocene and the last glacial interconnected? *Geophysical Abstracts* 7: 06038.
- Booth, R.K. 1998. Palynology and environments of deposition of sediments from two barrier islands: St. Catherines Island and Skidaway Island, Georgia, USA. M.S. thesis, Georgia Southern University, Statesboro.
- Booth, R.K., and F.J. Rich. 1999. Identification and paleoecological implications of a late Pleistocene pteridophyte-dominated assemblage preserved in brown peat from St. Catherines Island, Georgia. *Castanea* 64 (2): 120–129.
- Booth, R.K., F.J. Rich, and G.A. Bishop. 1999. Palynology and depositional history of Late Pleistocene and Holocene coastal sediments from St. Catherines Island, Georgia, USA. *Palynology* 23: 67–86.
- Booth, R.K., F.J. Rich, G.A. Bishop, and N.A. Brannen. 1999. Evolution of a freshwater barrier-island marsh in coastal Georgia, United States. *Wetlands* 19 (3): 570–577.
- Booth, R.K., F.J. Rich, and S.T. Jackson. 2003. Paleocology of Mid-Wisconsinan peat clasts from Skidaway Island, Georgia. *Palaios* 18: 63–68.
- Borrero, F.J., and T.J. Hilbish. 1988. Temporal variation in shell and soft tissue growth of the mussel *Geukensia demissa*. *Marine Ecology-Progress Series* 42: 9–15.
- Boucher, D.H. 1990. Growing back after hurricanes. *Bioscience* 40: 163–166.
- Boucher, D.H., J.H. Vandermeer, K. Yih, and N. Zamora. 1990. Contrasting hurricane damage in tropical rain forest and pine forest. *Ecology* 71: 2022–2024.
- Bowen, J.E., and H.L. Hunt. 2009. Settlement and recruitment patterns of the soft-shell clam *Mya arenaria*, on the northern shore of the Bay of Fundy, Canada. *Estuaries and Coasts* 32: 758–772.
- Bown, T.M., and M.J. Kraus. 1987. Integration of channel and floodplain suites, I. Development sequence and lateral relations of alluvial paleosols. *Journal of Sedimentary Petrology* 57: 587–601.
- Braley, C. 1990. The Lamar ceramics of the Georgia Coast. In M. Williams and G. Shapiro (editors), *Lamar archaeology: Mississippian chiefdoms in the deep South*: 94–103. Tuscaloosa: University of Alabama Press.
- Brannen, N.A., and G.A. Bishop. 1993. Nesting traces of the loggerhead sea turtle *Caretta caretta* (Linné), St. Catherines Island, Georgia: implications for the fossil record. In K.M. Farrell, C.W. Hoffman, and V.J. Henry, Jr. (editors), *Geomorphology and facies relationships of Quaternary barrier island complexes near St. Marys, Georgia*. Georgia Geologic Society Guidebook 13: 30–36.
- Brannen, N.A., and G.A. Bishop. 1994. Nesting traces of the loggerhead sea turtle (*Caretta caretta* [Linné]), St. Catherines Island, Georgia. In K.A. Bjorndal, A.B. Bolten, D.A. Johnson, and P.J. Eliazar (compilers), *Proceedings of the 14th Annual Symposium of Sea Turtle Biology and Conservation: 195–197*. National Oceanographic and Atmospheric Administration Technical Memorandum, National Marine Fisheries Service-Southeastern Fisheries Service Center-351.
- Brannen N.A., J. Carter, M. Harris, M. Maley, R.H. Hayes, B. Winn, and G.A. Bishop. 1993. *Handbook for sea turtle interns: 1–78*. Statesboro: Georgia Southern University.
- Brinson, M.M., R.R. Christian, and L.K. Blum. 1995. Multiple states in the sea-level induced transition from terrestrial forest to estuary. *Estuaries* 18 (4): 648–659.
- Broecker, W.S., R.G.M. Ewing, and B.C. Heezen. 1960. Natural radiocarbon in the Atlantic Ocean. *Journal of Geophysical Research* 65: 2903–2931.
- Broecker, W.S., and E.A. Olson. 1961. Lamont radiocarbon measurements. VIII. Radiocarbon 3: 176–165.
- Broecker, W.S. 2006. Was the Younger Dryas triggered by a flood? *Science* 312 (5777): 1146–1148.
- Brooks, M.J., P.A. Stone, D.J. Colquhoun, and J.G. Brown. 1989. Sea level change, estuary development and temporal variability in Woodland period subsistence–settlement patterning on the lower Coastal Plain of South

- Carolina. In A.C. Goodyear, III and G.T. Hanson (editors), *Studies in South Carolina archaeology: essays in honor of Robert L. Stephenson*: 91–100. *Anthropological Studies 9*, Occasional Papers of the South Carolina Institute of Archaeology and Anthropology. University of South Carolina.
- Brooks, M.J., P.A. Stone, D.J. Colquhoun, J.G. Brown, and K.B. Steele. 1986. Geoarchaeological research in the Coastal Plain portion of the Savannah River Valley. *Geoarchaeology 1* (3): 293–307.
- Browman, D.L., and D.R. Givens 1996. Stratigraphic excavation: the first “new” archaeology. *American Anthropologist 98* (1): 1–17.
- Brown, A.G. 1997. Alluvial geology: floodplain archaeology and environmental change. Cambridge: Cambridge University Press.
- Brown J.H., P.A. Marquet, and M.L. Taper. 1993. Evolution of body size: consequences of an energetic definition of fitness. *American Naturalist 142*: 573–584.
- Busch, R.M., and D.K. Brezinski. 1989. Stratigraphic analysis of Carboniferous rocks in southwestern Pennsylvania using a hierarchy of transgressive-regressive units. *Sedimentary Geology 64* (4): 207–298.
- Busch, R.M., and H.B. Rollins. 1984. Correlation of Carboniferous strata using a hierarchy of transgressive-regressive units. *Geology 12*: 471–477.
- Busch, R.M., and R.R. West. 1987. Hierarchical genetic stratigraphy: a framework for paleoceanography. *Paleoceanography 2*: 141–164.
- Bustard, H.R., P. Greenham, and C. Limpus. 1975. Nesting behaviour of loggerhead and flatback turtles in Queensland, Australia. *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen, series C, Biological and Medical Science 4*: 111–122.
- Butzer, K. 1971. *Environment and archaeology: an ecological approach to prehistory*. 2nd ed. Chicago: Aldine.
- Butzer, K. 1982. *Archaeology as human ecology: method and theory for a continental approach*. Cambridge: Cambridge University Press.
- Buzan, D., W. Lee, J. Culbertson, N. Kuhn, and L. Robinson. 2009. Positive relationship between freshwater inflow and oyster abundance in Galveston Bay, Texas. *Estuaries and Coasts 32* (1): 206–212.
- Cadée, G.C., and R. Goldring. 2007. The Wadden Sea, cradle of invertebrate ichnology. In W. Miller, III (editor), *Trace fossils: concepts, problems, prospects*: 3–13. Amsterdam: Elsevier.
- Caldwell, D.K., A. Carr, and L.H. Ogren. 1959. The Atlantic loggerhead sea turtle, *Caretta caretta* (Linnaeus) in America, I. Nesting and migration of the Atlantic loggerhead turtle: *Florida State Museum Biological Bulletin 4*: 295–308.
- Caldwell, J.R. 1943. Cultural relations of four Indian sites on the Georgia coast. M.S. thesis, University of Chicago, Department of Anthropology.
- Caldwell, J.R. 1958. Trend and tradition in the prehistory of the eastern United States. *American Anthropological Association, Memoir 88*.
- Caldwell, J.R. 1970. Excavations on St. Catharines Island. Report to the Edward John Noble Foundation.
- Caldwell, J.R. 1971. Chronology of the Georgia coast. *Southeastern Archaeological Conference, Bulletin 13*: 89–91.
- Caldwell, J.R., and C. McCann. 1941. *Irene Mound site*. Athens: University of Georgia Press.
- Caldwell, J.R., and A.J. Waring. 1939a. Some Chatham County pottery types and their sequence. *Southeastern Archaeological Conference Newsletter 1*: 5–6.
- Caldwell, J.R., and A.J. Waring. 1939b. The use of a ceramic sequence in the classification of aboriginal sites in Chatham County, Georgia. *Southeastern Archaeological Conference Newsletter 2* (1): 6–7.
- Campbell, L.M. 2003. Contemporary culture, use and conservation of sea turtles. In P.L. Lutz, J.A. Musick, and J. Wyneken (editors), *The biology of sea turtles, volume 2*, CRC Marine Biology Series 4: 307–338.
- Canti, M.G. 2003. Earthworm activity and archaeological stratigraphy: A review of products and processes. *Journal of Archaeological Sciences 30*: 135–48.
- Carr, A. 1967. *So excellent a fishe; a natural history of sea turtles*. Garden City, New York: Natural History Press. 248 p.
- Cely, J.E. 1991. Wildlife effects of Hurricane Hugo. *Journal of Coastal Research 8*: 319–326.
- Chamberlin, T.C. 1890. The method of multiple working hypotheses. *Science (old series)*, 15:

- 92–96; reprinted 1965: 148, 754–759.
- Chowns, T.M., and J.B. Stogner. 2008. Relocation of inlets on the Georgia coast: is Blackbeard Island the southern tip of St. Catherines spit? *Georgia Journal of Science* 66: 20.
- Chowns, T.M., and J.B. Stogner. 2008. Is Blackbeard Island on the Georgia coast the southern tip of St. Catherines Spit? *Geological Society of America, Abstracts with Programs* 40 (4): 72.
- Chowns, T.M., B.S. Schultz, and J.R. Griffin. 2002. Jumping inlets, spits and islands on the Georgia coast, USA. *Geological Society of America, Abstracts with Programs* 34 (2): 110.
- Chowns, T.M., B.S. Schultz, and J.R. Griffin. 2006. Recent changes on Jekyll Island, Georgia, caused by relocation of Brunswick River. *Georgia Geological Society Guidebook* 26: 1–14.
- Chowns, T.M., B.S. Schultz, J.R. Griffin, and M.R. Crook, Jr. 2008. Relocation of Brunswick River and other estuaries on the Georgia, USA coast as a consequence of Holocene transgression. *Southeastern Geology* 45 (3): 143–159.
- Church, J.A., N.J. White, T. Aarup, W.S. Wilson, P.L. Woodworth, C.M. Domingues, J.R. Hunter, and K. Lambeck. 2008. Understanding global sea levels: past, present and future. *Sustainability Science* 3 (1): 9–22.
- Clark, J.A., W.E. Farrell, and W.R. Peltier. 1978. Global changes in postglacial sea level: a numerical calculation. *Quaternary Research* 9 (3): 265–287.
- Clayton, T.D., L.A. Taylor, Jr., W.J. Cleary, P.E. Hosier, P.H.F. Graber, W.J. Neal, and O.H. Pilkey, Sr. 1992. *Living with the Georgia shore*. Durham, NC: Duke University Press.
- Coe, A.L. 2003. *The sedimentary record of sea-level change*. Cambridge: Cambridge University Press, 288 p.
- Cofer, H.E., Jr., and J.P. Manker. 1983. *Geology and resources of the Andersonville, Georgia kaolin and bauxite district*. U.S. Geological Survey Open-File Report: 83–580.
- Coile, N.C., and S.B. Jones, Jr. 1988. Checklist of the vascular flora of St. Catherines Island, Georgia. *American Museum of Natural History Novitates* 2920: 1–14.
- Coleman, J.M. 1988. Dynamic changes and processes in the Mississippi delta. *Geological Society of American Bulletin* 100: 999–1015.
- Collins, E.S., D.B. Scott, and P.T. Gayes. 1999. Hurricane records on the South Carolina coast: can they be detected in the sediment record? *Quaternary International* 56: 15–26.
- Colman, S.M., R.B. Mixon, M. Rubin, A.L. Bloom, G.H. Johnson, M.A. Toscano, K. Finkelstein, and M.S. Kearney. 1989. Comments and reply on “Late Pleistocene barrier island sequence along the southern Delmarva Peninsula. Implications for middle Wisconsin sea levels.” *Geology* 17 (1): 84–88.
- Colquhoun, D.J., and M.J. Brooks. 1986. New evidence from the southeastern United States for eustatic components in the late Holocene sea levels. *Geoarchaeology* 1: 275–291.
- Colquhoun, D.J., M.J. Brooks, J. Michie, W.H. Abbott, F.W. Stapor, W.F. Newman, and R.R. Pardi. 1981. Location of archaeological sites with respect to sea level in the Southeastern United States. *In* L.K. Konigsson and K. Paa-bo (editors), *Florilegium Florinis Dedicatum, Striae* 14: 144–150.
- Colquhoun, D.J., M.J. Brooks, and P.A. Stone. 1995. Sea-level fluctuation: emphasis on temporal correlations with records from areas with strong hydrologic influences in the southeastern United States. *Journal of Coastal Research, Special Issue* 17: 191–196.
- Commuto, J.A., C.A. Currier, L.R. Kane, K.A. Reinsel, and I.M. Ulm. 1995. Dispersal dynamics of the bivalve *Gemma gemma* in a patchy environment. *Ecological Monographs* 65: 1–20.
- Continental Shelf Associates, Inc. 1979. *South Atlantic hard bottom study*. Final report prepared for Bureau of Land Management under Contract No. AA551-CT8-25, Continental Shelf Associates, Tequesta, Florida: 356 p.
- Conyers, L.B. 2009. Ground-penetrating radar mapping for cultural resource detection and evaluation. Internet resource (<http://mysite.du.edu/~lconyers/SERDP/GPR2.htm>), accessed May 31, 2009.
- Cook, F.C. 1975. The seasonal perspective of marine-oriented prehistoric hunter-gatherers. *In* G.D. Rosenberg and S.K. Runcorn (editors), *Growth rhythms and the history of the earth’s rotation*: 243–253. London: Wiley.
- Cox, C.B., and P.D. Moore. 1973. *Biogeography: an ecological and evolutionary approach*, 3rd ed. New York: John Wiley and Sons.
- Cronin, T.M., B.J. Szabo, T.A. Ager, J.E. Hazel, and J.P. Owens. 1981. Quaternary climates and sea levels of the U.S. Atlantic Coastal

- Plain. *Science* 211: 233–240.
- Crook, M.R., Jr. 1978. Mississippian period community organizations on the Georgia Coast. Ph.D. dissertation, University of Florida, Department of Anthropology.
- Crook, M.R., Jr. 1992. Oyster sources and their prehistoric use on the Georgia coast. *Journal of Archaeological Science* 19: 483–496.
- Crowley, T.J., and G.R. North. 1991. Paleoclimatology. *Oxford Monographs on Geology and Geophysics* 16: vii–339. New York: Oxford University Press.
- Crusoe, D., and C.B. DePratter. 1976. A new look at the Georgia coastal Shellmound Archaic. *Florida Anthropologist* 29 (1): 1–23.
- Culver, S.J., J.W. Han, G.F. Oertel, and M.A. Buzas. 1996. Foraminifera of coastal depositional environments, Virginia, U.S.A.: distribution and taphonomy. *Palaaios* 11: 459–486.
- Curry, J.R. 1960. Sediments and history of Holocene transgression, continental shelf, northwest Gulf of Mexico. In F.P. Shepard, F.B. Pflieger, and T.H. Van Andel (editors), *Recent sediments northwest Gulf of Mexico*. AAPG: 221–226.
- Dame, R.F. 1972. Comparisons of various allometric relationships in intertidal and subtidal American oysters. *Fishery Bulletin* 70: 1121–1126.
- Daniels, D.J. 2004. Ground penetrating radar. 2nd ed. In N. Stewart and H. Griffiths (editors), *IEEE Radar, Sonar, Navigation and Avionics Series 15*. Cornwall, UK: MPG Books Limited, Bodwin: 726 p.
- Dansgaard, W., W.C. White, and S.J. Johnsen, 1989. The abrupt termination of the Younger Dryas climate event. *Nature* 339: 532–534.
- Darrell, J.H., II, N.A. Brannen, and G.A. Bishop. 1993. The beach. In K.M. Farrell, C.W. Hoffman, and V.J. Henry, Jr. (editors), *Geomorphology and facies relationships of Quaternary Barrier Island complexes near St. Marys, Georgia*. *Georgia Geological Society Guidebooks* 13: 16–18.
- Dashtgard, S.E., and M.K. Gingras. 2005. Facies architecture and ichnology of recent salt-marsh deposits: Waterside Marsh, New Brunswick, Canada. *Journal of Sedimentary Research* 75: 596–607.
- Davis, B.A.S., S. Brewer, A.C. Stevenson, and J. Guiot. 2003. The temperature of Europe during the Holocene reconstructed from pollen data. *Quaternary Science Reviews*: 22, 15–17, 1701–1716.
- Davis, R.A. 1994. Barrier Island systems—a geologic overview. In R.A. Davis (editor), *Geology of Holocene barrier island systems*: 1–46. Amsterdam: Springer-Verlag.
- Davis, R.A. 1997. Geology of the Florida coast. In A.F. Randazzo and D.S. Jones (editors), *The geology of Florida*: 155–168. Gainesville: University of Florida Press.
- Davis, R.A., and M.O. Hayes. 1984. What is a wave-dominated coast? *Marine Geology* 60: 313–329.
- Davis, R.E., and R. Dolan. 1993. Nor'easters. *American Scientist* 81: 428–439.
- Deery, J.R., and J.D. Howard. 1977. Origin and character of washover fans on the Georgia coast, U.S.A. *Transactions of the Gulf Coast Association of Geological Societies* 27: 259–271.
- Delcourt, H.R. 1980. Late Quaternary vegetation history of the eastern highland rim and adjacent Cumberland Plateau of Tennessee. *Ecological Monographs* 49: 255–280.
- Delcourt, H.R. 2002. *Forest in peril*. Blacksburg, VA: MacDonald & Woodward: 234 p.
- Delgado, S., and W.J. Nichols. 2005. Saving sea turtles from the ground up: awakening sea turtle conservation in northwestern Mexico. *Mast* 3 (2) and 4 (1): 89–104.
- Demarest, J.M., and J.C. Kraft. 1987. Stratigraphic record of Quaternary sea levels: implications for more ancient strata. In D. Nummedal, O.H. Pilkey, and J.D. Howard (editors), *Sea level fluctuation and coastal evolution*. *Society of Economic Paleontologists and Mineralogists Special Publication* 41: 223–239.
- de Montaudouin, X. 1997. Potential of bivalves' secondary settlement differs with species: a comparison between cockle (*Cerastoderma edule*) and clam (*Ruditapes philippinarum*) juvenile resuspension. *Marine Biology* 128: 639–648.
- Deo, J.N., J.O. Stone, and J.K. Stein. 2004. Building confidence in shell: variations in the marine radiocarbon reservoir correction for the Northwest Coast over the past 3000 years. *American Antiquity* 69 (4): 771–786.
- de Oviedo, G.F. 1526 (reprinted 1959). *Sumario de la historia natural de las Indias, "Natural History of the West Indies,"* S.A. Stoudemire (translator). Chapel Hill: University of North Carolina Press, 140 p.

- DePratter, C.B. 1975. An archaeological survey of P.H. Lewis property, Skidaway Island, Chatham County, Georgia. Ms. on file, State Historic Preservation Office, Atlanta, Georgia: 1–163.
- DePratter, C.B. 1976a. The shellmound archaic on the Georgia coast. M.A. thesis, University of Georgia, Athens.
- DePratter, C.B. 1976b. An archaeological survey of the P.H. Lewis property, Skidaway Island, Chatham County, Georgia. Mimeographed.
- DePratter, C.B. 1977a. Environmental changes on the Georgia coast during the prehistoric period. *Early Georgia* 5 (1–2): 1–14.
- DePratter, C.B. 1977b. History of shoreline changes determined by archaeological dating: Georgia coast United States. University of Georgia Marine Institute 337.
- DePratter, C.B. 1978. Prehistoric settlement and subsistence systems, Skidaway Island, Georgia. *Early Georgia* 6: 65–80.
- DePratter, C.B. 1979a. Ceramics. In D.H. Thomas and C.S. Larsen (editors), *The anthropology of St. Catherines Island: 2. The Refuge-Deptford mortuary complex*. Anthropological Papers of the American Museum of Natural History 56 (1): 109–132.
- DePratter, C.B. 1979b. Shellmound Archaic on the Georgia coast. *South Carolina Antiquities* 11: 1–69.
- DePratter, C.B. 1984. Irene manifestations on the northern Georgia coast. *Early Georgia* 12 (1–2): 44–58.
- DePratter, C.B. 1991. W.P.A. archaeological excavations in Chatham County, Georgia: 1937–1942. University of Georgia, Laboratory of Archaeology Series, Report 29.
- DePratter, C.B., and J.D. Howard. 1977. History of shoreline changes determined by archaeological dating: Georgia coast, U.S.A. *Transactions of the Gulf Coast Association of Geological Societies* 27: 252–258.
- DePratter, C.B., and J.D. Howard. 1980. Indian occupation and geologic history of the Georgia coast: a 5000-year summary. In J.D. Howard, C.B. DePratter, and R.W. Frey (editors), *Excursions in southeastern geology: the archaeology-geology of the Georgia coast*: 1–65. Geological Society of America Annual Meeting, Atlanta, Georgia.
- DePratter, C.B., and J.D. Howard. 1981. Evidence for a sea level lowstand between 4500 and 2400 years B.P. on the southeast coast of the United States. *Journal of Sedimentary Research* 51 (4): 1287–1295.
- Dockal, J.A. 1995. Evaluation of an apparent Late Pleistocene (25–40 ka B.P.) sea level high stand: an artifact of a greatly enhanced cosmic ray flux of ~60 ka B.P. *Journal of Coastal Research* 11 (3): 623–636.
- Dodd, M.G., and A.H. Mackinnon. 2002. Loggerhead turtle (*Caretta caretta*) nesting in Georgia, 2001. Georgia Department of Natural Resources. Annual Report to United States Fish and Wildlife Service for Grant E-5-1. Coastal Endangered Species Management: 46 p.
- Dodd, M.G., and A.H. Mackinnon. 2006. Loggerhead turtle nesting in Georgia, 2005. Annual Report submitted to U.S. Fish and Wildlife Service for grant E-5-5, Georgia Department of Natural Resources Nongame Wildlife–Natural Heritage Section. Coastal Endangered Species Management: 47 p.
- Dolan, R., and J. Peatross. 1992. Shoreline erosion and accretion of the middle Atlantic coast. U.S. Geological Survey Open-File Report 92–377. US Geological Survey, Denver, Colorado, 1 sheet.
- Domey, R.S. 1954. Ecology of marsh raccoons. *Journal of Wildlife Management* 18: 217–225.
- Donnelly, C., and A.H. Sallenger. 2007. Characterisation and modelling of washover fans. *Proceedings Coastal Sediments '07 Conference*: 2061–3073. Reston, VA: ASCE Press.
- Donnelly, J.P., and M.D. Bertress. 2001. Rapid shoreward encroachment of salt marsh cordgrass in response to accelerated sea-level rise. *Proceedings National Academy of Sciences* 98: 14218–14223.
- Donnelly, J.P., and L. Giosan. 2008. Tempestuous highs and lows in the Gulf of Mexico. *Geology* 36 (9): 751–752.
- Donoghue, J.F., and W.F. Tanner. 1992. Quaternary terraces and shorelines of the panhandle Florida region. In J.F. Wehmiller and C.H. Fletcher (editors), *Quaternary coasts of the United States: marine and lacustrine systems*, SEPM special publication 48, Tulsa, Society for Sedimentary Geology: 233–241.
- Donoghue, J.F., and N.M. White. 1995. Late Holocene sea level change and delta migration, Apalachicola River region, northwest Florida, U.S.A. *Journal of Coastal Research* 11 (3): 651–663.
- Donoghue, J.F., R.A. Davis, and D.E. Krantz.

1995. Episodic sea-level change during the Quaternary: Evidence from southeastern U.S. *Journal of Coastal Research* 11 (3): 571–572.
- Donoghue, J.F., F.W. Stapor, and W.F. Tanner. 1998. Discussion of: Otvos, E.G., 1995. Multiple Pliocene-Quaternary marine highstands, northeast Gulf coastal plain—fallacies and facts. *Journal of Coastal Research* 11: 984–1002. *Journal of Coastal Research* 14: 669–674.
- Doran, G.H. (editor). 2002. Windover. Gainesville: University Press of Florida.
- Dörjes, J. 1972. Georgia coastal region, Sapelo Island, U.S.A.: Sedimentology and biology. VII. Distribution and zonation of macrobenthic animals. *Senckenbergiana Maritima* 4: 183–216.
- Dörjes, J. 1977. Marine macrobenthic communities of the Sapelo Island, Georgia region. In B.C. Coull (editor), *Ecology of marine benthos*: 399–421. Columbia: University of South Carolina Press.
- Dörjes, J., and G. Hertweck. 1975. Recent biocoenoses and ichnocoenoses in shallow-water marine environments. In R.W. Frey (editor), *The study of trace fossils*: 459–491. New York: Springer-Verlag.
- Douglas, B.C., M.S. Kearney, and S.P. Leatherman. 2001. Sea level rise: history and consequences. *International Geophysics Series* 75. New York: Academic Press: 232 p.
- Dow, R.L., and D.E. Wallace. 1955. Natural redistribution of a quahog population. *Science* 122: 641–642.
- Drake, J.C. 1891. On the sounds and estuaries of Georgia with reference to oyster culture. *U.S. Coast and Geodetic Survey Bulletin* 19: 179–209.
- Dreher, C.A., J.G. Flocks, N.F. Ferina, and M.A. Kulp. 2008. Archive of sediment data collected from Sandy Point to Belle Pass, Louisiana, 1983 through 2000. *Vibracore Surveys*: 00SCC, CR83, P86, and USACE Borehole Cores. U.S. Geological Survey Data Series DS-344. Internet resource (<http://pubs.usgs.gov/ds/344/>), accessed December 8, 2010.
- Duc, A.W., and R.S. Tye. 1987. Evolution and stratigraphy of a regressive barrier/backbarrier complex: Kiawah Island, South Carolina. *Sedimentology* 34: 237–251.
- Duffield, L.F. 1974. Nonhuman vertebrate remains from Salts Cave Vestibule. In P.J. Watson (editor), *Archaeology of the Mammoth Cave area*: 123–133. New York: Academic Press.
- Duncan, G.A. 1983. Sediment characteristics and sedimentary processes of North Beach, St. Catherines Island, Georgia. Master's thesis, University of Georgia, Athens.
- Duncan, G.A. 1986. Burrows of *Ocypode quadrata* (Fabricius) as related to slopes of substrate surfaces. *Journal of Paleontology* 60: 384–389.
- Dye, T. 1994. Apparent ages of marine shells: implications for archaeological dating in Hawaii. *Radiocarbon* 36 (1): 51–57.
- Edwards, A.L. 1988. Latitudinal clines in shell morphologies of *Busycon carica* (Gmelin, 1791). *Journal of Shellfish Research* 7 (3): 461–466.
- Edwards, A.L., and M.G. Harasewych. 1988. Biology of the recent species of the subfamily Busyconinae. *Journal of Shellfish Research* 7 (3): 467–472.
- Edwards, J.M., and R.W. Frey. 1977. Substrate characteristics within a Holocene salt marsh, Sapelo Island, Georgia. *Senckenbergiana Maritima* 9: 215–259.
- Ekdale, A.A., R.G. Bromley, and D.T. Loope. 2007. Ichnofacies of an ancient erg: a climatically influenced ichnofacies in the Jurassic Navajo Formation, southern Utah, U.S.A. In W. Miller, III (editor), *Trace fossils: concepts, problems, prospects*: 562–574. Amsterdam: Elsevier.
- Emerson, C.W., and J. Grant. 1991. The control of soft-shell clam (*Mya arenaria*) recruitment on intertidal sandflats by bedload sediment transport. *Limnology and Oceanography* 36 (7): 1288–1300.
- Emery, K.O., R.L. Wigley, A.S. Bartlett, M. Rubin, and E.S. Barghoorn. 1967. Freshwater peat on the continental shelf. *Science* 108: 1301–1307.
- Engelhart, S.E., B.P. Horton, B.C. Douglas, W.R. Peltier, and T.E. Törnqvist. 2009. Spatial variability of late Holocene and 20th century sea-level rise along the Atlantic coast of the United States. *Geology* 37 (12): 1115–1118.
- Engeman, R.M., R.E. Martin, H.T. Smith, J. Woolard, C.K. Crady, M. Stahl, and N.P. Groninger. 2006. Impact on predation of sea turtle nests when predator control was removed midway through the nesting season. *Wildlife Research* 33: 187–192.

- Eversole, A.G., W.D. Anderson, and J.J. Isely. 2008. Age and growth of the knobbed whelk *Busycon carica* (Gmelin 1791) in South Carolina subtidal waters. *Journal of Shellfish Research* 27 (2): 423–426.
- Evin, J.F., P. Fortink, and C. Oberline. 1995. Calibration et modes de representation des datations radiocarbons concernant de néolithique de l'este et du sud-est de la France. In J.-L. Voruz (editor), *Chronologies néolithiques*: 31–39. Ambérieu-en-Bugey: Société Préhistorique Rhodanienne.
- Fairbanks, R.G. 1989. A 17,000-year glacio-eustatic sea level record: influence of glacial melting rates on the Younger Dryas event and deep-ocean circulation. *Nature* 342: 637–642.
- Farrell, K.M., V.J. Henry, Jr., and S.V. Cofer-Shabica. 1993. Geomorphology, facies sequences and processes in backbarrier salt marshes, Cumberland Island, Georgia. *Georgia Geological Society Guidebooks* 13 (1): 42–62.
- Farrell, K.M., C.W. Hoffman, and V.J. Henry, Jr. (editors). 1993. Geomorphology and facies relationships of Quaternary barrier island complexes near St. Marys, Georgia. *Georgia Geologic Society Guidebook* 13: 98 p.
- Farrow, G.E. 1971. Back-reef and lagoonal environments of Aldabra Atoll distinguished by their crustacean burrows. *Zoological Society of London, Symposium* 28: 455–500.
- Ferguson, S.M., J.C. DeLaMater, N.J. Wieclaw, R.K. Vance, F.J. Rich, and G.A. Bishop. 2009. A geophysical, stratigraphic and palynological investigation of the Central Depression on St. Catherines Island Georgia. 58th Annual Meeting Southeastern Section of the Geological Society of America, Abstracts with Programs 41 (1): 41.
- Ferguson, S.M., F.J. Rich, and R.K. Vance. 2010. A palynological investigation of the Central Depression on St. Catherines Island, Georgia. Joint Meeting of the Northeastern and Southeastern Sections of the Geological Society of America, March 13–16, 2010. Abstracts 42 (1): 175.
- Fierstien, J.F., IV, and H.B. Rollins. 1987. Observations on intertidal organism associations of St. Catherines Island, Georgia. II. Morphology and distribution of *Littorina irrorata* (Say). *American Museum of Natural History Novitates* 2873: 1–31.
- Finkelstein, K., and M.S. Kearney. 1988. Late Pleistocene barrier-island sequence along the southern Delmarva Peninsula—implications for middle Wisconsin sea levels. *Geology* 16 (1): 41–45.
- Firestone, R.B., A. West, J.P. Kennett, L. Becker, T.E. Bunch, Z.S. Revay, P.H. Schultz, et al. 2007. Evidence for an extraterrestrial impact 12,900 years ago that contributed to the megafaunal extinctions and the Younger Dryas cooling. *Proceedings of the National Academy of Sciences* 104 (41): 16016–16021.
- Fisher, J.B., and K. Jayachandran. 1999. Root structure and arbuscular mycorrhizal colonization of the palm *Serenoa repens* under field conditions. In *The Supporting roots—structure and function*. International Conference, *Plant and Soil* 217: 229–241.
- Fleming, D.M., A.W. Palmisano, and T. Joanen. 1978. Food habits of coastal marsh raccoons with observations of alligator nest predation. *Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies* 30: 348–357.
- Fleming, K., P. Johnston, D. Zwartz, Y. Yusuke, K. Lambeck, and J. Chappell. 1998. Refining the eustatic sea-level curve since the Last Glacial Maximum using far- and intermediate-field sites. *Earth and Planetary Science Letters* 163: 327–342.
- Fletcher, C.H., J.E. Van Pelt, G.S. Brush, and J. Sherman. 1993. Tidal wetland record of Holocene sea-level movements and climate history. *Palaeogeography, Palaeoclimatology, and Palaeoecology* 102: 177–213.
- Forman, S.L., and L. Polyak. 1997. Radiocarbon content of pre-bomb marine mollusks and variations in the ¹⁴C reservoir age for coastal areas of the Barents and Kara seas, Russia. *Geophysical Research Letters* 24: 885–888.
- Foster, J.B. 1964. The evolution of mammals on islands. *Nature* 202: 234–235.
- Foyle, A.M., V.J. Henry, Jr, and C.R. Alexander. 2004. Georgia—South Carolina coastal erosion study: phase 2 southern study region. State of Knowledge Report and Semi-Annotated Bibliography: 251 p.
- Franz, D.R. 1993. Allometry of shell and body weight in relation to shore level in the intertidal bivalve *Geukensia demissa* (Bivalvia: Mytilidae). *Journal of Experimental Marine Biology and Ecology* 174 (2): 193–207.
- Frazier, D.E. 1974. Depositional episodes: their relationship to the Quaternary framework in

- the northwestern portion of the Gulf Basin. Texas Bureau of Economic Geology, Geological Circular 74-1: 1–28.
- Frazier, J.G. 1996. Marine cheloniphiles and sustainable development. In J.A. Keinath, D. E. Barnard, J.A. Musick, and B. A. Bell (compilers), Proceedings of the 15th Annual Symposium on Sea Turtle Biology and Conservation, NOAA Technical memorandum NMFS-SEFSC 387: 92–96.
- Frazier, J.G. 2003. Prehistoric and ancient historic interactions between humans and marine turtles. In P.L. Lutz, J.A. Musick, and J. Wyneken (editors), The biology of sea turtles II, Boca Raton: CRC Press: 1–38.
- Frazier, J.G. 2005. Marine turtles—the ultimate tool box: a review of worked bones of marine turtles. In H. Luik, A.M. Choyke, C.E. Batey, and L. Lõugas (editors), Manufacture and use of bone artefacts from prehistoric times to the present. Proceedings of the 4th Meeting of the ICAZ Worked Bone Research Group at Tallinn, 26th–31st of August 2003: 359–382.
- Frazier, J.G. 2006. India's marine turtles: sentinels from antediluvian to post-modern times. Journal of the Bombay Natural History Society 103 (2–3): 401–407.
- Frazier, J.G. 2008. Baselines, slides, clocks, and the original state of marine turtles. Paper presented at the 28th Annual Sea Turtle Symposium, International Sea Turtle Society, Loreto, California, Baja Sur. Internet resource (http://iconferences.seaturtle.org/preview.shtml?event_id=14&abstract_id=2712), accessed December 8, 2010.
- Frey, R.W. 1970. Environmental significance of recent marine lebensspuren near Beaufort, North Carolina. Journal of Paleontology 44: 507–519.
- Frey, R.W., and P.B. Basan. 1978. Coastal salt marshes. In R.A. Davis (editor), Coastal sedimentary environments: 101–169. New York: Springer.
- Frey, R.W., and P.B. Basan. 1981. Taphonomy of relict Holocene salt marsh deposits, Cabretta Island, Georgia. Senckenbergiana Maritima 13: 111–155.
- Frey, R.W., and P.B. Basan. 1985. Coastal salt marshes. In R.A. Davis, Jr. (editor), Coastal sedimentary environments, 2nd ed.: 225–301. New York: Springer-Verlag.
- Frey, R.W., and J.D. Howard. 1969. A profile of biogenic sedimentary structures in a Holocene barrier island–salt marsh complex, Georgia. Transactions of the Gulf Coast Association of Geological Societies 19: 427–444.
- Frey, R.W., and J.D. Howard. 1986. Mesotidal estuarine sequences: a perspective from the Georgia Bight. Journal of Sedimentary Petrology 56: 911–924.
- Frey, R.W. and J.D. Howard. 1988. Beaches and beach-related facies, Holocene barrier islands of Georgia. Geological Magazine 125: 621–640.
- Frey, R.W., and T.V. Mayou. 1971. Decapod burrows in Holocene barrier island beaches and washover fans, Georgia: Senckenbergiana Maritima 3: 53–77.
- Frey, R.W., and S.G. Pemberton. 1986. Vertebrate lebensspuren in intertidal and supratidal environments, Holocene barrier island, Georgia. Senckenbergiana Maritima, 18: 97–121.
- Frey, R.W., and S.G. Pemberton. 1987. The *Psilonichnus* ichnoconose, and its relationship to adjacent marine and nonmarine ichnoconoses along the Georgia coast. Bulletin Canadian Petroleum Geology 35: 333–357.
- Frey, R.W., P.B. Basan, and R.M. Scott. 1973. Techniques for sampling salt marsh benthos and burrows. American Midland Naturalist 89: 228–234.
- Frey, R.W., J.D. Howard, and W.A. Pryor. 1978. *Ophiomorpha*: Its morphologic, taxonomic, and environmental significance: Palaeogeography, Palaeoclimatology, Palaeoecology 23: 199–229.
- Frey, R.W., H.A. Curran, and S.G. Pemberton. 1984. Tracemaking activities of crabs and their environmental significance: the ichnogenus *Psilonichnus*. Journal of Paleontology 58: 333–335.
- Frey, R.W., P.B. Basan, and J.M. Smith. 1987. Rheotaxis and distribution of oysters and mussels, Georgia tidal creeks and salt marshes, U.S.A. Palaeogeography, Palaeoclimatology, Palaeoecology 61: 1–16.
- Frodeman, R. 1995. Geological reasoning: Geology as an interpretive and historical science. Geological Society of America, Bulletin 107 (8): 960–968.
- Frodeman, R. 2003. Geo-logic: breaking ground between philosophy and the earth sciences. Albany, NY: State University of New York Press, 184 p.
- Froede, C.R. 2002. Rhizolith evidence in support of a Late Holocene sea-level highstand at least

- 0.5 m higher than present at Key Biscayne, Florida. *Geology* 30 (3): 203–206.
- Fürsich, F.T. 1981. Invertebrate trace fossils from the Upper Jurassic of Portugal: Comunicações dos Serviços Geológicos de Portugal, 67: 153–168.
- Gagliano, S.M. 1967. Occupation sequence at Avery Island. Louisiana State University Press, Baton Rouge. Coastal Studies Series No. 22.
- Galloway, W.E. 1989. Genetic stratigraphic sequences in basin analysis I: architecture and genesis of flooding-surface bounded depositional units. *Bulletin of the American Association of Petroleum Geologists* 73: 125–142.
- Garrison, E.G. 2003. Techniques in archaeological geology. New York: Springer-Verlag: 309 p.
- Garrison, E.G. 2006. Two archaeological and paleontological localities on the Atlantic southeastern U.S. continental shelf, Gray's Reef National Marine Sanctuary and J-Reek, Georgia. *Geological Society of America Abstracts with Programs* 38 (7): 148.
- Garrison, E.G., and J.G. Baker. 1985. Magnetic prospection and the discovery of Mission Santa Catalina de Guale, Georgia. *Journal of Field Archaeology* 12 (3): 299–313.
- Gautier, A. 1993. Trace fossils in archaeozoology. *Journal of Archaeological Science* 20: 511–523.
- Gayes, P.T., D.B. Scott, E.S. Collins, and D.D. Nelson. 1992. A Late Holocene sea-level irregularity in South Carolina; *Society of Economic Paleontologists and Mineralogists, Special Publication* 48: 154–160.
- Georgia Geological Survey. 1976. Geologic map of Georgia. Geology and Water Resources Division, Department of Natural Resources, Atlanta, GA.
- Georgia Ports Authority, Department of the Army, Corps of Engineers. 1998. Savannah Harbor expansion project, Chatham County, Georgia, and Jasper County, South Carolina. EPA number: 980363F, Part 1: 587 p.; Part 2: 568 p.
- Giddings, J.L. 1961. Cultural continuities of Eskimos. *American Antiquity* 27 (2): 155–173.
- Giddings, J.L. 1966. Cross-dating the archaeology of northwestern Alaska. *Science* 153 (3732): 127–135.
- Gifford, J.A., and G. Rapp, Jr. 1985. History, philosophy and perspectives. *In* G. Rapp, Jr. and J.A. Gifford (editors), *Archaeological geology*: 1–23. New Haven: Yale University Press.
- Giosan, L., J.P. Donnelly, S. Constantinescu, F. Filip, I. Ovejanu, A. Vespremeanu-Stroe, E. Vespremeanu, and G.A.T. Duller. 2006. Young Danube delta documents stable Black Sea level since the Middle Holocene: morphodynamic, paleogeographic, and archaeological implications. *Geology* 34 (9): 757–760.
- Gladfelter, B.G. 1977. Geoarchaeology: the geomorphologist and archaeology. *American Antiquity* 42 (4): 519–538.
- Gladfelter, B.G. 1981. Developments and directions in geoarchaeology. *In* M. Schiffer (editor), *Advances in archaeological method and theory* 4: 343–364. New York: Academic Press.
- Gleason, H.A., and A. Cronquist. 1963. *Manual of vascular plants of northeastern United States and adjacent Canada*. New York: Van Nostrand Reinhold: 810 p.
- Gmelin, J.F. 1791. *Caroli a Linné, systema naturae*. Tom I (VI): 3021–3910.
- Goodbred, S.L., Jr., E.E. Wright, and A.C. Hine. 1998. Sea-level change and storm-surge deposition in a late Holocene Florida salt marsh. *Journal of Sedimentary Research* 68 (2): 240–252.
- Goodfriend, G.A., and H.B. Rollins. 1998. Recent barrier beach retreat in Georgia. Dating exhumed salt marshes by aspartic acid racemization and post-bomb radiocarbon. *Journal of Coastal Research* 14 (3): 960–969.
- Goodwin, P.W., E.J. Anderson, W.M. Goodman, and L.J. Saraka. 1986. Punctuational aggradational cycles: implications for stratigraphic analysis. *Paleoceanography* 1 (4): 417–429.
- Gosselin, L.A. and P.Y. Qian. 1997. Juvenile mortality in benthic marine invertebrates. *Marine Ecology Progress Series* 146: 265–282.
- Gould, S.J. 1989. *Wonderful life: the Burgess Shale and the nature of history*. New York: W.W. Norton: 347 p.
- Grayson, D.K., and M.D. Cannon. 1999. Human paleoecology and foraging theory in the Great Basin. *In* C. Beck (editor), *Models for the millennium, Great Basin anthropology today*: 141–151. Salt Lake City: University of Utah Press.
- Grayson, D.K., and D.J. Meltzer. 2002. Clovis hunting and large mammal extinction: a critical review of the evidence. *Journal of World Prehistory* 16 (4): 313–359.
- Gregory, M.R., A.J. Martin, and K.A. Camp-

- bell. 2004. Composite trace fossils formed by plant and animal behavior in the Quaternary of northern New Zealand and Sapelo Island, Georgia (USA). *Fossils and Strata* 51: 88–105.
- Gregory, M.R., K.A. Campbell, R. Zuraida, and A.J. Martin. 2006. Plant traces resembling *Skolithos*. *Ichnos* 13: 205–216.
- Gremillion, K.J. 2004. Environment. In W. Sturtevant (general editor), *Handbook of North American Indians* 14: 53–67. Washington, DC: Smithsonian Institution.
- Griffin, M.M., and V.J. Henry, Jr. 1984. Historical changes in the mean high water shoreline of Georgia: 1857–1982. Georgia Department of Natural Resources, Geological Survey Bulletin 98.
- Grimm, E.C., and G.L. Jacobson, Jr. 1992. Fossil-pollen evidence for abrupt climate changes during the past 18,000 years in eastern North America. *Climate Dynamics* 6: 179–184.
- Grimm, E.C., G.L. Jacobson, Jr., W.A. Watts, B.C.S. Hansen, and K.A. Maasch. 1993. A 50,000-year record of climate oscillations from Florida and its temporal correlation with the Heinrich events. *Science* 261: 198–200.
- Grimm, E.C., S. Lozano-Garcia, H. Behling, and V. Margraf. 2001. In V. Margraf (editor), *Interhemispheric climate linkages*: 325–370. San Diego: Academic Press.
- Grizzle, R.E., J.R. Adams, and L.J. Walters. 2002. Historical changes in intertidal oyster (*Crassostrea virginica*) reefs in a Florida lagoon potentially related to boating activities. *Journal of Shellfish Research*, 21 (2): 749–756.
- Guerrero, D., and D.H. Thomas. 2008. The ceramic typology. In D.H. Thomas, *Native American landscapes of St. Catherines Island, Georgia II. The data*. *Anthropological Papers of the American Museum of Natural History* 88 (2): 372–403.
- Guilday, J.E., H.W. Hamilton, E. Anderson, and P.W. Parmalee. 1978. The Baker Bluff Cave deposit, Tennessee and the Late Pleistocene faunal gradient. *Carnegie Museum of Natural History Bulletin* 11.
- Gulko, D.A., and K.L. Eckert. 2004. *Sea turtles: an ecological guide*. Honolulu: Mutual Publishing: 128 p.
- Gunter, G. 1938. Comments on the shape, growth and quality of the American oyster. *Science, New Series*, 88 (2293): 546–547.
- Gunther, C.P. 1991. Settlement of *Macoma balthica* on an intertidal sandflat in the Wadden Sea. *Marine Ecology Progress Series* 76: 73–79.
- Hailman, J.P., and A.M. Elowson. 1992. Ethogram of the nesting female loggerhead (*Caretta caretta*). *Herpetologica* 48 (1): 1–30.
- Hails, J.R., and J.H. Hoyt. 1968. Barrier Island development on submerged coasts: problems of sea level changes from a study of the Atlantic Coastal Plain of Georgia, USA, and parts of the east Australia coast. *Zeitschrift für Geomorphologie, suppl. band 7*: 24–55.
- Hails, J.R., and J.H. Hoyt. 1969. An appraisal of the evolution of the lower Atlantic Coastal Plain of Georgia, U.S.A. *Transactions of the Institute of British Geographers* 46: 53–68.
- Hames, R., and W. Vickers. 1982. Optimal diet breadth theory as a model to explain variability in Amazonian hunting. *American Ethnologist* 9: 358–378.
- Harding, J.M., R. Mann, and M.J. Southworth. 2008. Shell length-at-age relationships in James River, Virginia, oysters (*Crassostrea virginica*) collected four centuries apart. *Journal of Shellfish Research* 27 (5): 1109–1115.
- Harman, D.M., and H.J. Stains. 1979. The raccoon (*Procyon lotor*) on St. Catherines Island, Georgia 5. Winter, spring, and summer food habits. *American Museum of Natural History Novitates* 2679: 1–24.
- Hasiotis, S.T., and A. Martin. 1999. Probable reptile nests from the Upper Triassic Chinle Formation, Petrified Forest National Park, Arizona. In V. Santucci, and L. McClelland (editors), *National Park Service Paleontological Research (U.S. Government Report)* 4: 85–90.
- Hasiotis, S.T., R.W. Wellner, A.J. Martin, and T.M. Demko. 2004. Vertebrate burrows from Triassic and Jurassic continental deposits of North America and Antarctica: their paleoenvironmental and paleoecological significance. *Ichnos* 11: 103–124.
- Hasiotis, S.T., B.F. Platt, D.I. Hembree, and M.J. Everhart. 2006. The trace-fossil record of vertebrates. In W. Miller, III (editor), *Trace fossils: concepts, problems, prospects*: 190–212. Amsterdam: Elsevier.
- Hathaway, J.C., C.W. Poag, P.C. Valent, R.E. Miller, D.M. Schultz, F.T. Manh, F.A. Kohout, M.H. Bothner, and D.A. Sang. 1979. U.S. Geological Survey core drilling on the Atlantic shelf. *Science* 206 (4418): 515–527.

- Havea, S., and K.T. MacKay. 2009. Marine turtle hunting in the Ha'apai Group, Tonga. *Marine Turtle Newsletter* 123: 15–17.
- Hawkes, K., and J.F. O'Connell. 1992. On optimal foraging models and subsistencies transitions. *Current Anthropology* 33 (1): 63–65.
- Hayes, M.O. 1967. Hurricanes as geological agents: case studies of Hurricanes Carla, 1961, and Cindy, 1963. University of Texas at Austin, Bureau of Economic Geology Report of Investigations 61: 54 p.
- Hayes, M.O. 1975. Morphology of sand accumulation in estuaries. In L.E. Cronin (editor), *Estuarine Research*, New York: Academic Press 2: 3–22.
- Hayes, M.O. 1994. The Georgia Bight barrier system. In R.A. Davis, Jr. (editor), *Geology of Holocene Barrier Islands: 233–304*. Berlin, Germany: Springer-Verlag.
- Hayes, R.H., and D.H. Thomas. 2008. Hydrology of St. Catherines Island. In D.H. Thomas, *Native American landscapes of St. Catherines Island, Georgia I. The theoretical framework*. *Anthropological Papers of the American Museum of Natural History* 88 (1): 56–58.
- Hayes, R.H., N.B. Marsh, and G.A. Bishop. 1995. Sea turtle nest depredation by a feral hog; a learned behavior. In J.A. Keinath, D.E. Barnard, J.A. Musick, and B.A. Bell (compilers), *Proceedings of the 15th Annual Symposium on Sea Turtle Biology and Conservation*, NOAA Technical Memorandum MNFS-SEF-SC 387: 129–134.
- Henderson, S.W., and R.W. Frey. 1986. Taphonomic redistribution of mollusk shells in a tidal inlet channel, Sapelo Island, Georgia. *Palaios* 1: 3–16.
- Henry, V.J., Jr. 1983. Final report: ocean bottom survey of the U.S. south Atlantic OC Region. U.S. Geological Survey Report, Contract Number 14-08-001-06266.
- Henry, V.J., Jr. 2005. Geology of the Georgia coast. Internet resource (www.georgiaencyclopedia.org), accessed on October 5, 2010.
- Henry, V.J., Jr., and R.T. Giles. 1980. Distribution and occurrence of reefs and hardgrounds in the Georgia Bight. In P. Popenoe (editor), *Environmental studies, southeastern U.S. Atlantic OCS, 1977*, Geology, U.S. Geological Survey, Open-File Report 80-146: 1–36.
- Henry, V.J., Jr., and J.H. Hoyt. 1968. Quaternary paralic and shelf sediments of Georgia. *Southeastern Geology* 9 (4): 195–214.
- Henry, V.J., Jr., R.T. Giles, and J.R. Woolsey. 1973. Geology of the Chatham County area, Georgia. In R.W. Frey (editor), *The Neogene of the Georgia Coast*. Georgia Geological Society 8th Annual Field Trip, University of Georgia, Athens, Georgia.
- Henry, V.J., Jr., R.G. Dean, and E.J. Olsen. 1987. Coastal engineering: processes, practices and impacts. Symposium Series 3, Association of Engineering Geologists, 30th Annual Meeting, Atlanta, Georgia: 58 p.
- Henry, V.J., Jr., K.M. Farrell, and S.V. Cofer-Shabica. 1993. A regional overview of the geology of barrier island complexes near Cumberland Island, Georgia. In K.M. Farrell, C.W. Hoffman, and V.J. Henry, Jr. (editors), *Geomorphology and facies relationships of Quaternary barrier island complexes near St. Marys, Georgia*. Georgia Geological Society Guidebooks 13 (1): 2–15.
- Hiddink, J.G., and W.J. Wolff. 2002. Changes in distribution and decrease in numbers during migration of the bivalve *Macoma balthica*. *Marine Ecology Progress Series* 233: 117–130.
- Hippensteel, S.P., and R.E. Martin. 1999. Foraminifera as an indicator of overwash deposits, barrier island sediment supply, and barrier island evolution: Folly Island, South Carolina. *Palaeogeography, Palaeoclimatology, Palaeoecology* 149: 115–125.
- Hirayama, R. 1998. Oldest known sea turtle. *Nature* 392: 705–708.
- Hogg, A.G., T.F.G. Higham, and J. Dahm. 1998. ¹⁴C dating of modern marine and estuarine shellfish. *Radiocarbon* 40 (2): 975–984.
- Hook, D.D., M.A. Buford, and T.M. Williams. 1991. Impact of Hurricane Hugo on the South Carolina coastal plain forest. *Journal of Coastal Research* 8: 291–300.
- Hopkins, S.R., T.M. Murphy, K.B. Stansell, and P.M. Wilkinson. 1982. Biotic and abiotic factors affecting nest mortality in the Atlantic loggerhead turtle. *Proceedings of the Annual Conference, Southeastern Association Game & Fish Commissioners* 32: 213–223.
- Horton, B.P. 2007. Mid-latitudes. In S.A. Elias (editor), *Encyclopedia of Quaternary science: 3064–3072*. Amsterdam: Elsevier.
- Horton, B.P., and I. Shennan. 2009. Compaction of Holocene strata and the implications for relative sea-level change on the east coast of England. *Geology* 2009 37 (12): 1083–1086.

- Horton, B.P., W.R. Peltier, S.J. Culver, R. Drummond, S.E. Engelhart, A.C. Kemp, D. Mallinson, E.R. Thieler, S.R. Riggs, and D.V. Ames. 2009. Holocene sea-level changes along the North Carolina coastline and their implications for glacial isostatic adjustment models. *Quaternary Science Reviews* 28: 1725–1736.
- Howard, J.D., and J. Dörjes. 1972. Animal-sediment relationships in two beach-related tidal flats, Sapelo Island, Georgia. *Journal of Sedimentary Petrology* 42: 608–623.
- Howard, J.D., and R.W. Frey. 1975. Estuaries of the Georgia coast, United States: sedimentology and biology: II. Regional animal-sediment characteristics of Georgia estuaries. *Senckenbergiana Maritima* 7: 33–103.
- Howard, J.D., and R.W. Frey. 1980. Holocene depositional environments of the Georgia coast and continental shelf. In J.D. Howard, C.B. DePratter, and R.W. Frey (editors), *Excursions in southeastern geology: the archaeology-geology of the Georgia coast*. Georgia Geological Survey, Guidebook 20: 66–134.
- Howard, J.D., and R.W. Frey. 1985. Physical and biogenic aspects of backbarrier sedimentary sequences, Georgia coast, U.S.A. *Marine Geology* 63: 77–127.
- Howard, J.D., and H.E. Reineck. 1972. Georgia coastal region, Sapelo Island, U.S.A.: sedimentology and biology. IV. Physical and biogenic sedimentary structures of the nearshore shelf. *Senckenbergiana Maritima* 4: 81–123.
- Howard, J.D., and R.M. Scott. 1983. Comparison of Pleistocene and Holocene barrier island beach-to-offshore sequence, Georgia and northeast Florida coasts. *Sedimentary Geology* 34: 167–183.
- Hoyt, J.H. 1967. Barrier island formation. *Geological Society of America Bulletin* 78: 1125–1136.
- Hoyt, J.H. 1968. Geology of the Golden Isles and lower Georgia coastal plain. In D.S. Maney (editor), *The future of the marshlands and sea islands of Georgia*: 18–32. Georgia Natural Areas Council and Coastal Planning and Development Commission.
- Hoyt, J.H., and J.R. Hails. 1967. Pleistocene shoreline sediments in coastal Georgia: depositional and modification. *Science* 155: 1541–1543.
- Hoyt, J.H., and J.R. Hails. 1974. Pleistocene stratigraphy of southeastern Georgia. In R.Q. Oaks and J. Dunbar (editors), *Post-Miocene stratigraphy: central and southern Atlantic coastal plain*: 191–205. Salt Lake City: Utah State University Press.
- Hoyt, J.H., and V.J. Henry, Jr. 1967. Influence of island migration on barrier-island sedimentation. *Geological Society of America Bulletin* 78: 77–86.
- Hoyt, J.H. and V.J. Henry, Jr. 1971. Origin of capes and shoals along the southeastern coast of the United States. *Geological Society of America Bulletin* 82: 59–66.
- Hoyt, J.H., R.J. Weimer, and V.J. Henry, Jr. 1964. Late Pleistocene and recent sedimentation, central Georgia coast, U.S.A. In L.M.J.U. Van Straaten (editor), *Deltaic and shallow marine deposits*: 170–176. Proceedings of the 6th International Sedimentological Congress, the Netherlands and Belgium, 1963. Amsterdam: Elsevier.
- Hoyt, J.H., R.J. Weimer, and V.J. Henry, Jr. 1966. Late Pleistocene and recent sedimentation, central Georgia Coast, U.S.A. In J.H. Hoyt, V.J. Henry, Jr., and J.D. Howard (editors), *Pleistocene and Holocene sediments, Sapelo Island, Georgia and vicinity*: 6–27. Field Trip 1. Southeastern Section, Geological Society of America.
- Hoyt, J.H., V.J. Henry, Jr., and R.J. Weimer. 1968. Age of late-Pleistocene shoreline deposits, coastal Georgia. In R.B. Morrison, and H.E. Wright (editors), *Means of correlation of Quaternary successions* 8: 381–393. Salt Lake City: University of Utah Press.
- Hubbard, S.M., M.K. Gingras, S.G. Pemberton, and M.B. Thomas. 2002. Variability in wave-dominated estuary sandstones: implications on subsurface reservoir development. *Bulletin of Canadian Petroleum Geology* 50: 118–137.
- Huddleston, P.F. 1988. A revision of the lithostratigraphic units of the Coastal Plain of Georgia—Miocene through Holocene. *Georgia Geological Survey Bulletin* 104. Atlanta, GA.
- Hudson, C. 1979. *Black drink: a Native American tea*. Athens: University of Georgia Press.
- Hudson, E. 1978. The raccoon (*Procyon lotor*) on St. Catherines Island, Georgia 2. Relative abundance in different forest types as a function of population density. *American Museum of Natural History Novitates* 2648: 1–15.
- Hudson, J.H., E. Shinn, R. Halley, and B. Lidz. 1976. Sclerochronology: a new tool for in-

- terpreting past environments. *Geology* 4: 361–364.
- Hugenholtz, C.H., B.J. Moorman, and S.A. Wolfe. 2007. Ground Penetrating Radar (GPR) imaging of the internal structure of an active parabolic sand dune. In G.S. Baker, and H.M. Jol (editors), *Stratigraphic analyses using GPR*: 1–18. Geological Society of America Special Paper 432.
- Hughen, K.A., M.G.L. Baillie, E. Bard, A. Bayliss, J.W. Beck, C. Bertrand, P.G. Blackwell, et al. 2004. Marine04 Marine terrestrial radiocarbon age calibration, 0–26 Kyr B.P. *Radiocarbon* 46: 1029–1958.
- Humphrey, C.M. 1981. Ecological genetics of the hard clams (*Mercenaria mercenaria* Linné and *Mercenaria campechiensis* Gmelin): electrophoretic estimates of enzyme variation and the use of shell morphology as a species indicator. Ph.D. dissertation, University of Georgia.
- Hunt, H.L. 2005. Effects of sediment source and flow regime on clam and sediment transport. *Marine Ecology Progress Series* 296: 143–153.
- Hunt, H.L., and L.S. Mullineaux. 2002. The roles of predation and postlarval transport in recruitment of the soft shell clam (*Mya arenaria*). *Limnology and Oceanography* 47: 151–164.
- Hunt, H.L., and R.E. Scheibling. 1997. Role of early post-settlement mortality in the recruitment of benthic marine invertebrates. *Marine Ecology Progress Series* 155: 269–301.
- Hunt, H.L., A. McLean, and L.S. Mullineaux. 2003. Post-settlement alteration of spatial patterns of soft-shell clam (*Mya arenaria*) recruits. *Estuaries* 26: 72–81.
- Hunt, H.L., M.-J. Maltais, D.C. Fugate, and R.J. Chant. 2007. Spatial and temporal variability in juvenile bivalve dispersal: effects of sediment transport and flow regime. *Marine Ecology Progress Series* 352: 145–159.
- Hunt, H.L., D.C. Fugate, and R.J. Chant. 2009. Modeling bedload transport of juvenile bivalves: Predicted changes in distribution and scale of postlarval dispersal. *Estuaries and Coasts* 32: 1090–1102.
- Hunt, J.L. 1974. The geology and origin of Gray's Reef, Georgia continental shelf. M.S. thesis, University of Georgia, Athens, Georgia: 83 p.
- Hunter, B., and R. Williams. 1998. Sustainable hunting in search of a solution. In R. Kennett, A. Webb, G. Duff, M. Guinea, and G. Hill (editors), *Marine turtle conservation and management in Northern Australia*: 63–65. Proceedings of a workshop held at the Northern Territory University Darwin, 3–4 June 1997. Centre for Indigenous Natural and Cultural Resource Management, Centre for Tropical Wetlands Management, Northern Territory University, Darwin.
- Hutchinson, D.L., C.S. Larsen, M.J. Schoeninger, and L. Norr. 1998. Regional variation in the pattern of maize adoption and use in Florida and Georgia. *American Antiquity* 63: 397–416.
- Huxham, M., and M. Richards. 2003. Can post-larval bivalves select sediment type during settlement? A field test with *Macoma balthica* (L.) and *Cerastoderma edule* (L.). *Journal of Experimental Marine Biology and Ecology* 288: 279–293.
- Ingram, B.L., and J.R. Southon. 1996. Reservoir ages in eastern Pacific coastal and estuarine waters. *Radiocarbon* 38: 573–582.
- Iralu, E., W. Serene, and D.B. Potter. 2008. Stratigraphic analysis to determine the relative age of a hammock. Scientific Sewanee, April 17, 2008: Abstract 1.
- Jackson, S.T., J.T. Overpeck, T. Webb, III, S.E. Keatch, and K.H. Anderson. 1997. Mapped plant-macrofossil and pollen records of Late Quaternary vegetation change in eastern North America. *Quaternary Science Reviews* 16: 1–70.
- Jackson, S.T., R.S. Webb, K.H. Anderson, J.T. Overpeck, Y. Webb, J.W. Williams, and B.C.S. Hansen. 2000. Vegetation and environment in eastern North America during the Last Glacial Maximum. *Quaternary Science Reviews* 19: 489–508.
- Jennings, L.B. and H.L. Hunt. 2009. Distances of dispersal of juvenile bivalves (*Mya arenaria* [Linnaeus], *Mercenaria mercenaria* [Linnaeus], *Gemma gemma* [Totten]). *Journal of Experimental Marine Biology and Ecology* 376: 76–84.
- Jennings, S.C., R.W.G. Carter, and J.D. Orford. 1995. Implications for sea-level research of salt marsh and mudflat accretionary processes along paraglacial barrier coasts. *Marine Geology* 124: 129–136.
- Johnson, A.S., H.O. Hillestad, S.F. Shanholtzer, and G.F. Shanholtzer. 1974. An ecologi-

- cal survey of the coastal region of Georgia. Washington, DC: National Park Service Scientific Monograph Series 3: 1–233.
- Johnson, D.L. 2002. Darwin would be proud: bioturbation, dynamic denudation, and the power of theory in science. *Geoarchaeology* 17: 7–40.
- Johnson, D.W. 1919. Shore processes and shoreline development. New York: Wiley.
- Johnson, M.S., and R. Black. 1984. Pattern beneath the chaos: the effect of recruitment on genetic patchiness in an intertidal limpet. *Evolution* 38: 1371–1383.
- Johnston, J.W., T.A. Thompson, and S.J. Baedke. 2007. Systematic pattern of beach-ridge development and preservation: conceptual model and evidence from ground penetrating radar. In G.S. Baker, and H.M. Jol (editors), *Stratigraphic analyses using GPR: 47–58*. Geological Society of America, Special Paper 432.
- Jokeil, P.L. 1989. Rafting of reef coral and other organisms at Kwajalein Atoll. *Marine Biology* 101: 483–493.
- Jol, H.M., and D.G. Smith. 1991. Ground Penetrating Radar of northern lacustrine deltas. *Canadian Journal of Earth Sciences* 28: 1939–1947.
- Jones, D.S., I.R. Quitmyer, W.S. Arnold, and D.C. Marelli. 1990. Annual shell banding, age, and growth rate of hard clams (*Mercenaria* spp.) from Florida. *Journal of Shellfish Research* 9 (1): 215–225.
- Jones, D.S., I.R. Quitmyer, and C.F.T. Andrus. 2004. Seasonal shell growth and longevity in *Donax variabilis* from northeastern Florida: evidence from oxygen isotopes. *Journal of Shellfish Research* 23 (3): 707–714.
- Jones, D.S., I.R. Quitmyer, and C.F.T. Andrus. 2005. Oxygen isotopic evidence for greater seasonality in Holocene shells of *Donax variabilis* from Florida. *Palaeogeography, Palaeoclimatology, Palaeoecology* 288: 96–108.
- Jones, K.T., and D.B. Madsen. 1989. Calculating the cost of resource transportation. *Current Anthropology* 30: 529–534.
- Kana, T.W., E.J. Hayter, and P.A. Work. 1999. Mesoscale sediment transport at southeastern U.S. tidal inlets: conceptual model applicable to mixed energy settings. *Journal of Coastal Research* 15 (2): 303–313.
- Kaplan, H.S., and K. Hill. 1992. The evolutionary ecology of food acquisition. In E.A. Smith, and B. Winterhalder (editors), *Evolutionary ecology and human behavior: 167–202*. Hawthorne, NY: Aldine de Gruyter.
- Katz, L.C. 1980. Effects of burrowing by the fiddler crab, *Uca pugnax* (Smith). *Estuarine and Coastal Marine Science* 11: 233–237.
- Kauffman, E.G., and R.W. Scott. 1976. Basic concepts of community ecology and paleoecology. In R.W. Scott, and R.R. West (editors), *Structure and classification of paleocommunities: 1–28*. Stroudsburg, PA: Dowden, Hutchinson, and Ross, Inc.
- Kear, B.P., and M.S.Y. Lee. 2006. A primitive protostegid from Australia and early sea turtle evolution. *Biology Letters* 2: 116–119.
- Kelly, R.L., and D.H. Thomas. 2010. *Archaeology*. 5th ed. Belmont, CA: Wadsworth, Cengage Learning.
- Kennedy, S.K., and R. Pinkoski. 1987. Source of tidal creek sand on a tide-dominated barrier island, St. Catherines Island, Georgia—Fourier shape analysis. *Journal of Coastal Research* 3: 475–483.
- Kennedy, V.S. 1983. Sex ratios in oysters, emphasizing *Crassostrea virginica* from Chesapeake Bay, Maryland. *Veliger* 25 (4): 329–338.
- Kennett, D.J. 2005. *The Island Chumash: behavioral ecology of a maritime society*. Berkeley: University of California Press. 301 p.
- Kennett, D.J., B.L. Ingram, J.M. Erlandson, and P. Walker. 1997. Evidence for temporal fluctuations in marine radiocarbon reservoir ages in the Santa Barbara Channel, southern California. *Journal of Archaeological Science* 24: 1051–1059.
- Kennett, D.J., J.P. Kennett, A. West, G.J. West, T.E. Bunch, B.J. Culleton, J.M. Erlandson, et al. 2009. Shock-synthesized hexagonal diamonds in Younger Dryas boundary sediments. *Proceedings of the National Academy of Sciences* 106 (31) 12623–12628.
- Kennett, R., D. Oades, F. Loban, L. Sutherland, B. Wilson, B. Yunupingu, D. Yunupingu, et al. 2008. Indigenous management of marine turtles in northern Australia: experiences from the Nailsma Dugong and Marine Turtle project. 28th Annual Sea Turtle Symposium, International Sea Turtle Society, Loreto, California, Baja Sur. Internet resource (http://iconferences.seaturtle.org/preview.shtml?event_id=14&abstract_id=2407), accessed December 12, 2010.
- Kennish, M.J. 2001. Coastal salt marsh systems

- in the U.S.: A review of anthropogenic impacts. *Journal of Coastal Research* 17 (3): 731–748.
- Kent, B.W. 1992. Making dead oysters talk: techniques for analyzing oysters from archaeological sites. Crownsville, MD.: Maryland Historical Trust.
- Kiehn, W.M., and J.T. Morris. 2009. Relationships between *Spartina alterniflora* and *Littoraria irrorata* in a South Carolina salt marsh. *Wetlands* 29 (3): 818–825.
- Kirwan, M., and S. Temmerman. 2009. Coastal marsh response to historical and future sea-level acceleration. *Quaternary Science Reviews* 28: 1801–1808.
- Knell, M.J., 2004, Taphonomy and ichnology of sea turtles from the Cretaceous Interior Seaway of South Dakota. Master's thesis, South Dakota School of Mines and Technology, Rapid City, 100 p.
- Knott, D.M., D.R. Calder, and R.F. Van Dolah. 1983. Macrobenthos of sandy beach and near-shore environments at Murrels Inlet, South Carolina, U.S.A. *Estuarine Coastal and Shelf Science* 16: 573–590.
- Knox, J.C. 1983. Responses of river systems to Holocene climates. In H.E. Wright, Jr. (editor), *Late-Quaternary Environments of the United States*, 2. The Holocene: 26–41. Minneapolis: University of Minnesota Press.
- Komar, P.D., and J.C. Allan. 2008. Increasing hurricane-generated wave heights along the U.S. East Coast and their climate controls. *Journal of Coastal Research* 24 (2): 479–488.
- Kowarsky, J. 1995. Subsistence hunting of sea turtles in Australia. In K. Bjorndal (editor), *Biology and conservation of sea turtles*, revised ed, Proceedings of the World Conference on Sea Turtle conservation held at the U.S. State Department Building, Washington D.C., 26–30 November 1979: 305–313. Washington, DC: Smithsonian Institution Press.
- Kraeuter, J.N., S. Ford, and M. Cummings. 2007. Oyster growth analysis: a comparison of methods. *Journal of Shellfish Research* 26 (2): 479–491.
- Kraeuter, J.N., G.E.F. Flimlin, M.J. Kennish, R. Macaluso, and J. Viggiano. 2009. Sustainability of northern quahogs (hard clams) *Mercenaria mercenaria*, Linnaeus in Raritan Bay, New Jersey: assessment of size specific growth and mortality. *Journal of Shellfish Research* 28 (2): 273–287.
- Kraus, M.J. 1987. Integration of channel and floodplain suites, II. Vertical relations of alluvial paleosols. *Journal of Sedimentary Petrology* 57 (4): 602–612.
- Kraus, M.J., and T.M. Bown. 1993. Paleosols and sandbody prediction in alluvial sequences. Geological Society of London, Special Publication 73: 23–31.
- Krause, R.E., and D.O. Gregg. 1972. Water from the principal artesian aquifer in coastal Georgia. Atlanta: Georgia State Department of Natural Resources, Earth and Water Division, Hydrologic Atlas Folios 1.
- Kuenzler, E.J. 1961. Structure and energy flow of a mussel population in a Georgia salt marsh. *Limnology and Oceanography* 6: 191–204.
- Kurtén, B., and E. Anderson. 1980. Pleistocene mammals of North America. New York: Columbia University Press.
- Laerm, J., T.C. Carter, M.A. Menzel, T.S. McCay, J.L. Boone, W.M. Ford, L.T. Lepardo, et al. 1999. Amphibians, reptiles, and mammals of Sapelo Island, Georgia. *Journal of the Elisha Mitchell Scientific Society* 115 (2): 104–126.
- LaForge, L. 1925. Physical geography of Georgia. Geological Survey of Georgia Bulletin 42. Atlanta: Stein Printing Company: 189 p.
- Lambeck, K., and J. Chappel. 2001. Sea level change through the last glacial cycle. *Science* 292: 679–686.
- LaMoreaux, H.K., G.A. Brook, and J.A. Knox. 2009. Late Pleistocene and Holocene environments of the southeastern United States from the stratigraphy and pollen content of a peat deposit on the Georgia coastal plain. *Palaeogeography, Palaeoclimatology, Palaeoecology* 280: 300–312.
- Langley, S.K., C.R. Alexander, D.M. Bush, and C.W. Jackson. 2003. Modernizing shoreline change analysis in Georgia using topographic survey sheets in a GIS environment. *Journal of Coastal Research Special Issue* 38: 168–177.
- Larsen, C.E., and J. Schuldenrein. 1990. Depositional history of an archaeologically dated floodplain, Haw River, North Carolina. In N.P. Lasca and J.D. Donahue (editors), *Archaeological geology of North America*: 161–181. Boulder, CO: Geological Society of America, Centennial Special 4.
- Larsen, C.S. 1982. The anthropology of St. Catharines Island: prehistoric human biological adaptation. *Anthropological Papers of the American Museum of Natural History* 57:

- 155–270.
- Larsen, C.S., and D.H. Thomas. 1982. The anthropology of St. Catherines Island 4. The St. Catherines Period mortuary complex: Anthropological Papers of the American Museum of Natural History 57 (4): 273–341.
- Larsen, C.S., D.L. Hutchinson, M.J. Schoeninger, and L. Norr. 2001. Food and stable isotopes in La Florida: diet and nutrition before and after contact. *In* C.S. Larsen (editor), *Bioarchaeology of Spanish Florida: the impact of colonialism*: 52–81. Gainesville: University Press of Florida.
- Larson, L.H., Jr. 1958. Cultural relationships between the northern St. Johns area and the Georgia Coast. *Florida Anthropologist* 11 (1): 11–21.
- Larson, L.H., Jr. 1978. Historic Guale Indians of the Georgia Coast and the impact of the Spanish mission effort. *In* J. Milanich and S. Proctor (editors), *Tacachale: essays of the Indians of Florida and Southeastern Georgia during the historic period*: 120–140. Gainesville: University of Florida Press.
- Larson, L.H. 1980. Aboriginal subsistence technology on the southeastern Coastal Plain during the late prehistoric period. Gainesville: Ripley Bullen Monographs in Anthropology and History, University of Florida.
- Larson, L.H. 1993. An examination of the significance of a tortoise-shell pin from the Etowah site. *In* *Archaeology of eastern North America. Papers in honor of Stephen Williams*, Archaeological Report 25: 169–185.
- Lasca, N.P., and J. Donahue (editors). 1990. *Archaeological geology of North America*. Boulder, CO: Geological Society of America, Centennial Special 4.
- Leatherman, S.P. (editor). 1979. *Barrier Islands, from the Gulf of St. Lawrence to the Gulf of Mexico*. New York: Academic Press: 1–325.
- Leatherman, S.P., K. Zhang, and B.C. Douglas. 2000. Sea-level rise shown to drive coastal erosion. *EOS, Transactions of the American Geophysical Union* 81: 55–57.
- Lee, M.S.Y. 1994. The turtle's long-lost relatives: *Natural History* 6/94: 63–65.
- Lefever, H.G. 1992. *Turtle Bogue: Afro-Caribbean life and culture in a Costa Rican village*. Cranbury, UK: Associated University Press: 249 p.
- LeGrand, H.E. 1961. Summary of geology of the Atlantic Coastal Plain. *Bulletin of the American Association of Petroleum Geologists* 45 (9): 1557–1571.
- Leigh, D.S. 2006. Terminal Pleistocene braided to meandering transition in rivers of the southeastern USA. *Catena* 66: 155–160.
- Leigh, D.S., P. Srivastava, and G.A. Brook. 2004. Late Pleistocene braided rivers of the Atlantic Coastal Plain, USA. *Quaternary Science Reviews* 23: 65–84.
- Leslie, C.W., and C.E. Roth. 2003. *Keeping a nature journal: discover a whole new way of seeing the world around you*. North Adams, MA: Storey Publishing: 224 p.
- Letzsch, W.S., and R.W. Frey. 1980a. Deposition and erosion in a Holocene salt marsh, Sapelo Island, GA. *Journal of Sedimentary Research* 50 (2): 529–542.
- Letzsch, W.S., and R.W. Frey. 1980b. Erosion of salt marsh tidal creek banks, Sapelo Island, Georgia. *Senckenbergiana Maritima* 12 (5/6): 201–212.
- Lewin, R. 1987. Supply-side ecology. *Science* 234: 25–27.
- Lightfoot, J. 1786. *A catalogue of the Portland Museum, lately the property of the Duchess Dowager of Portland, Deceased*. London: 194 p.
- Lim, H.S., Y.I. Lee, S. Yi, C.-B. Kim, C.-H. Chung, H.-J. Lee, and J.H. Choi. 2007. Vertebrate burrows in late Pleistocene paleosols at Korean Palaeolithic sites and their significance as a stratigraphic marker. *Quaternary Research*, 68: 213–219.
- Linnaeus (Linné), C. 1758. *Systema naturae, editio 10, regnum animale 1*. Stockholm: 824 p.
- Linsley, D.M. 1993. Depositional environments of St. Catherines Island: their relationship to late Quaternary sea-level change and application to late Paleozoic cyclic stratigraphy. Ph.D. dissertation, University of Pittsburgh, PA: 186 p.
- Linsley, D.M., G.A. Bishop, and H.B. Rollins. 2008. Stratigraphy and geologic evolution of St. Catherines Island. *In* D.H. Thomas, *Native American Landscapes of St. Catherines Island I. Theoretical framework*. Anthropological Papers of the American Museum of Natural History 88 (1): 26–41.
- Liu, K.B. 2004. Paleotempestology: principles, methods, and examples from Gulf Coast lake-sediments. *In* R. Murnane, and K. B. Liu (editors), *Hurricanes and typhoons: past, present, and future*: 13–57. New York: Columbia Uni-

- versity Press.
- Liu, K.B., and M.L. Fearn. 1993. Lake-sediment record of late Holocene hurricane activities from coastal Alabama. *Geology* 21: 793–796.
- Liu, K.B., and M.L. Fearn. 2000. Reconstruction of prehistoric landfall frequencies of catastrophic hurricanes in northwestern Florida from lake sediment records. *Quaternary Research* 54: 238–245.
- Liu, K.B., and M.L. Fearn. 2002. Lake sediment evidence of coastal geologic evolution and hurricane history from Western Lake, Florida. Reply to Olivos. *Quaternary Research* 57: 429–431.
- Liu, K.B., H. Lu, and C. Shen. 2008. A 1200-year proxy record of hurricanes and fires from the Gulf of Mexico coast: testing the hypothesis of hurricane–fire interactions. *Quaternary Research* 69: 29–41.
- Lomolino, M.V. 1985. Body sizes of mammals on islands: the island rule reexamined. *American Naturalist* 125: 310–316.
- Looper, E.E. 1982. Soil survey of Liberty and Long counties, Georgia. Soil Conservation Service.
- López, G.I., and W.J. Rink. 2008. New quartz optical stimulated luminescence ages for beach ridges on the St. Vincent Island Holocene strandplain, Florida, United States. *Journal of Coastal Research* 24 (1): 49–62.
- Lorant, S. 1946. *The New World: the first pictures of America*. New York: Duell, Sloan, and Pearce.
- Lotze, J.-H. 1979. The raccoon (*Procyon lotor*) on St. Catherines Island, Georgia. 4. Comparisons of home ranges determined by livetrapping and radiotracking. *American Museum Novitates* 2664: 1–25.
- Lul, H.Y., and K.B. Liu. 2005. Phytolith assemblages as indicators of coastal environmental changes and hurricane overwash deposition. *The Holocene* 15 (7): 965–972.
- Lutz, P.L., and J.A. Musick. 1997. *The biology of sea turtles*. New York: CRC Press: 432 p.
- MacArthur, R.F., and E.O. Wilson. 1967. *The theory of island biogeography*. Princeton: Princeton University Press.
- MacEachern, J.A., S.G. Pemberton, M.K. Gingras, and K.L. Bann. 2007a. The ichnofacies paradigm: a fifty-year retrospective. In W. Miller, III (editor), *Trace fossils: concepts, problems, prospects*: 52–80. Amsterdam: Elsevier.
- MacEachern, J.A., S.G. Pemberton, M.K. Gingras, K.L. Bann, and L.T. Dafoe. 2007b. Uses of trace fossils in genetic stratigraphy. In W. Miller, III (editor), *Trace fossils: concepts, problems, prospects*: 110–134. Amsterdam: Elsevier.
- MacNeil, F.S. 1950. Pleistocene shore lines in Florida and Georgia. U.S. Geological Survey Professional Paper P 0221-F: 95–107.
- Magnuson, J.J., J.A. Bjorndal, W.D. DuPaul, G.L. Graham, D.W. Owens, C.H. Peterson, P.C.H. Pritchard, J.I. Richardson, G.E. Saul, and C.W. West. 1990. *Decline of sea turtles: causes and prevention*. Washington, DC: National Research Council, National Academy Press: 280 p.
- Mahar, G. 2009. Summary of archaeological excavations on St. Catherines Island. Ms. on file, St. Catherines Archive, American Museum of Natural History.
- Mángano, M.G., and L.A. Buatois. 2007. Trace fossils in evolutionary paleoecology. In W. Miller, III (editor), *Trace fossils: concepts, problems, prospects*: 391–409. Amsterdam: Elsevier.
- Marchitto, T.M., and K.Y. Wei. 1995. History of Laurentide meltwater flow to the Gulf of Mexico during the last deglaciation, as revealed by reworked calcareous nannofossils. *Geology*, 23:9: 779–782.
- Markewich, H.W. 1985. Geomorphic evidence for Pliocene-Pleistocene uplift in the area of the Cape Fear Arch, North Carolina. In M. Morisawa, and J.T. Hack (editors), *Tectonic geomorphology*: 279–297. Boston: Allen and Unwin.
- Marquardt, W.H. 2010. Mounds, middens, and rapid climate change during the Archaic-Woodland Transition in the southeastern United States. In D.H. Thomas, and M.C. Sanger (editors), *Trend, tradition, and turmoil: what happened to the southeastern Archaic?* Anthropological Papers of the American Museum of Natural History 93: 253–272.
- Marrinan, R.A. 1975. Molluscs, ceramics, and sedentism: the Late Archaic period on the Georgia Coast. Ph.D. dissertation, University of Florida Department of Anthropology.
- Marrinan, R.A. 1976. Assessment of subsistence strategies as evidenced by shell ring sites. *Southeastern Archaeological Conference Bulletin* 19: 61–63.
- Marrinan, R.A. 2010. Two Late Archaic Period

- Shell Rings, St. Simon's Island, Georgia. In D.H. Thomas, and M.C Sanger (editors), Trend, tradition, and turmoil: what happened to the southeastern Archaic? Anthropological Papers of the American Museum of Natural History 93: 71–102.
- Marscher, B., and F.F. Marscher. 2004. The great Sea Island storm of 1893. Macon, Georgia: Mercer University Press.
- Martel, A., and F.S. Chia. 1991. Drifting and dispersal of small bivalves and gastropods with direct development. *Journal Experimental Marine Biology and Ecology* 150: 131–147.
- Martin, A.J. 2004. A composite trace fossil of decapod and hymenopteran origin from the Rice Bay Formation (Holocene), San Salvador, Bahamas. In D. Gamble, and R.L. Davis (editors), 12th Symposium of the Geology of the Bahamas: 21–22. Abstracts and Programs. San Salvador, Bahamas: Gerace Research Center.
- Martin, A.J. 2006. Resting traces of *Ocypode quadrata* associated with hydration and respiration: Sapelo Island, Georgia, USA. *Ichnos* 13: 57–67.
- Martin, A.J., and A.K. Rindsberg. 2007a. Arthropod tracemakers of *Nereites*? Neoichnological observations of juvenile limulids and their paleoichnological applications. In W.M. Miller, III (editor), Trace fossils: concepts, problems, prospects: 478–491. Amsterdam: Elsevier.
- Martin, A.J., and A.K. Rindsberg. 2007b. Neoichnological novelties from Sapelo Island (Georgia) and their applications to the fossil record. *Geological Society of America Abstracts with Programs* 39 (2): 73.
- Martin, A.J., and A.K. Rindsberg. 2008. Ichnological signatures of storm-washover fan deposits: Yellow Banks Bluff, St. Catherines Island, Georgia. *Geological Society of America Abstracts with Programs* 40 (4): 15.
- Martin, R.A., and S.D. Webb. 1974. Late Pleistocene mammals from the Devil's Den fauna, Levy County. In S.D. Webb (editor), Pleistocene Mammals of Florida: 114–145. Gainesville: University Presses of Florida.
- Martinez, C.A. 1975. Culture sequence on the central Georgia coast, 1000 B.C.–1650 A.D. M.S. thesis, University of Florida, Department of Anthropology.
- Mason, O.K. 1993. Geoarchaeology of beach ridges and cheniers: studies of coastal evolution using archaeological data. *Journal of Coastal Research* 9 (1): 126–146.
- Mason, O.K., and S.L. Ludwig. 1990. Resurrecting beach ridge archaeology: parallel deposition records from St. Lawrence Island and Cape Krusenstern, western Alaska. *Geoarchaeology* 5 (4): 349–373.
- Mast, S.O. 1911. Behavior of the Loggerhead Turtle in depositing its eggs. *Papers of the Tortugas Laboratory, Carnegie Institute of Washington* 3: 63–67.
- May, J.A. 1985. Fallen tree results of the magnetometer and GPR surveys: another Georgia example. Paper presented at the Society for American Archaeology Annual Meeting. Denver.
- May, J.P., and F.W. Stapor, Jr. 1996. Beach erosion and sand transport at Hunting Island, South Carolina, USA. *Journal of Coastal Research* 12: 714–725.
- McBride, R.A. and M.R. Byrnes. 1993. Geomorphic response types along barrier coastlines: a regional perspective. U.S. Geological Survey, Open-File Report 93-381: 119–122.
- McBride, R.A., M.R. Byrnes, and M.W. Hiland. 1995. Geomorphic response-type model for barrier coastlines: a regional perspective. *Marine Geology* 126: 143–159.
- McClain, D.S. 1980. Beach erosion and accretion on St. Catherines Island, Liberty County, Georgia: August 1974–September 1979. A report to the Edward John Noble Foundation, New York. Ms. on file, St. Catherines Archive, American Museum of Natural History.
- McCoy, M.A. 1979. Subsistence hunting of turtles in the western Pacific: the Caroline Islands. In K.A. Bjorndahl (editor), *Biology and conservation of sea turtles* (revised ed.): 275–280. Washington, DC: Smithsonian Institution Press.
- McCune B., and J.B. Grace. 2002. Analysis of ecological communities. Glendon Beach, OR: MjM Software Design.
- McCurdy, C. 2009. Potential biasing of hatchling sex ratios of the loggerhead sea turtle, *Caretta caretta*, on St. Catherines Island, GA 2007: a pilot study. Master's thesis, Georgia College and State University: 100 p.
- McFagden, B.G., F.B. Knox, and T.R.L. Cole. 1994. Radiocarbon calibration curve variations and their implications for the interpretation of New Zealand prehistory. *Radiocarbon* 36 (2): 221–236.
- McLemore, W.H., C.E. Swann, P.B. Wigley, M.C.

- Turlington, V.J. Henry, G.J. Nash, J. Martinez, R.E. Carver, and J.T. Thurmond. 1981. Geology as applied to land-use management on Cumberland Island, Georgia. Report prepared for the U.S. Department of the Interior, Atlanta, GA.
- Mercado-Silva, N. 2005. Condition index of the eastern oyster, *Crassostrea virginica* (Gmelin, 1791) in Sapelo Island, Georgia—effects of site, position on bed, and pea crab parasitism. *Journal of Shellfish Research* 24 (1): 121–126.
- Metcalf, D., and K.R. Barlow. 1992. A model for exploring the optimal trade-off between field processing and transport. *American Anthropologist* 94: 340–356.
- Meyer, B.K., T. Keith-Lucas, G.A. Bishop, D.H. Thomas, R.H. Hayes, and M.C. Sanger. 2009. Digital atlas of St. Catherines Island, Georgia. St. Catherines Island Foundation Publication CD-1.
- Michener, W.K., E.R. Blood, K.L. Bildstein, M.M. Brinson, and L.R. Gardner. 1997. Climate change, hurricanes and tropical storms, and rising sea level in coastal wetlands. *Ecological Applications* 7 (3): 770–801.
- Milanich, J.T. 1971. The Deptford phase: an archaeological reconstruction. Ph.D. dissertation, University of Florida, Department of Anthropology.
- Milanich, J.T. 1973. A Deptford Phase house structure. Cumberland Island, Georgia. *Florida Anthropologist* 26 (3): 105–116.
- Milanich, J.T. 1977. A chronology for the aboriginal cultures of Northern St. Simon's Island, Georgia. *Florida Anthropologist* 30: 134–142.
- Miller, D.C. 1961. The feeding mechanism of fiddler crabs, with ecological considerations of feeding adaptations. *Zoologia* 46: 89–100.
- Miller, J.J. 1998. An environmental history of northeast Florida. Gainesville: University Press of Florida.
- Miller, J.J., J.W. Griffin, M.L. Fryman, and F.W. Stapor. 1981. Archaeological and historical survey of St. Vincent National Wildlife Refuge, Florida. U.S. Fish and Wildlife Service: Tallahassee, Florida.
- Milliken, K.T., J.B. Anderson, and A.B. Rodriguez. 2008. A new composite Holocene sea-level curve for the northern Gulf of Mexico. In J.B. Anderson, and A.B. Rodriguez (editors), Response of upper Gulf Coast estuaries to Holocene climate change and sea-level rise. Geological Society of America, Special Paper 443: 1–11.
- Morris, J.T., P.V. Sundareshwar, C.T. Nietch, B. Kjerfve and D.R. Cahoon. 2002. Responses of coastal wetlands to rising sea level. *Ecology* 83 (10): 2869–2877.
- Morris, R.W., and H.B. Rollins. 1977. Observations on intertidal organism associations of St. Catherines Island, Georgia. I. General description and paleoecological implications. *Bulletin of the American Museum of Natural History* 159 (3): 87–128.
- Morton, R.A. 2007. Historical changes in the Mississippi-Alabama barrier islands and the roles of extreme storms, sea level, and human activities. U.S. Geological Survey Open-File Report 2007–1161: 38 p.
- Morton, R.A., J.G. Paine, and M.D. Blum. 2000. Responses of stable bay-margin and barrier-island systems to Holocene sea-level highstands, western Gulf of Mexico. *Journal of Sedimentary Research* 70 (3): 478–490.
- Morton, R.A., G. Gelfenbaum, and B.E. Jaffe. 2007. Physical criteria for distinguishing sandy tsunami and storm deposits using modern examples. *Sedimentary Geology* 200: 184–207.
- Moslow, T.F. 1980. Stratigraphy of a mesotidal barrier island. Ph.D. dissertation, University of South Carolina, Columbia.
- Mosseri-Marlio, C. 1998. Marine turtle exploitation in Bronze Age Oman. *Marine Turtle Newsletter* 81: 7–9.
- Myers, R.K., and D.H. van Lear 1998. Hurricane-fire interactions in coastal forests of the south: a review and hypothesis. *Forest Ecology and Management* 10: 53–63.
- Nabhan, G., H. Govan, S.A. Eckert, and J. A. Seminoff. 1999. Sea turtle workshop for the indigenous Seri Tribe. *Marine Turtle Newsletter* 86: 14.
- Nada M. 2005. Exploring fishermen's attitudes towards marine turtle conservation: why fishermen behave the way they do. Proceedings of the second Mediterranean Conference on the Sea Turtles, Turkey: 4–7.
- National Marine Fisheries Service and U.S. Fish and Wildlife Service. 1991. Recovery plan for U.S. population of loggerhead turtle. Washington, DC: National Marine Fisheries Service: 64 p.
- National Oceanic and Atmospheric Administra-

- tion. 2003. Sea levels online. Internet resource (<http://tidesandcurrents.noaa.gov/sltrends/sltrends.shtml>), accessed on October 5, 2010.
- Nelson, H.F., and E.E. Bray. 1970. Stratigraphic history of the Holocene sediments of the Sabine-High island area, Gulf of Mexico. *In*: J.P. Morgan, and R. H. Shaver (editors), Deltaic sedimentation. Modern and Ancient, SEPM Special Publication 15: 48–77.
- Nelson, N.C. 1914. Pueblo ruins of the Galisteo Basin, New Mexico. *Anthropological Papers of the American Museum of Natural History* 15 (1).
- Nelson, N.C. 1916. Chronology of the Tano ruins, New Mexico. *American Anthropologist* 18 (2): 159–180.
- Nesbitt, E.A., and K.A. Campbell. 2006. The paleoenvironmental significance of *Psilonichnus*. *Palaios* 21: 187–196.
- Nichols, W.J., and J. Palmer. 2006. On the consumption of sea turtles during Lent. Frankfurt am Main: WWF Germany: 19 p.
- Nietschmann, B. 1973. Between land and water: the subsistence ecology of the Miskito Indians, eastern Nicaragua. New York: Seminar Press.
- Nietschmann, B. 1979. Caribbean edge: the coming of modern times to isolated people and wildlife. Indianapolis: Bobbs-Merrill.
- Nikitina, D.J., J.E. Pizzuto, R.A. Schwimmer, and K.W. Ramsey. 2000. An update Holocene sea-level curve for the Delaware coast. *Marine Geology* 171: 7–20.
- Norkko, A., V.J. Cummings, S.F. Thrush, J.E. Hewitt, and T. Hume. 2001. Local dispersal of juvenile bivalves: implications for sand-flat ecology. *Marine Ecology Progress Series* 212: 131–144.
- O'Beirn, F.X., P.B. Heffernan, and R.L. Walker. 1995. Preliminary recruitment studies of the eastern oyster, *Crassostrea virginica*, and their potential applications, in coastal Georgia. *Aquaculture* 136 (3–4): 231–242.
- O'Beirn, F.X., R.L. Walker, and P.B. Heffernan. 1996. Enhancement of subtidal eastern oyster, *Crassostrea virginica*, recruitment using mesh bag enclosures. *Journal of Shellfish Research* 15 (2): 313–318.
- O'Brien, D.M., and D.H. Thomas. 2008. The molluscan increment sequence. *In* D.H. Thomas, Native American landscapes of St. Catherines Island, Georgia. II. The data. *Anthropological Papers of the American Museum of Natural History* 88 (2): 475–488.
- O'Connell, J.F., and K. Hawkes. 1981. Alyawara plant use and optimal foraging theory. *In* B. Winterhalder, and E.A. Smith (editors), Hunter-gatherer foraging strategies: ethnographic and archaeological analyses: 99–125. Chicago: University of Chicago Press.
- O'Connell, J.F., and K. Hawkes. 1984. Food choice and foraging sites among the Alyawara. *Journal of Anthropological Research* 40: 435–504.
- O'Connell, J.F., and B. Marshall. 1989. Analysis of kangaroo body part transport among the Alyawara of Central Australia. *Journal of Archaeological Sciences* 16: 393–405.
- O'Connell, J.F., K. Hawkes, and N.G. Blurton Jones. 1988. Hadza hunting, butchering and bone transport and their archaeological implications. *Journal of Anthropological Research* 44: 113–161.
- O'Connell, J.F., K. Hawkes, and N.G. Blurton Jones. 1990. Reanalysis of large animal body part transport among the Hadza. *Journal of Archaeological Science* 17: 301–317.
- Odum, E.P., 1961. The role of tidal marshes in estuarine production. *New York State Conservationist*, June-July: 12–15, 35.
- Oertel, G.F. 1972a. Ebb tidal deltas of Georgia estuaries. *In* L.E. Cronin (editor), Estuarine research. 2. Geology and engineering. New York: Academic Press.
- Oertel, G.F. 1972b. Post Pleistocene island and inlet adjustment along the Georgia coast. *Journal of Sedimentary Petrology* 45: 150–159.
- Oertel, G.F. 1977. Geomorphic cycles in ebb deltas and related patterns of shore erosion and accretion; *Journal of Sedimentary Petrology* 47: 1121–1131.
- Oertel, G.F. 1979. Barrier island development during the Holocene regression, Southeastern United States. *In* S.P. Leatherman (editor), Barrier islands from the Gulf of St. Lawrence to the Gulf of Mexico: 273–290. New York: Academic Press.
- Oertel, G.F., and C.F. Chamberlain. 1975. Differential rates of shoreline advance and retreat at coastal barriers of Chatham and Liberty Counties, Georgia. *Transactions of the Gulf Coast Association of Geological Societies* 25: 383–390.
- Oertel, G.F., and A.M. Foyle. 1993. Coastal behavior of inlets and barrier islands along tide-dominated sections of large coastal compart-

- ments. U.S. Geological Survey Open-File Report 93-381: 149-150.
- Oertel, G. F., V.J. Henry, Jr., and A.M. Foyle. 1991. Implications of tide-dominated lagoon processes on the preservation of buried channels on a sediment-starved continental shelf. *In* D.J.P. Swift, G.F. Oertel, R.W. Tillman, and J.A. Thorne (editors), *Shelf sand and sandstone bodies: geometry, facies and sequence stratigraphy*: 379-394. International Association of Sedimentologists Special Publication 14.
- O'Geen, A.T., and A.J. Busacca. 2001. Faunal burrows as indicators of palaeovegetation in eastern Washington. *Palaeogeography, Palaeoclimatology, Palaeoecology* 169: 23-37.
- Olhoef, G.R. 2006. Ground penetrating radar. Internet resource (<http://www.g-p-r.com>), accessed May 31, 2009.
- Orians, G.H., and N.E. Pearson. 1979. On the theory of central place foraging. *In* D.J. Horn, R.D. Mitchell, and G.R. Stairs (editors), *Analysis of ecological systems*: 154-177. Columbus: Ohio State University.
- Osborne, J.S., A.S. Johnson, P.E. Hale, R.L. Marchinton, C.V. Vansant, and J.M. Wentworth. 1992. Population ecology of the Backbeard Island white-tailed deer. Tallahassee: Tall Timbers Research, Inc. Bulletin 26.
- Otvos, E.G. 1995. Multiple Pliocene-Quaternary marine highstands, northeast Gulf Coastal Plain—fallacies and facts. *Journal of Coastal Research* 11 (4): 984-1002.
- Otvos, E.G. 1999. Quaternary coastal history, basin geometry and assumed evidence for hurricane activity, northeastern Gulf of Mexico Coastal Plain. *Journal of Coastal Research* 15: 438-443.
- Otvos, E.G. 2000. Beach ridges—definitions and significance. *Geomorphology* 32 (1-2): 83-108.
- Otvos, E.G. 2001. Assumed Holocene highstands, Gulf of Mexico: basic issues of sedimentary and landform criteria—discussion, *Journal of Sedimentary Research* 71: 645-647.
- Otvos, E.G. 2002. Discussion of “Prehistoric landfall frequencies of catastrophic hurricanes...” (Liu and Fearn 2000). *Quaternary Research* 57: 425-428.
- Otvos, E.G. 2005. Validity of sea-level indicators: a comment on “A new depositional model for the buried 4000 year B.P. New Orleans barrier: implications for sea-level fluctuations and on-shore transport from a nearshore shell source” by F.W. Stapor and G.W. Stone. *Marine Geology* 217: 177-187.
- Parkinson, R.W. 1989. Decelerating Holocene sea-level rise and its influence on southwest Florida coastal evolution: a transgressive/regressive stratigraphy. *Journal of Sedimentary Petrology* 59: 960-972.
- Pearse, A.S., H.J. Humm, and G.W. Wharton. 1942. Ecology of sand beaches at Beaufort, N. C. *Ecological Monographs*, 12 (2): 35-190.
- Pearson, C.E. 1977. Analysis of late prehistoric settlement on Ossabaw Island, Georgia. Athens: University of Georgia, Laboratory of Archaeology, Series Report 12.
- Pearson, C.E. 1979. Patterns of Mississippian period adaptation in Coastal Georgia. Ph.D. dissertation, University of Georgia, Department of Anthropology.
- Peltier, W.R. 1994. Ice age paleotopography. *Science* 265 (5169): 195-201.
- Peltier, W.R. 1999. Global sea level rise and glacial isostatic adjustment. *Global and Planetary Change* 20 (2-3): 93-123.
- Peltier, W.R. 2002. On eustatic sea level history: Last Glacial Maximum to Holocene. *Quaternary Science Reviews* 21 (1-3): 377-396.
- Pemberton, S.G. 1992. Applications of ichnology to petroleum exploration. Tulsa: Society of Economic Paleontologists and Mineralogists, Core Workshop 17.
- Pemberton, S.G., and R.W. Frey. 1985. The Glosifungites ichnofacies: modern examples from the Georgia coast, U.S.A. *In* H.A. Curran (editor), *Biogenic structures: their use in interpreting depositional environments*. Society of Economic Paleontologists and Mineralogists, Special Publication 35: 237-259.
- Penland, S., K.E. Ramsey, R.A. McBridge, J.T. Mestayer, and K.A. Westphal. 1988. Relative sea level rise and delta-plain development in the Terrebonne Parish region. Louisiana Geological Survey Technical Report, 4: 121 p.
- Petersen, C.H. 1986. Enhancement of *Mercenaria mercenaria* densities in seagrass beds: is pattern fixed during settlement season or altered by subsequent differential survival? *Limnology and Oceanography* 31 (1): 200-205.
- Petuha, E.T., C.J. Lundquist, and C.A. Pilditch. 2006. Estimating spatial scale of post-settlement transport potential of *Macomona liliana* on an intertidal sandflat. *New Zealand Journal of Marine and Freshwater Research* 40:

- 487–502.
- Pickering, S.M., Jr. and J.B. Murray. 1976. Geologic map of Georgia. Georgia Geological Survey.
- Pielke, R.A., Jr., and R.A. Pielke, Sr. 1997. Hurricanes: their nature and impact on society. Chichester, UK: Wiley.
- Pierce, J.W., and J.D. Howard. 1969. An inexpensive portable vibracorer for sampling unconsolidated sands. *Journal of Sedimentary Petrology* 39: 385–390.
- Pilkey, O.H. 1963. Heavy minerals of the U.S. South Atlantic continental shelf and slope. *Bulletin of the Geological Society of America*, 74: 641–648.
- Pilkey, O.H., B.W. Blackwelder, H.J. Knebel, and M.W. Ayers. 1981. The Georgia Embayment continental shelf: stratigraphy of a submergence. *Geological Society of America Bulletin* 92: 52–63.
- Pirazzoli, P.A. 1991. World atlas of Holocene sea-level changes. Elsevier Oceanography Series 58: 1–300.
- Pirkle, F.L., E.C. Pirkle, and J.G. Reynolds. 1991. Heavy mineral deposits of the southeastern Atlantic coastal plain: Georgia Geological Survey Bulletin 120: 15–41.
- Pirkle, F.L., W.A. Pirkle, and E.C. Pirkle. 2007. Heavy-mineral sands of the Atlantic and Gulf coastal plains, USA. *Developments in Sedimentology* 58: 1145–1232.
- Pirkle, F.L., F.J. Rich, J.G. Reynolds, T.A. Zayac, W.A. Pirkle, and R.W. Portel. 2007. The geology, stratigraphy, and paleontology of Reids, Bells, and Roses Bluffs in northeastern Florida. In F.J. Rich (editor), *Guide to field trips, 56th Annual Meeting Southeastern Section of the Geological Society of America*, Savannah, GA: 137–151. Georgia Southern University Department of Geology and Geography Contribution Series 1.
- Pirkle, W.A., and F.L. Pirkle. 2007. Introduction to heavy-mineral sand deposits of the Florida and Georgia Atlantic coastal plain. In F.J. Rich (editor), *Guide to field trips, 56th Annual Meeting Southeastern Section of the Geological Society of America*: 129–151.
- Poag, C.W., and J.S. Schlee. 1984. Depositional sequences and stratigraphic gaps on submerged United States Atlantic margin. In J.S. Schlee (editor), *Interregional unconformities and hydrocarbon accumulation*. American Association of Petroleum Geologists Memoir 36: 165–182.
- Potter, D.B., Jr. 1987–2008. Unpublished field notes. Deposited at Department of Forestry and Geology, University of the South, Seawanee, Tennessee.
- Potter, D.B., Jr., B.L. Padgett, and J.D. Trimble. 2007. Two decades of shoreline retreat on the north and east sides of St. Catherines Island, GA; *Geological Society of America Abstracts with Programs*, Southeastern Section 39 (2): 24.
- Pottinger, J.E. 1996. Origin and development of beach ridges on St. Catherines Island: impact of storm events. M.S. thesis, University of Pittsburgh: 101 p.
- Poulter, B., R.L. Feldman, M.M. Brinson, B.P. Horton, M.K. Orbach, S.H. Pearsall, E. Reyes, S.R. Riggs, and J.C. Whitehead. 2009. Sea-level rise research and dialogue in North Carolina: creating windows for policy change. *Ocean and Coastal Management* 52 (3-4): 147–153.
- Power, A.J., E. Covington, T. Recicar, R.L. Walker, and N. Eller. 2002. Observations on the egg capsules and hatchlings of the knobbed whelk, *Busycon carica* (Gmelin, 1791) in coastal Georgia. *Journal of Shellfish Research* 21 (2): 769–775.
- Powers, W.K. 1975. Oglala Religion. Lincoln: University of Nebraska Press.
- Prezant, R.S., and K. Chalermwat. 1984. Flotation of the bivalve *Corbicula fluminea* as a means of dispersal. *Science* 225: 1491–1493.
- Prezant, R.S., H.B. Rollins, and R.B. Toll, 1990a. Dispersal of adult clams as an adjunct to larval recruitment. *American Zoologist* 30: 89A.
- Prezant, R.S., H.B. Rollins, and R.B. Toll. 1990b. Habitats for *Mercenaria mercenaria* at St. Catherines Island, Georgia. Annual Meeting of American Society of Zoologists.
- Prezant, R.S., H.B. Rollins, and R.B. Toll. 1992. Reproduction dynamics of adult hard clams (*Mercenaria mercenaria*) in estuarine habitats. Shellfish Institute of North America/National Shellfisheries Association Meeting.
- Prezant, R.S., H.B. Rollins, R.B. Toll, and S.V. Skoog. 1994a. Population dynamics of hard clams on point bars of St. Catherines Island, Georgia. *Bulletin North American Benthological Society* 11: 120 (abstract).
- Prezant, R.S., H.B. Rollins, R.B. Toll, and S.V. Skoog. 1994b. Population dynamics of hard clams on point bars of St. Catherines Island,

- Georgia, abstract. National Association of Biological Scientists Conference 11 (1): 138.
- Prezant, R.S., H.B. Rollins, and R.B. Toll. 1997. Dynamics of adult and juvenile bivalve dispersal: a shifting paradigm. American Malacological Union, Annual Meeting.
- Prezant, R.S., R.B. Toll, H.B. Rollins, and E.J. Chapman. 2002. Marine macroinvertebrate diversity of St. Catherines Island, Georgia. *American Museum Novitates* 3367: 1–31.
- Prince, R.I.T. 1998. Marine turtle conservation: the links between populations in Western Australia and the Northern Australian Region—people and turtles. *In* R.A. Kennett, A. Webb, G. Duff, M. Guinea, and G. Hill (editors), *Proceedings of the Marine Turtle Conservation and Management in Northern Australia Workshop*. June 1997: 93–99. Darwin: Centre for Indigenous Natural and Cultural Resource Management and Centre for Tropical Wetlands Management, Northern Territory University.
- Pritchard, P.C.H. 1979. *Encyclopedia of turtles*. Neptune, NJ: T.F.H. Publications.: 895 p.
- Psuty, N.P. 1967. The geomorphology of beach ridges in Tabasco, Mexico. Baton Rouge, LA: Louisiana State University Press.
- Purdue, J.R., and E.J. Reitz. 1993. Decrease in body size of white-tailed deer (*Odocoileus virginianus*) during the late Holocene of South Carolina and Georgia. *In* R.A. Martin, and A.D. Barnosky (editors), *Morphological change in Quaternary mammals of North America*: 281–298. Cambridge: Cambridge University Press.
- Quitmyer, I.R. 1985. Aboriginal subsistence activities in the Kings Bay locality. *In* W.H. Adams (editor), *Aboriginal subsistence and settlement archaeology of the Kings Bay locality 2: Zooarchaeology*: 73–91. Gainesville: University of Florida Department of Anthropology Reports of Investigations 2.
- Quitmyer, I.R., and D.S. Jones. 2000. The over-exploitation of hard clams (*Mercenaria* sp) from five archaeological sites in the southeastern United States. *Florida Anthropologist* 53 (2–3): 158–166.
- Quitmyer, I.R., and E.J. Reitz. 2006. Marine trophic levels targeted between A.D. 300 and 1500 on the Georgia coast U.S.A. *Journal of Archaeological Science* 33: 806–822.
- Quitmyer, I.R., H.S. Hale, and D.S. Jones. 1985. Paleoseasonality determination based on incremental shell growth in the hard clam, *Mercenaria mercenaria*, and its implications for the analysis of three southeast Georgia shell middens. *Southeastern Archaeology* 4: 27–40.
- Quitmyer, I.R., D.S. Jones, and W.S. Arnold. 1997. The sclerochronology of hard clams, *Mercenaria* spp., from the southeastern U.S.A.: a method for elucidating the zooarchaeological records of seasonal resource procurement and seasonality in prehistoric shell middens. *Journal of Archaeological Science* 24: 825–840.
- Rapp, G.R., and J.A. Gifford. 1985. *Archaeological geology*. New Haven: Yale University Press.
- Rapp, G.R., and C.L. Hill. 2006. *Geoarchaeology: the earth-science approach to archaeological interpretation*, 2nd ed. New Haven: Yale University Press.
- Redman, J.B. 1852. On the alluvial formations, and the local changes of the south coast of England. *Minutes of Proceedings Institution of Civil Engineers* 11: 162–223.
- Redman, J.B. 1864. The east coast between the Thames and the Wash Estuaries. *Minutes of Proceedings Institution of Civil Engineers* 23:186–257.
- Rehkemper, L.J. 1969. Sedimentology of Holocene estuarine deposits, Galveston Bay, Texas. Ph.D. dissertation, Rice University, Houston, 61 p.
- Reimer, P.J., and R.W. Reimer. 2001. A marine reservoir correction database and on-line interface. *Radiocarbon* 43 (2A): 461–463.
- Reimer, P.J., F.G. McCormac, J. Moore, F. McCormick, and E.V. Murray. 2001. Marine radiocarbon reservoir corrections for the mid to late Holocene in the eastern subpolar North Atlantic. *Holocene* 12 (2): 129–135.
- Reimer, P.J., M.G.L. Baillie, E. Bard, A. Bayliss, J.W. Beck, C. Bertrand, P.G. Blackwell, et al. 2004. IntCal04 terrestrial radiocarbon age calibration, 0–26 cal kyr B.P. *Radiocarbon* 36: 1029–1058.
- Reitz, E.J. 1982. Vertebrate fauna from four coastal Mississippian sites. *Journal of Ethnobiology* 2 (1): 39–61.
- Reitz, E.J. 2004. “Fishing down the food web”: a case study from St. Augustine, Florida, USA. *American Antiquity* 69: 63–83.
- Reitz, E.J. 2008. Nonhuman vertebrate remains. *In* D.H. Thomas, *Native American landscapes*

- of St. Catherines Island, Georgia. II. The data. *Anthropological Papers of the American Museum of Natural History* 88 (2): 615–665.
- Reitz, E.J., and J. Dukes. 2008. Change and stability in vertebrate use between the Irene period and the mission period: nonhuman vertebrate remains. *In* D.H. Thomas, *Native American landscapes of St. Catherines Island, Georgia. II. The data. Anthropological Papers of the American Museum of Natural History* 88 (2): 778–798.
- Reitz, E.J., and I.R. Quitmyer. 1988. Faunal remains from two coastal Georgia Swift Creek sites. *Southeastern Archaeology* 7: 95–108.
- Reitz, E.J., D. Linsley, G.A. Bishop, H.B. Rollins, and D.H. Thomas. 2008. A brief natural history of St. Catherines Island. *In* D.H. Thomas, *Native American Landscapes of St. Catherines Island: 48–56. Anthropological Papers of the American Museum of Natural History* 88 (1).
- Reitz, E.J., I.R. Quitmyer, and R.A. Marrinan. 2009. What are we measuring in the zooarchaeological record of prehispanic fishing strategies in the Georgia Bight, USA? *Journal of Island and Coastal Archaeology* 4 (1): 2–36.
- Reitz, E.J., B.P. Zuckerman, D.C. Weinand, and G.A. Duncan. 2010. Mission and pueblo of Santa Catalina de Guale. A comparative zooarchaeological analysis. *Anthropological Papers of the American Museum of Natural History* 91.
- Renfrew, C. 1976. Archaeology and the earth sciences. *In* D.A. Davidson, and M.L. Shackley (editors), *Geoarchaeology: earth science and the past: 119–140*. London: Duckworth.
- Retallack, G.J. 1984. Completeness of the rock and fossil record: some estimates using fossil soils. *Paleobiology* 10: 59–78.
- Retallack, G.J., and P. McDowell. 1988. Report on a Penrose Conference on paleoenvironmental interpretation of paleosols. *Geology* 16: 375–376.
- Retallack, G.J., E.A. Bestland, and T.J. Fremd. 2000. Eocene and Oligocene paleosols and environmental change in central Oregon. *Geological Society of America Special Paper* 344: 192 p.
- Rhea, M.W. 1986. Comparison of Quaternary shoreline systems in Georgia: morphology, drainage and inferred processes of formation. M.S. thesis, University of Georgia: 73 p.
- Rich, F.J. 1979. The origin and development of tree islands in the Okefenokee swamp, as determined by peat petrography and pollen stratigraphy. Ph.D. dissertation, Pennsylvania State University, State College.
- Rich, F.J. 1984a. Ancient flora of the eastern Okefenokee Swamp, as determined by palynology. *In* A.D. Cohen, D.J. Casagrande, M.J. Andrejko, and G.R. Best (editors), *The Okefenokee Swamp: 410–422*. Los Alamos: Wetlands Surveys.
- Rich, F.J. 1984b. Development of three tree islands in the Okefenokee Swamp, as determined by palynostratigraphy and peat petrography. *In* A.D. Cohen, D.J. Casagrande, M.J. Andrejko, and G.R. Best (editors), *The Okefenokee Swamp: 410–422*. Los Alamos: Wetlands Surveys.
- Rich, F.J. 1996. Biological and sedimentological dynamics of the Okefenokee Swamp. *In* F.J. Rich, G. Chmura, and R. Gastaldo (editors), *Palynology of Wetland Environments of the Southern U.S.: 1–45*. Ninth International Palynological Congress, Houston, TX, Fieldtrip A3.
- Rich, F.J. 2007. Palynological composition of Reids and Bells Bluff samples. *In*, F.J. Rich (editor), *Guide to field trips, 56th Annual Meeting Southeastern Section of the Geological Society of America, Department of Geology and Geography Contribution Series 1: Statesboro, Georgia Southern University*.
- Rich, F.J., and F.L. Pirkle. 1994. Paleocological interpretation of the Trail Ridge sequence, and related deposits in Georgia and Florida, based on pollen sedimentation and clastic sedimentology. *In* A. Traverse (editor), *Sedimentation of organic particles: 287–310*. Cambridge, UK: Cambridge University Press.
- Rich, F.J., and F.L. Pirkle. 1998. Steinkerns as pollen traps. *In* V.M. Bryant, Jr., and J.H. Wrenn (editors), *New developments in palynomorph sampling, extraction, and analysis. American Association of Stratigraphic Palynologists Contributions Series 33 87–94*.
- Rich, F.J., and W. Spackman. 1979. Modern and ancient pollen sedimentation around tree islands in the Okefenokee Swamp. *Palynology* 3: 219–226.
- Rich, F.J., A. Semratedu, J. Elzea, and L. Newsom. 2000. Palynology and paleoecology of a wood-bearing clay deposit from Deepstep, Georgia. *Southeastern Geology* 39 (2): 71–

- 80.
- Rick, T.C., D.J. Kennett, and J.M. Erlandson. 2005. Preliminary report on the archaeology and paleoecology of the Abalone Rocks Estuary, Santa Rosa Island, California. *In* D. Garcelon and C. Schwemm (editors), Proceedings of the sixth California Islands symposium: 237–245. Santa Barbara Museum of Natural History.
- Riggs, S.R., and W.J. Cleary. 1993. Influence of inherited geologic framework upon barrier island morphology and shoreface dynamics. U.S. Geological Survey Open-File Report 93–381: 173–176. U.S. Geological Survey, Reston, Virginia.
- Riggs, S.R., W.J. Cleary, and S.W. Snyder. 1995. Influence of inherited geologic framework on barrier shoreface morphology and dynamics. *Marine Geology* 126: 213–234.
- Robbin, D.M. 1984. New Holocene sea level curve for the upper Florida Keys and Florida reef tract. *In* P.J. Gleason (editor), Environments of South Florida, present and past, II. Miami Geological Society: 437–458.
- Roberts, D., D. Rittschof, D.J. Gerhart, A.R. Schmidt, and L.G. Hill. 1989. Vertical migration of the clam *Mercenaria mercenaria* (L.) (Mollusca: Bivalvia): Environmental correlates and ecological significance. *Journal of Experimental Marine Biology and Ecology* 126: 271–280.
- Roberts, G. 2009. Ephemeral, subfossil mammalian, avian and hominid footprints within Flandrian sediment exposures at Formby Point, Sefton Coast, northwest England. *Ichnos*, 16: 33–48.
- Robertson, E.C. 1962. The Carolina Bays and emergence of the coastal plain of the Carolinas and Georgia. U.S. Geological Survey Professional Paper P 0450-C: C87–C93. Reston, VA: U.S. Geological Survey.
- Rock-Color Chart Committee. 1991. Rock-Color Chart Committee, Geological Society of America Munsell Rock-Color Chart. Geological Society of America: 12 p.
- Rodrigues, S. de Almeida. 1983. Aspectos da biologia de Thalassinidea do Atlântico tropical Americano: 1–174. Instituto de Biociências da Universidade de São Paulo, Brazil.
- Rodrigues, S. de Almeida, and R.M. Shimizu. 1995. As praias arenosas. Série Ecossistemas Brasileiros, Instituto de Biociências da Universidade de São Paulo.
- Rodriguez, A.B., and C.T. Meyer. 2006. Sea-level variation during the Holocene deduced from the morphologic and stratigraphic evolution of Morgan Peninsula, Alabama, U.S.A. *Journal of Sedimentary Research* 76 (2): 257–269.
- Rodriguez, A.B., J.B. Anderson, F.P. Siringan, and M. Taviani. 2004. Holocene evolution of the East Texas coast and inner continental shelf: along-strike variability in coastal retreat rates. *Journal of Sedimentary Research* 74 (3): 405–421.
- Rodriguez, A.B., D.L. Greene Jr., J.B. Anderson, and A.R. Simms. 2008. Response of Mobile Bay and eastern Mississippi Sound, Alabama, to changes in sediment accommodation and accumulation. *In* J.B. Anderson, and A.B. Rodriguez (editors), Response of Upper Gulf Coast estuaries to Holocene climate change and Sea Level Rise. Geological Society of America, Special Paper 443: 13–29.
- Roehler, H.W. 1993. Coastal sedimentation along a segment of the Interior Seaway of North America, Upper Cretaceous, Baxter Shale, and Blair and Rock Springs Formations, Rock Springs Uplift, Southwest Wyoming. United States Geological Survey Bulletin 2051: 1–31.
- Rollins, H.B., M. Carothers, and J. Donahue. 1979. Transgression, regression and fossil community succession. *Lethaia* 12 (1): 89–104.
- Rollins, H.B., J.B. Richardson, III, and D.H. Sandweiss. 1986. The birth of El Niño: geoarchaeological evidence and implications. *Geoarchaeology* 1 (1): 3–16.
- Rollins, H.B., R.R. West, and R.M. Busch. 1989. Field recognition of small-scale genetic surfaces. *In* K. Franseen, and W.L. Watney (editors), Sedimentary modeling: computer simulation of depositional sequences. *Subsurface Geology Series* 12: 43. Kansas Geological Survey.
- Rollins, H.B., West, R.R., and Busch, R.M. 1990. Hierarchical genetic stratigraphy and marine paleoecology. *In* W. Miller, III (editor), Paleo-community temporal dynamics: the long-term development of multispecies assemblies. Paleontological Society Special Publication 5: 273–308.
- Rollins, H.B., J. Yu, and R.M. Busch. 1990. Sequence stratigraphy and hierarchical modeling: the importance of scale. Geological So-

- ciety of America, Northeastern Section Meeting, Abstracts with Programs 22 (2): 66.
- Rollins, H.B., D.H. Sandweiss, and J.C. Rollins. 1990. Mollusks and coastal archaeology: a review. *In* N.P. Lasca and J. Donahue (editors), *Archaeological geology of North America: 467–478*. Boulder, CO: Geological Society of America, Centennial Special Publication 4.
- Rollins, H.B., R.S. Prezant, and R.B. Toll. 1990a. Recruitment dynamics of the hard clam (*Mercenaria mercenaria*): an alternate model. American Malacological Union, Program and Abstracts, 56th Annual Meeting. Woods Hole, MA: 57.
- Rollins, H.B., R.S. Prezant, and R.B. Toll. 1990b. A novel mode of recruitment of the hard clam (*Mercenaria mercenaria*) at St. Catherines Island, Georgia. American Malacological Union Meeting.
- Rollins, H.B., R.S. Prezant, R.R. West, and R.B. Toll. 1992. Metapopulation dynamics: potential constraints upon interpretation of fossil population structures and taphonomic gradients. Invited paper, 27th Geological Society of America Meeting, Northeast Section 24 (3): 75.
- Rollins, H.B., R.S. Prezant, and R.B. Toll. 2008. Human exploitation of the quahog *Mercenaria mercenaria* in eastern North America: historical patterns and controls. *In* A. Antczak, R. Cipriani (editors), *Early human impact on megamollusks*. BAR International Series 1865: 23–32.
- Rosenberg, M.S. 2001. The systematics and taxonomy of fiddler crabs: a phylogeny of the genus *Uca*. *Journal of Crustacean Biology*, 21: 839–869.
- Rosenfeld, J. 1993. The forgotten hurricane. *Weatherwise* (August–September) 13–18.
- Rothschild, B.J., J.S. Ault, P. Gouletquer, and M. Heral. 1994. Decline of the Chesapeake Bay oyster population: a century of habitat destruction and overfishing. *Marine Ecology Progress Series* 111: 29–39.
- Roughgarden, J., S.D. Gaines, and S.W. Pacala. 1987. Supply-side ecology: The role of physical transport processes. *In* J.H. R. Gee, P.S. Giller (editors), *Organization of communities: past and present*: 491–518. Oxford: Blackwell Scientific.
- Rudloe, J. 1979. *Time of the turtle*. New York: Dutton, 272 p.
- Russell, D.A., F.J. Rich, V. Schneider, and J. Lynch-Stieglitz. 2009. A warm thermal enclave in the Late Pleistocene of the Southeastern United States: *Biological Reviews* 84: 173–202.
- Russo, M. 1998. Measuring sedentism with fauna: Archaic cultures along the southwest Florida coast. *In* T.R. Rocek, and O. Bar-Yosef (editors), *Seasonality and sedentism: archaeological perspectives from Old and New World sites*: 143–164. Cambridge, MA: Harvard University Peabody Museum.
- Russo, M. 2002. Faunal analysis at Fig Island. *In* R. Saunders (editor), *The Fig Island ring complex (38CH42): coastal adaptation and the question of ring function in the Late Archaic*: 141–153. Columbia: Report prepared for the South Carolina Department of Archives and History, Grant #45-01-16441.
- Russo, M., and G. Heide. 2001. Shell rings of the southeast U.S. *Antiquity* 75: 491–492.
- Russo, M., and G. Heide. 2002. The Joseph Reed shell ring. *Florida Anthropologist* 55 (2): 67–87.
- Russo, M.A., and R. Saunders. 2008. Quahog (*Mercenaria mercenaria*) seasonality at Meeting House Field. *In* D.H. Thomas, *Native American landscapes of St. Catherines Island, Georgia. II. The data*. *Anthropological Papers of the American Museum of Natural History* 88 (2): 715–722.
- Russo, M., G. Heide, and V. Rolland. 2003. The Guana shell ring. *Historic Preservation Grant F0126*. Tallahassee: Florida Division of Historical Resources, Bureau of Archaeological Resources.
- SABSOON. 2003. South Atlantic Bight Synoptic Offshore Observational Network (SABSOON). Skidaway Institute of Oceanography. Internet resource (<http://www.skio.usg.edu/?p=research/phy/sabsoon/sabsoon>), accessed on November 23, 2010.
- Sale, P.F. 1990. Recruitment of marine species: is the bandwagon rolling in the right directions? *Trends in Ecology and Evolution* 5: 25–27.
- Sandifer, P.A., J.V. Miglarese, D.R. Calder, J.J. Manzi, L.A. Barclay, E.B. Joseph, and M.C. McKenzie (editors). 1980. *Ecological characterization of the Sea Island coastal region of South Carolina and Georgia. III. Biological features of the characterization area*. U.S. Fish & Wildlife Service, FWS-OBX-79/42, Washington, DC: 620 p.
- Sanger, M.C., and D.H. Thomas. 2010. The two

- rings of St. Catherines Island: some preliminary results from the St. Catherines and McQueen shell rings. *In* D.H. Thomas, and M.C. Sanger (editors), *Trend, tradition, and turmoil: what happened to the Southeastern Archaic?* *Anthropological Papers of the American Museum of Natural History* 93: 45–69.
- Saunders, R., J.H. Wrenn, W. Krebs, and V.M. Bryant. 2009. Coastal dynamics and cultural occupations on Choctawhatchee Bay, Florida, U.S.A. 2009. *Palynology* 33 (2): 135–156.
- Savrda, C.E. 2007. Trace fossil and marine benthic oxygenation. *In* W. Miller, III (editor), *Trace fossils: concepts, problems, prospects: 149–158*. Amsterdam: Elsevier.
- Say, T. 1817–1818. An account of the crustacea of the United States. *Journal of the Academy of Natural Sciences of Philadelphia* 1 (1) (1817): 57–63, 65–80, 97–101, 155–169; (2) (1818): 235–253, 313–319, 374–401, 423–444, 445–458, pl. 4.
- Schaffer, C. 2001. Chelonian zooarcheology of Florida and the adjacent Southeast coastal plain. Abstract. Proceedings of the Joint Annual Meeting of the Herpetologists' League and the Society for the Study of Amphibians and Reptiles, 27–31 July 2001: 132. Indianapolis, Indiana, USA.
- Schaffer, C., and R. Schaffer. 2008. Marine Chelonian illustration. Part six: turtling. 28th Annual Sea Turtle Symposium, International Sea Turtle Society, Loreto, California, Baja Sur. Internet resource (http://iconferences.seaturtle.org/preview.shtml?event_id=14&abstract_id=2752), accessed December 14, 2010.
- Schaffer, C., and R. Thunen. 2004. Florida marine chelonian zooarcheology and ethnozoology. *In* M.S. Coyne and R. Thuen (compilers), *Proceedings of the 21st Annual Symposium on Sea Turtle Biology and Conservation: 312–314*.
- Schiffer, M.B. 1972. Archaeological context and systemic context. *American Antiquity* 37: 156–165.
- Schiffer, M.B. 1976. *Behavioral archaeology*. New York: Academic Press.
- Schiffer, M.B. 1987. *Formation processes of the archaeological record*. Albuquerque: University of New Mexico Press.
- Schmidt, N.M., and P.M. Jensen. 2003. Changes in mammalian body length over 175 years—adaptations to a fragmented landscape? *Conservation Ecology* 7 (2): 6.
- Schoeninger, M.J., and D.H. Thomas. 2008. When did St. Catherines Islanders start growing maize? Paper presented at the annual meeting of the Society for American Archaeology, Atlanta.
- Schoeninger M.J., N.J. van der Merwe, K. Moore, J. Lee-Thorp, and C.S. Larsen. 1990. Decrease in diet quality between the prehistoric and contact periods. *In* C.S. Larsen (editor), *The archaeology of Mission Santa Catalina de Guale: 2. Biocultural interpretations of a population in transition*. *Anthropological Papers of the American Museum of Natural History* 68: 78–93.
- Scholl, D.W., F.C. Craighead, Jr., and M. Stuiver. 1969. Florida submergence curve revisited: its relation to coastal sedimentation rates. *Science* 163: 562–564.
- Schottle, H.E.T. 1996. *A Guide to a Georgia Barrier Island: featuring Jekyll Island with St. Simons and Sapelo Islands: 160 p.*
- Schoettle, H.E.T., and C. Johnson. 1983. *A field guide to Jekyll Island*. Georgia Sea Grant College Program, University of Georgia, Athens, 48 p.
- Schwartz, R.K. 1975. Nature and genesis of some storm washover deposits. CERC Technical Memo 61: 1–69. U.S. Army Corps of Engineers.
- Schwartz, R.K. 1982. Bedform and stratification characteristics of some modern small-scale washover sand bodies. *Sedimentology* 29: 835–849.
- Scott, D.B., and E.S. Collins. 1995. Late Mid-Holocene sea-level oscillation: A possible cause. *Quaternary Science Reviews* 15: 851–856.
- Scott, D.B., P.T. Gayes, and E.S. Collins. 1995. Mid-Holocene precedent for a future rise in sea-level along the Atlantic coast of North America. *Journal of Coastal Research* 11 (3): 615–622.
- Scott, D.B., E.S. Collins, P.T. Gayes, and E. Wright. 1995. Records of prehistoric hurricanes on the South Carolina coast based on micropaleontological and sedimentological evidence, with comparison to other Atlantic Coast records. *Bulletin Geological Society of America* 115: 1027–1039.
- Scott, D.B., E.S. Collins, P.T. Gayes, and E. Wright. 2003. Records of prehistoric hurricanes on the South Carolina coast based on micropaleontological and sedimentological evidence, with comparison to other Atlantic

- Coast records. Geological Society of America Bulletin 115: 1027–1039.
- Scully, R.W., and R.W. Arnold. 1981. Holocene alluvial stratigraphy in the upper Susquehanna River basin, New York. Quaternary Research 15: 327–344.
- Sears, W.H., and J.B. Griffin. 1950. Fiber-tempered pottery of the Southeast. In J.B. Griffin (editor), Prehistoric pottery of the eastern United States. Ann Arbor: University of Michigan.
- Sedgewick, P.E., and R.A. Davis, Jr. 2003. Stratigraphy of washover deposits in Florida: implications for recognition in the stratigraphic record. Marine Geology, 200: 31–48.
- Sella, G.F., S. Stein, T.J. Dixon, M. Craymer, T.S. James, S. Mazzotti, and R.K. Dokka. 2007. Observation of glacial isostatic adjustment in “stable” North America with GPS. Geophysical Research Letters 34 (2): L02306.
- Semken, H. 1983. Holocene Mammalian biography and climate change in the eastern and central United States: 187–207. In H. Wright, Jr. (editor), The Holocene, Late Quaternary environments of the United States, vol. 2. Minneapolis: University of Minnesota Press.
- Sexton, W.J., and M.O. Hayes. 1983. Natural bar-bypassing of sand at a tidal inlet. Proceedings 18th Coastal Engineering Conference (ASCE): 1179–1195.
- Shadrovi, J.M. 1990. Aeolian transport in a small dune field on St. Catherines Island, Georgia. Bulletin of the Georgia Geologic Society 122: 48–64.
- Sharma, P.V. 2002. Environmental and engineering geophysics. Cambridge: Cambridge University Press: 475 p.
- Shepard, F.P. 1964. Sea level changes in the past 6000 years: possible archeological significance. Science 143: 574–576.
- Sherrod, B.L., H.B. Rollins, and S.K. Kennedy. 1989. Subrecent intertidal diatoms from St. Catherines Island, Georgia: taphonomic implications. Journal of Coastal Research 5: 665–677.
- Shirley, L.J., and L.L. Battaglia. 2006. Assessing vegetation change in coastal landscapes of the northern Gulf of Mexico. Wetlands 26 (4): 1057–1070.
- Shoshany, M., and A. Degani. 1992. Shoreline detection by digital image processing of aerial photography. Journal of Coastal Research 8 (1): 29–34.
- Siddall, M., E.J. Rohling, A. Almogi-Labin, C. Hemleben, D. Meischner, I. Schmelzer, and D.A. Smeed. 2003. Sea level fluctuations during the last glacial cycle. Nature 423 (6942): 853–858.
- Silliman, B.R., and M.D. Bertness. 2002. A trophic cascade regulates salt marsh primary production. Proceedings of the National Academy of Sciences 99 (16): 10500–10515.
- Simms, A.R., J.B. Anderson, A.B. Rodriguez, and M. Taviani. 2008. Mechanisms controlling environmental change within an estuary: Corpus Christi Bay, Texas, USA. In J.B. Anderson and A.B. Rodriguez (editors), Response of upper Gulf coast estuaries to Holocene climate change and sea-level rise, Geological Society of America, Special Paper 443: 121–145.
- Simms, A.R., N. Aryal, Y. Yokoyama, H. Matsuzaki, and R. Dewitt. 2009. Insights on a proposed mid-Holocene highstand along the northwestern Gulf of Mexico from the evolution of small coastal ponds. Journal of Sedimentary Research 79 (10): 757–772.
- Sinclair, M. 1987. Marine Populations. Seattle: Washington University Press.
- Sissons, J.B., 1979. The Loch Lomond Stadial in the British Isles. Nature 280: 199–203.
- Smith, C.B., D.J. Kennett, T.A. Wake, and B. Voorhies. 2007. Prehistoric sea turtle hunting on the Pacific Coast of Mexico. Journal of Island and Coastal Archaeology 2: 231–235.
- Smith, E.A. 1991. Inujuamiut foraging strategies: evolutionary ecology of an arctic hunting economy. New York: Aldine de Gruyter.
- Smith, G.L., and G.A. Zarillo. 1990. Calculating longterm shoreline recession rates using aerial photographic and beach profiling techniques. Journal of Coastal Research 69 (1): 111–120.
- Smith, J.J., and S.T. Hasiotis. 2008. Traces and burrowing behaviors of the cicada nymph *Cicadetta calliope*: neoichnology and paleoecological significance of extant soil-dwelling insects. Palaios 23: 503–513.
- Smith, J.M., and R.W. Frey. 1985. Biodeposition by the ribbed mussel *Geukensia demissa* in a salt marsh, Sapelo Island, Georgia. Journal of Sedimentary Petrology 55 (6): 817–828.
- Smith, J.W., S.M. Pickering, and J.R. Landrum. 1968. Heavy-mineral-bearing sand of the coastal region of Georgia. Geological Society of America Special Paper: 500 p.
- Smith, O.R. 1955. Movements of small soft-shell

- clam (*Mya arenaria*). U.S. Fish and Wildlife Service, Special Science Report, Fisheries No. 159: 1–9.
- Snay, R., M. Cline, W. Dillinger, R. Foote, S. Hilla, W. Kass, J. Ray, J. Rohde, G. Sella, and T. Soler. 2007. Using global positioning system-derived crustal velocities to estimate rates of absolute sea level change from North American tide gauge records. *Journal of Geophysical Research* 112 (B4): 1–11.
- Somerville, M. 1834. On the connexion of the physical sciences. London: Murry's Family Library: 499 p.
- Somes, H.A., and T.R. Ashbaugh. 1972. Vegetation of St. Catherines Island, Georgia. Report to the American Museum of Natural History. On file, St. Catherines Archive, American Museum of Natural History.
- South, S. 1973. Indian pottery taxonomy for the South Carolina coast. *Institute of Archaeology and Anthropology Notebook* 5: 54–55.
- Spackman, W., A.D. Cohen, P.H. Given, and D.J. Casagrande. 1976. A field guidebook to aid in the comparative study of the Okefenokee Swamp and the Everglades-mangrove swamp-marsh complex of southern Florida. State College: Coal Research Section, Pennsylvania State University.
- Spotila J.R., 2004. Sea turtles: a complete guide to their biology, behavior, and conservation. Baltimore: Johns Hopkins University Press: 240 p.
- Spring, C.S. 1995. Subsistence hunting of marine turtles in Papua New Guinea. *In* K.A. Bjorn-dahl (editor), *Biology and conservation of sea turtles* (revised ed). Washington, DC: Smithsonian Institution Press: 615 p.
- Stanenco, J.D. 1991. The personal journal as a learning and evaluation tool in geology field-trip courses. *Journal of Geological Education* 39 (3): 204–205.
- Stapor, F.W., Jr. 1973. Coastal sand budgets and Holocene beach ridge plain development, Northwest Florida. Ph.D. dissertation, Florida State University, Tallahassee.
- Stapor, F.W., Jr. 1975. Holocene beach ridge plain development, northwest Florida. *Zeitschrift für Geomorphologie, Suppl. Bd22*: 116–144.
- Stapor, F.W., Jr., and T.D. Mathews. 1983. Higher than present Holocene sea-level events recorded in wave cut terraces and scarps: Old Island, Beaufort County, South Carolina. *Marine Geology* 52: M53–M60.
- Stapor, F.W., Jr., and G.W. Stone. 2004. A new depositional model for the buried 4000 year B.P. New Orleans barrier: implications for sea-level fluctuations and onshore transport from a nearshore shelf source. *Marine Geology* 204: 215–234.
- Stapor, F.W., Jr., T.D. Mathews, and F.E. Lindfors-Kearns. 1987. Episodic barrier island growth in southwest Florida: a response to fluctuating Holocene sea-level? *In* F.J. Maurrasse, M.R. Maurrasse (editors), *Symposium on south Florida geology: Miami, Florida*, Miami Geological Society Memoir 3: 149–202.
- Stapor, F.W., Jr., T.D. Mathews, and F.E. Lindfors-Kearns. 1988. Episodic barrier island growth in southwest Florida: a response to fluctuating Holocene sea-level? *Miami Geological Society Memoir No. 3*: 149–202.
- Stapor, F.W., Jr., T.D. Mathews, and F.E. Lindfors-Kearns. 1991. Barrier-island progradation and Holocene sea-level history in southwest Florida. *Journal of Coastal Research* 7 (3): 815–838.
- St. Catherines Island Sea Turtle Conservation Program. 2009. Internet resource (<http://www.scistp.org>), accessed May 31, 2009.
- Steed, W.G. 1970. The St. Catherines period: a newly recognized segment in the cultural sequence of the Georgia coast. University of Georgia Laboratory of Anthropology. Research Manuscript 152.
- Stein, J.K., and R. Farrand (editors). 2001. *Sediments in archaeological context*. Salt Lake City: University of Utah Press.
- Steinen, K.T. 1978. The cultural evolution and environment of Colonel's Island, Georgia. Report submitted to the Georgia Ports Authority, Savannah. Unpublished report on file at the Laboratory of Archaeology, West Georgia College.
- Steno [Stensen], Nicolai. 1669. *De solido intra solidum naturaliter contento dissertationis prodromus*. Florence: Stella.
- Stephens, D.W., and J.R. Krebs. 1986. *Foraging theory*. Princeton: Princeton University Press.
- Stiiver, M., and P.J. Reimer. 1993. Extended ¹⁴C data base and revised CALIB 3.0 ¹⁴C age calibration program. *Radiocarbon* 35: 215–230.
- Stoltman, J.B. 1974. *Groton Plantation: an archaeological study of a South Carolina locality*. Peabody Museum Monographs 1.
- Stoneburner, D.L., and J.I. Richardson. 1981. Observations on the role of temperature in Log-

- gerhead nest site selection. *Copeia*: 238–241.
- Storms, J.E.A., G.J. Weltje, G.J. Terra, A. Cattaneo, and F. Trincardi. 2008. Coastal dynamics under conditions of rapid sea-level rise: Late Pleistocene to early Holocene evolution of barrier-lagoon systems on the northern Adriatic shelf (Italy). *Quaternary Science Reviews* 27: 1107–1123.
- Strumbauer, C., J.S. Levinton, and J. Christy. 1996. Molecular phylogeny analysis of fiddler crabs: Test of the hypothesis of increasing behavioral complexity in evolution. *Proceedings of the National Academy of Science*, 93: 10855–10857.
- Stuiver, M., and P.J. Reimer. 1993. Extended ^{14}C data base and revised CALIB 3.0 ^{14}C age calibration program. *Radiocarbon* 35: 215–230.
- Stuiver, M., P.J. Reimer, E. Bard, J.W. Beck, G.S. Burr, K.A. Hughen, B. Kromer, G. McCormack, J. van der Plicht, and M. Spark. 1998. INTCAL98 radiocarbon age calibration, 24,000–0 cal BP. *Radiocarbon* 40 (3): 1041–1084.
- Stuiver, M., P.J. Reimer, and R.W. Reimer. 2005. CALIB 5.0. program and documentation. Internet resource (<http://calib.qub.ac.uk/calib/>), accessed December 14, 2010.
- Suárez, A., and C.H. Starbird. 1996. Subsistence hunting of Leatherback turtles (*Dermochelys coriacea*) in the Kai Islands, Indonesia. *Chelonian Conservation and Biology* 2 (2): 190–195.
- Sullivan, J.D. 1988. Late Pleistocene—Holocene transgressive Barrier Island sequence: evidence for a fluctuating sea level, Hilton Head Island area, South Carolina. Master's thesis. Georgia State University, Atlanta.
- Surovell, T.A., V.T. Holliday, J.A. Gingerich, C. Ketron, C.V. Haynes, Jr., I. Hilman, D.P. Wagner, E. Johnson, and P. Claeys. 2009. An independent evaluation of the Younger Dryas extraterrestrial impact hypothesis. *Proceedings of the National Academy of Sciences* 106 (43): 18155–8.
- Sussman, K.R., and S.D. Herron. 1979. Evolution of a barrier island—Shackelford Banks, Carteret County, North Carolina. *Geological Society of America Bulletin* 90: 305–315.
- Suzuki, H., 1975. World precipitation, present and hypsithermal. *University of Tokyo Department of Geography Bulletin* 4: 1–69.
- Swift, D.J.P. 1968. Coastal erosion and transgressive stratigraphy. *Journal of Geology* 76: 444–456.
- Swift, D.J.P., J.W. Kofoed, F.P. Saulsbury, and P. Sears. 1972. Holocene evolution of the shelf surface, central and southern shelf of North America. In D.J.P. Swift, D.B. Duane, and O.H. Pilkey (editors), *Shelf sediment transport: process and pattern*: 499–574. Stroudsburg: Dowden, Hutchinson and Ross.
- Tanner, W.F. 1988. Beach ridge data and sea-level history from the Americas. *Journal of Coastal Research* 4 (1): 81–91.
- Tanner, W.F. 1990. Origin of barrier islands on sandy coasts. *Transactions of the Gulf Coast Association of Geological Societies* 40: 819–824.
- Tanner, W.F. 1991. The “Gulf of Mexico” Late Holocene sea level curve and river delta history. *Transactions of the Gulf Coast Association of Geological Societies* 41: 583–589.
- Tanner, W.F. 1992. 3000 years of sea level change. *Bulletin of the American Meteorological Society* 73 (3): 297–303.
- Tanner, W.F. 1993. An 8000-year record of sea-level change from grain-size parameters: data from beach ridges in Denmark. *Holocene* 3 (3): 220–231.
- Tanner, W.F. 1995. Origin of beach ridges and swales. *Marine Geology* 129 (1): 149–161.
- Tanner, W.F. 2000. Beach ridge history, sea level change, and the A.D. 536 event. In J.D. Gunn (editor), *The years without summer: tracing A.D. 536 and its aftermath*: 89–97.
- Tanner, W.F., and F.W. Stapor, Jr. 1972. Precise control of wave run-up in beach ridge construction. *Zeitschrift für Geomorphologie* 16 (4): 393–399.
- Tanner, W.F., S. Demirpolat, F.W. Stapor, Jr., and L. Alvarez. 1989. The “Gulf of Mexico” late Holocene sea-level curve. *Transactions of the Gulf Coast Association of Geological Societies* 39: 553–562.
- Taylor, M., and G.W. Stone. 1996. Beach ridges: a review. *Journal of Coastal Research* 12 (3): 612–621.
- Taylor, R.E. 1987. *Radiocarbon dating: an archaeological perspective*. Orlando: Academic Press.
- Teal, J., and M. Teal. 1969. *Life and death of the salt marsh*. Boston: Little, Brown and Co.
- Thieler, E.R., and W.W. Danforth. 1994. Historical shoreline mapping. I. Improving techniques and reducing positioning errors. *Journal of Coastal Research* 10 (3): 549–563.

- Thieler, E.R., and E.S. Hammar-Klose. 1999. National assessment of coastal vulnerability to sea-level rise: preliminary results for the U.S. Atlantic coast. U.S.G.S. Open-File Report 99-593.
- Thieme, D.M. 2005. Soils and geomorphology of the Tabby site (9Ch1062), Ossabaw Island, Georgia. Report submitted to Daniel T. Elliot, Lamar Institute, Box Springs, Georgia 31801.
- Thom, B.G. 1964. Origin of sand beach ridges. *Australian Journal of Science* 26: 351–352.
- Thom, B.G. 1967. Humate and coastal geomorphology. *Coastal Studies Bulletin* 1 (37): 15–17.
- Thomas, D.H. 1979. *Archaeology*. New York: Holt, Rinehart, and Winston.
- Thomas, D.H. 1980. The interdisciplinary approach to archaeology: a view from St. Catherines Island, Georgia. In J.D. Howard, C.B. DePratter, and R.F. Frey (editors), *Excursions in southeastern geology: the archaeology-geology of the coast*: 135–142. Guidebook 20, 1980 Annual Meeting of the Geological Society of America.
- Thomas, D.H. 1983. Finding a lost Spanish mission. *Close-Up* 14 (2): 44–51.
- Thomas, D.H. 1987. The archaeology of mission Santa Catalina de Guale: 1. Search and discovery. *Anthropological Papers of the American Museum of Natural History* 63 (2): 47–161.
- Thomas, D.H. 1988a. St. Catherines: an island in time. Georgia Endowment for the Humanities. Georgia History and Culture Series, Atlanta, GA. 83 p.
- Thomas, D.H. 1998b. *Archaeology*. 3rd ed. Fort Worth: Harcourt, Brace.
- Thomas, D.H. 2005. Thomas Jefferson's conflicted legacy in American archaeology. In D. Seefeldt, P. Onuf, and J. Hantman (editors), *Across the continent: Jefferson, Lewis and Clark, and the making of America*: 84–131. Charlottesville: University of Virginia Press.
- Thomas, D.H. 2008. Native American landscapes of St. Catherines Island, Georgia. *Anthropological Papers of the American Museum of Natural History* 88, parts I–III: 1136 p.
- Thomas, D.H. 2010. "What happened to the southeastern Archaic?" a perspective from St. Catherines Island. In D.H. Thomas and M.C. Sanger (editors), *Trend, tradition, and turmoil: what happened to the Southeastern Archaic?* *Anthropological Papers of the American Museum of Natural History* 93: 173–199.
- Thomas, D.H., and C.S. Larsen. 1979. The anthropology of St. Catherines Island: 2. The Refuge-Deptford mortuary complex. *Anthropological Papers of the American Museum of Natural History* 56 (1): 1–180.
- Thomas, D.H., and M.C. Sanger (editors). 2010. *Trend, tradition and turmoil: what happened to the Southeastern Archaic?* *American Museum of Natural History Anthropological Papers* 93.
- Thomas, D.H., G. Jones, R. Durham, and C.S. Larsen. 1978. The anthropology of St. Catherines Island: 1. The natural and cultural history. *Anthropological Papers of the American Museum of Natural History* 55 (2): 155–248.
- Thomas, D.H., E.G. Garrison, and J.G. Baker. 1985. Magnetic prospection and the discovery of Mission Santa Catalina de Guale. *Journal of Field Archaeology* 12 (3): 299–313.
- Thomas, D.H., H.B. Rollins, and C.B. DePratter. 2008. The changing shape of the Island. In D.H. Thomas, *Native American landscapes of St. Catherines Island, Georgia*: 1. The theoretical framework: 835–858. *Anthropological Papers of the American Museum of Natural History*: 88.
- Thomas, M.A. and J.B. Anderson. 1994. Sea-level controls on the facies architecture of the Trinity/Sabine incised-valley system, Texas continental shelf. In R. Boyd, B.A. Zaitlin, and R. Dalrymple (editors), *SEPM special publication* 51: 63–82.
- Thompson, V.D., and J.A. Turck. 2009. Adaptive cycles of coastal hunter-gatherers. *American Antiquity* 74 (2): 255–278.
- Thorbjarnarson, J.B., N. Perez, and T. Escalona. 1985. Nesting of *Podocnemis unifilis* in the Capanaparo River, Venezuela. *Journal of Herpetology* 27 (3–Sept. 1993): 344–347.
- Thorbjarnarson, J.B., C.J. Lagueux, and D. Bolze. 2000a. Human use of turtles: a worldwide perspective. In M.W. Klemens (editor), *Turtle conservation*: 33. Washington, DC: Smithsonian Institution Press.
- Thorbjarnarson, J.B., S.G. Platt, and S. Tun Khing. 2000b. Sea turtles in Myanmar: past and present. *Marine Turtle Newsletter* 88: 10–11.
- Ting, S. 1936. Beach ridges and other shore deposits in Southwest Jura. *Scottish Geographical Magazine* 52: 182–187.
- Tobler, W.R. 1970. A computer movie simulating urban growth in the Detroit region. *Economic*

- Geography 46: 234–240.
- Törnqvist, T.E., J.L. González, L.A. Newsome, K. van der Borg, and A.F.M. de Jong. 2002. Reconstructing “background” rates of sea level as a rise as a tool for forecasting coastal wetland loss, Mississippi Delta. *Eos* 83: 525, 530–531.
- Törnqvist, T.E., J.L. González, L.A. Newsome, K. van der Borg, A.F.M. de Jong, and C.W. Kurnik. 2004a. Deciphering Holocene sea-level history on the U.S. Gulf Coast: a high-resolution record from the Mississippi Delta. *GSA Bulletin* 116 (7/8): 1026–1039.
- Törnqvist, T.E., S.J. Bick, J.L. González, K. van der Borg, and A.F.M. de Jong. 2004b. Tracking sea-level signature of the 8.2 ka cooling event: new constraints from the Mississippi Delta. *Geophysical Research Letters* 31: L23309.
- Törnqvist, T.E., S.J. Bick, K. van der Borg, and A.F.M. de Jong. 2006. How stable is the Mississippi Delta? *Geology* 34 (8): 697–700.
- Torres, R., S. Fagherazzi, D. van Proosdij, and C. Hopkinson. 2006. Salt marsh geomorphology: physical and ecological effects on landform. *Estuarine and Coastal Shelf Science* 69: 309–310.
- Toscano, M.A. and J. Lundberg. 1998. Early Holocene sea-level record from submerged fossil reefs on the southeast Florida margin. *Geology* 26: 255–258.
- Toscano, M.A., and I.G. Macintyre. 2003. Corrected western Atlantic sea-level curve for the last 11,000 years based on calibrated ^{14}C dates from *Acropora palmata* framework and intertidal mangrove peat. *Coral Reefs* 22: 257–270.
- Traverse, A. 2007. *Paleopalynology*. Dordrecht, Netherlands: Springer.
- Turner, E.J., R.K. Zimmer-Faust, M.A. Palmer, M. Luckenbach, and N.D. Pentcheff. 1994. Settlement of oyster (*Crassostrea virginica*) larvae: effects of water flow and a water-soluble chemical cue. *Limnology Oceanography* 39 (7): 1579–1593.
- Turner, R.E. 2004. Will lowering estuarine salinity increase Gulf of Mexico oyster landings? *Estuaries and Coasts* 29: 345–352.
- U.S. Army Corps of Engineers. 1971. National shoreline study, regional inventory report, Engineering Division, South Atlantic. Atlanta, Georgia.
- U.S. Army Corps of Engineers. 1976. Final environmental statement: Atlantic Intracoastal Waterway (Port Royal Sound, South Carolina to Cumberland Sound, Florida). Savannah District, Savannah Georgia: 100 p.
- U.S. Army Corps of Engineers. 1991. Savannah Harbor, Georgia comprehensive study: draft feasibility report and environmental impact statement. U.S. Army Corps of Engineers, Savannah District, Savannah, Georgia. 565 p.
- U.S. Army Corps of Engineers. 1996. Savannah Harbor long-term management strategy study, harbor operation and maintenance, Chatham County, Georgia, and Jasper County, South Carolina (EPA number 960398F). 765 p.
- U.S. Department of Commerce. 1997. Georgia coastal management program; Brantley, Bryan, Camden, Charlton, Chatham, Effingham, Glynn, Liberty, Long, McIntosh, and Wayne counties, Georgia. National Oceanic and Atmospheric Administration and Georgia Department of Natural Resources, Atlanta, Georgia, 462 p.
- U.S. Geological Survey Open-File Report 99–593, U.S. Geological Survey, Woods Hole, Massachusetts. 1 sheet.
- Vance, D.J., and T.M. Chowns. 1999. Delineation of Pleistocene and Holocene depositional environments in vibracores from Jekyll Island, Georgia. *Georgia Journal of Science* 57 (1): 54–55.
- Vance, R.K., and F.L. Pirkle. 2007. An overview of titanium concentration in heavy mineral sand ore deposits. *In* F. J. Rich (editor), Field trips of the 2007 Annual Meeting, Southeastern Section, Geological Society of America: 177–185. Georgia Southern University (Statesboro, GA).
- Van Dolah, R.F., D.R. Calder, and D.M. Knott. 1984. Effects of dredging and open water disposal on benthic macroinvertebrates in a South Carolina estuary. *Estuaries* 7: 28–37.
- Van Dolah, R.F., P.H. Wendt, and N. Nicholson. 1987. Effects of a research trawl on a hard-bottom assemblage of sponges and corals. *Fishery Research* 5: 39–64.
- Van Meter, V.B. 1992. Florida’s sea turtles. Florida Power and Light Company: 60 p.
- Van Valen, L. 1973. A new evolutionary law. *Evolutionary Theory* 1: 1–30.
- Vento, F.J., and P.A. Stahlman. 2008. Development of a late Pleistocene-Holocene genetic stratigraphic framework for St. Catherines Island, Georgia: implications in archaeology.

- Presented at Annual Meeting of the Southeastern Archaeological Conference, Charlotte, N.C., November 12–15.
- Vento, F.J., H. Rollins, W. Johnson, and P. Raber. 1994. Genetic stratigraphy, climate change and the potential for the burial of archaeological sites in alluvial contexts in the Delaware, Ohio and Susquehanna River drainage basins. Grant report submitted to the Pennsylvania Museum and Historical Commission.
- Vento, F.J., H.B. Rollins, A. Vega, J.M. Adovasio, P. Stahlman, D.B. Madsen, and J.S. Illinworth. 2008. Development of a Late Pleistocene-Holocene genetic stratigraphic framework for the mid-Atlantic region: implications in archaeology. 73rd Annual Meeting of the Society for American Archaeology, Vancouver, British Columbia.
- Wade, D.D., and O.G. Langdon. 1990. Sabal palmetto (Walt.) J.A. Lodd., and J. H. Schult. Cabbage palmetto. In R.M. Burns, and B.H. Honkala (technical coordinators), *Sylvics of forest trees of the United States* (revised ed). U.S. Department of Agriculture, Forest Service Agriculture Handbook 654: 2.
- Walker, K.J., W.F. Stapor, Jr., and W.H. Marquardt. 1995. Archaeological evidence for a 1750-1450 B.P. higher-than-present sea level along Florida's Gulf Coast. *Journal of Coastal Research Special Issue 17, Holocene Cycles: Climate, Sea Levels and Sedimentation*: 205–218.
- Walker, R.G. 1990. Facies modeling and sequence stratigraphy: perspective. *Journal of Sedimentary Research* 60: 777–786.
- Walker, R.L. 1987. Hard clam, *Mercenaria mercenaria* (Linné) populations in coastal Georgia. Georgia Marine Science Center, Technical Report 87–1.
- Walker, R.L. 1988. Observations on intertidal whelk (*Busycon* and *Busycotypus*) populations in Wassaw Sound, Georgia. *Journal of Shellfish Research* 7: 473–478.
- Walker, R.L., and C. Cotton. 2001. Oyster bed distribution as a long term environmental indicator for the Duplin River, Sapelo Island, National Estuarine Research Reserve. University of Georgia, School of Marine Programs, Marine Technical Report 01–1.
- Walker, R.L., and M.V. Rawson. 1985. Subtidal hard clam, *Mercenaria mercenaria* (Linné), resources in coastal Georgia. Technical Report Series 85-1, Georgia Marine Science Center, University of Georgia: 164 p.
- Walker, R.L., and K.R. Tenore. 1984. The distribution and production of the hard clam, *Mercenaria mercenaria*, in Wassaw Sound, Georgia. *Estuaries* 7: 19–27.
- Walker, S.E. 2007. Traces of gastropod predation on molluscan prey in tropical reef environments. In W. Miller, III (editor), *Trace fossils: concepts, problems, prospects*: 324–344. Amsterdam: Elsevier.
- Wanless, H.R. 2002. The nature of transgression: Cape Sable, Florida. *Abstracts with Programs. Geological Society of America* 34 (6): xx.
- Ward, L.G., B.J. Zaprowski, K.D. Trainer, and P.T. Davis. 2008. Stratigraphy, pollen history and geochronology of tidal marshes in a Gulf of Maine estuarine system: climatic and relative sea level impacts. *Marine Geology* 256: 1–17.
- Waring, A.J., Jr. 1968a. The refuge site, Jasper County, South Carolina (originally 1940). In S. Williams (editor), *The Waring papers: the collected works of Antonio J. Waring Jr.* Cambridge, MA: Harvard University, Papers of the Peabody Museum of Archaeology and Ethnology 58: 198–208.
- Waring, A.J., Jr. 1968b. A history of Georgia archaeology to World War II. In S. Williams (editor), *The Waring papers: the collected works of Antonio J. Waring, Jr.* Cambridge: Harvard University, Papers of the Peabody Museum of Archaeology and Ethnology 58: 288–300.
- Waring, A.J., Jr., and L.H. Larson, Jr. 1968. The shell ring on Sapelo Island. In S. Williams (editor), *The Waring Papers*: 263–280. Athens: University of Georgia Press.
- Warne, J.E. 1971. Paleoeological aspects of a modern coastal lagoon. *University of California Publications in Marine Science* 87: 1–131.
- Waters, M.R. 1992. *Principles of geoarchaeology: a North American perspective*. Tucson: University of Arizona Press.
- Watts, W.A. 1969. A pollen diagram from Mud Lake, Marion County, north-central Florida. *Geological Society of America Bulletin* 80: 631–642.
- Watts, W.A. 1971. Postglacial and interglacial vegetation history of southern Georgia and central Florida. *Ecology* 52: 676–690.
- Watts, W.A., and B.C.S. Hansen. 1988. *Environments of Florida in the Late Wisconsin*

- and Holocene. In B. Purdy (editor), *Wet Site Archaeology*. New Jersey: Telford Press: 307–323.
- Watts, W.A., and B.C.S. Hansen. 1994. Pre-Holocene and Holocene pollen records of vegetation history from the Florida peninsula and their climatic implications. *Palaeogeography, Palaeoclimatology, Palaeoecology* 109: 163–176.
- Weems, R.E. 1988. Paleocene turtles from the Aquia and Brightseat Formations, with a discussion of their bearing on sea turtle evolution and phylogeny. *Proceedings of the Biological Society of Washington* 101: 109–145.
- Weems, R.E., and S.F. Obermeier. 1989. The 1886 Charleston earthquake—an overview of geological studies. In *Proceedings of the U.S. Nuclear Regulatory Commission-Seventeenth Water Reactor Safety Meeting*. U.S. Nuclear Regulatory Commission NUREG/CP-0105 2: 289–313.
- Weimer, R.J., and J.H. Hoyt. 1964. Burrows of *Callianassa major* say, geologic indicators of littoral and shallow neritic environments. *Journal of Paleontology*, 38 (4): 761–767.
- Weinand, D.C., C.F.T. Andrus, and M.R. Crook, Jr. 2000. The identification of cownose ray (*Rhinoptera bonasus*) as a seasonal indicator species and implications for coastal Mississippian subsistence modeling. *Southeastern Archaeology* 19 (2): 156–162.
- West, D.L., and S.T. Hasiotis. 2007. Trace fossils in an archaeological context: examples from bison skeletons, Texas, USA. In W. Miller, III (editor), *Trace fossils: concepts, problems, prospects*: 545–561. Amsterdam: Elsevier.
- West, R.R., H.B. Rollins, and R.M. Busch. 1990. Taphonomy and an intertidal palimpsest surface: implications for the fossil record. In W. Miller III (editor), *Paleocommunity temporal dynamics: the long-term development of multispecies assemblages*. *Paleontological Society Special Publication* 5: 351–369.
- Wharton, C.H. 1978. The natural environments of Georgia. Georgia Department of Natural Resources, Environmental Protection Division, Geological Survey Bulletin 114, Atlanta, GA.
- Wheeler, M. 1954. *Archaeology from the earth*. Oxford: Clarendon Press.
- White, N.M. 2003. Late Archaic in the Apalachicola/Lower Chatahoochee Valley, North-West Florida, Southwest Georgia, and Southeast Alabama. *Florida Anthropologist* 56 (2): 69–90.
- Whitehead, A.N. “1925” (1919). An enquiry concerning the principles of natural knowledge, 2nd ed. Cambridge University Press.
- Whitehead, A.N. “1997” (1925). *Science and the modern world*. Free Press, 214 p.
- Wiedemann, H.U. 1972. Shell deposits and shell preservation in Quaternary and Tertiary estuarine sediments in Georgia, U.S.A. *Sedimentary Geology* 7: 103–125.
- Willard, D.A., C.E. Bernhardt, G.R. Brooks, T.M. Cronin, T.E. Edgar, and R. Larson. 2007. Deglacial climate variability in central Florida, USA. *Palaeogeography, Palaeoclimatology, Palaeoecology* 251: 366–382.
- Williams, M. 2005. 4000 years at a glance: patterns of ceramic style distribution over Georgia. *Early Georgia* 33 (2): 181–189.
- Williams, M., and V. Thompson. 1999. A guide to Georgia Indian Pottery types. *Early Georgia* 27 (1): 1–167.
- Wilson, M.A. 2007. Macroborings and the evolution of marine bioerosion. In W. Miller, III (editor), *Trace fossils: concepts, problems, prospects*: 356–367. Amsterdam: Elsevier.
- Wing, E.S., and E.J. Reitz. 1982. Prehistoric fishing economies of the Caribbean. *Journal of New World Archaeology* 5: 13–22.
- Winker, C.D., and J.D. Howard. 1977. Correlation of tectonically deformed shorelines on the southern Atlantic coastal plain. *Geology* 5: 123–127.
- Witherington, B. 1992. Crawl identification for Florida index beach surveys: Archie Carr Center for Sea Turtle Research, University of Florida: 5 p.
- Woolsey, J.R., Jr. 1977. Neogene stratigraphy of the Georgia coast and inner continental shelf. Unpublished Ph.D. dissertation, University of Georgia, Athens, 244 p.
- Woolsey, J.R., Jr., V.J. Henry, Jr., and J.L. Hunt. 1975. Backshore heavy-mineral concentration on Sapleo Island, Georgia. *Journal of Sedimentary Research* 45 (1): 280–284.
- Wright, E.E., A.C. Hine, S.L. Goodbred, Jr., and S.D. Locker. 2005. The effect of sea-level and climate change on the development of a mixed siliciclastic-carbonate, deltaic coastline: Suwannee River, Florida, U.S.A. *Journal of Sedimentary Research* 75: 621–635.
- Yu, Z., and U. Eicher, 2001. Three Amphio-Atlantic century-scale cold events during the Bolling-Allerod warm period. *Géographie*

- Physique et Quaternaire: 55, 2, 171–179.
- Zaid, A., and P.F. de Wet. 2002. Botanical and systematic description of the date palm. *In* A. Zaid (editor), Date palm cultivation. Food and Agricultural Organization of the United Nations, FAO Plant Production and Protection Paper 156: Chapter 1, unpaginated. (<http://www.fao.org/docrep/006/Y4360E/y4360e05.htm#bm05>), accessed March 9, 2009.
- Zayac, T., F.J. Rich, and L. Newsom. 2001. The paleoecology and depositional environments of the McClelland sandpit site, Douglas, Georgia. *Southeastern Geology* 40 (4): 259–272.
- Zeanah, David W. 2004. Sexual division of labor and central place foraging: a model for the Carson Desert of western Nevada. *Journal of Anthropological Archaeology* 23: 1–32.
- Zonneveld, J.-P., M.K. Gingras, and S.G. Pemberton. 2001. Trace fossil assemblages in a Middle Triassic mixed siliciclastic-carbonate marginal marine depositional system. *Palaeogeography, Palaeoclimatology, Palaeoecology* 166: 249–276.
- Zullo, V.A., and W.B. Harris. 1979. Plio-Pleistocene crustal upwarping in the outer coastal plain of North Carolina. *In* G.R. Baum, W.B. Harris, and V.A. Zullo (editors), *Structural and stratigraphic framework for the Coastal Plain of North Carolina*: 31–40. Columbia: Carolina Geological Society.

