

Appendix S2: References for faunal lists and age of localities

- Alpagut, B., S. Mayda, T. Kaya, F. Göktas, K. Halaclar, and S.D. Kesici. 2014. Overview of recent research on Muğla-Özlüce mammalian fossil locality. 67th Geological Congress of Turkey. 15–18 April 2014-Ankara, 732–733.
- Andersson, K., and L. Werdelin. 2005. Carnivora from the Late Miocene of Lantian, China. *Vertebrata Palasiatica* 43 (4): 256–271.
- Atabadi, M.M., and M. Fortelius. 2016. Introduction to the special issue “The late Miocene Maragheh mammal fauna; results of recent multidisciplinary research”. *Palaeobiodiversity and Palaeoenvironments* 96: 339–347.
- Barry, J.C. 1983. *Herpestes* (Viverridae, Carnivora) from the Miocene of Pakistan. *Journal of Paleontology* 57 (1): 150–156.
- Barry, J.C. 1999. Late Miocene Carnivora from the Emirate of Abu Dhabi, United Arab Emirates. In P.J. Whybrow and A.P. Hill (editors), *Fossil vertebrates of Arabia: with emphasis on the late Miocene faunas, geology, and paleoenvironments of the Emirate of Abu Dhabi, United Arab Emirates*: 203–208. New Haven: Yale University Press.
- Barry, J.C., et al. 2013. The Neogene Siwaliks of the Potwar Plateau, Pakistan. In X. Wang, L.J. Flynn, and M. Fortelius (editors), *Fossil Mammals of Asia: Neogene Biostratigraphy and Chronology*: 373–399. New York: Columbia University Press.
- Baryshnikov, G.F., and P.A. Tleuberdina. 2017. Late Miocene *Indarctos* (Carnivora: Ursidae) from the Karabulak Formation of the Kalmakpai river (Zaisan depression, Eastern Kazakhstan). *Proceedings of the Zoological Institute RAS* 321 (1): 3–9.
- Benammi, M., Y. Chaimanee, J. Urrutia-Fucugauchi, and J.-J. Jaeger. 2004. Magnetostratigraphic study of the continental sedimentary sequence of the Chiang Muan basin, northern Thailand: Implications for the age of the first Miocene hominoids from Thailand. *International Geology Review*, 46: 646–654.
- Benammi, M., et al. 2002. Magnetostratigraphy of the Middle Miocene continental sedimentary sequences of the Mae Moh Basin in northern Thailand: evidence for counterclockwise block rotation. *Earth and Planetary Science Letters* 204: 373–383.
- Bernor, R.L. 1986. Mammalian biostratigraphy, geochronology, and zoogeographic relationships of the late Miocene Maragheh fauna, Iran. *Journal of Vertebrate Paleontology* 6(1): 76–95.
- Bibi, F., A. Hill, M. Beech, and W. Yasin. 2013. Late Miocene fossils from the Baynunah Formation, United Arab Emirates. In X. Wang, L.J. Flynn, and M. Fortelius (editors), *Fossil Mammals of Asia: Neogene Biostratigraphy and Chronology*: 583–594. New York: Columbia University Press.
- Bonis, L. de. 1994. Les gisements de mammifères du Miocène supérieur de Kemiklitepe, Turquie: 2. Carnivores. *Bulletin du Muséum national d’Histoire naturelle, Paris*, 4^{ème} série, 16: 19–39.
- Bonis, L. de. 2004. Carnivores hyaenidés du Miocène supérieur de Turquie. In *Miscelánea en homenaje a Emiliano Aguirre, volume 2. Paleontología. Colección Zona Arqueológica*, Museo Arqueológico Regional, Alcalá: 108–117.
- Bonis, L. de. 2005. Carnivora (Mammalia) from the late Miocene of Akkaşdağı, Turkey. In Sen S. (ed.), *Geology, mammals and environments at Akkaşdağı, late Miocene of central Anatolia*. *Geodiversitas* 27 (4): 567–589.
- Bukhusianidze, M., and K. Koiava. 2018. Synopsis of the terrestrial vertebrate faunas from the Middle Kura Basin (Eastern Georgia and Western Azerbaijan, South Caucasus). *Acta Palaeontologica Polonica* 63 (3): 441–461.
- Chavasseau, O., et al. 2006. Chaungtha, a new middle Miocene mammal locality from the Irrawaddy Formation, Myanmar. *Journal of Asian Earth Sciences* 28: 354–362.

- Chavasseau, O., et al. 2013. Advances in the biochronology and biostratigraphy of the continental Neogene of Myanmar. *In* X. Wang, L.J. Flynn, and M. Fortelius (editors), *Fossil Mammals of Asia: Neogene Biostratigraphy and Chronology*: 461–474. New York: Columbia University Press.
- Colbert, E.H. 1933. A new mustelid from the Lower Siwalik beds of Northern India. *American Museum Novitates* 605: 1–3.
- Colbert, E.H. 1935. Siwalik mammals in the American Museum of Natural History. *Transactions of the American Philosophical Society* 26: 1–401.
- Coster, P., et al. 2010. A complete magnetic polarity stratigraphy of the Miocene continental deposits of Mae Moh basin, northern Thailand and a reassessment of the age of hominoid bearing localities in northern Thailand. *Geological Society of America Bulletin* 122: 1180–1191.
- Daxner-Höck, G., D. Badamgarav, M. Erbajeva, and U.B. Göhlich. 2013. Miocene mammal biostratigraphy of Central Mongolia (Valley of lakes): New results. *In* X. Wang, L.J. Flynn, and M. Fortelius (editors), *Fossil Mammals of Asia: Neogene Biostratigraphy and Chronology*: 477–494. New York: Columbia University Press.
- Deng, T. 2006a. Chinese Neogene mammal biochronology. *Vertebrata Palasiatica* 44 (2): 143–163.
- Deng, T. 2006b. Paleoecological comparison between late Miocene localities of China and Greece based on *Hipparion* faunas. *Geodiversitas* 28 (3): 499–516.
- Deng, T., Z. Liang, S. Wang, S. Hou, and Q. Li. 2011. Discovery of a Late Miocene mammalian fauna from Siziwang Banner, Inner Mongolia, and its paleozoogeographical significance. *Chinese Science Bulletin* 56 (1): 1–9.
- Deng, T., Z.x. Qiu, B.-y. Wang, X. Wang, and S.-k. Hou. 2013. Late Cenozoic biostratigraphy of the Linxia Basin, Northwestern China. *In* X. Wang, L.J. Flynn, and M. Fortelius (editors), *Fossil Mammals of Asia: Neogene Biostratigraphy and Chronology*: 243–273. New York: Columbia University Press.
- Dong, W., and G. Qi. 2013. Hominoid-producing localities and biostratigraphy in Yunnan. *In* X. Wang, L.J. Flynn, and M. Fortelius (editors), *Fossil Mammals of Asia: Neogene Biostratigraphy and Chronology*: 293–313. New York: Columbia University Press.
- Ducrocq, S., Y. Chaimanee, V. Suteehorn, and J.-J. Jaeger. 1994. Ages and paleoenvironment of Miocene mammalian faunas from Thailand. *Palaeogeography, Palaeoclimatology, Palaeoecology* 108: 149–163.
- Ducrocq, S., Y. Chaimanee, V. Suteehorn, and J.-J. Jaeger. 1995. Mammalian faunas and the ages of the continental Tertiary fossiliferous localities from Thailand. *Journal of Southeast Asian Earth Sciences* 12 (1/2): 65–78.
- Egi, N., S. Ogino, and M. Takai. 2018. Neogene Irrawaddy fauna of Central Myanmar: Carnivora. *Kaseki* 104: 21–33 (in Japanese).
- Emry, R., S. Lucas, B. Bayshashov, and L. Tyutkova. 2004. Cenozoic mammalian biostratigraphy in the Ily Basin, eastern Kazakhstan. *Journal of Vertebrate Paleontology* 24 (supplement 3): 54A–55A.
- Erol, A.S., T.T. Kaya, A.Y. Yavuz, and S. Mayda. 2016. The Late Miocene (early Turolian, MN11) fauna of Çorakyerler (Turkey): new collection of large mammals. XIV EAVP meeting, 6–10 July 2016, Haarlem, Netherlands.
- Geraads, D. 2017. Late Miocene large mammals from Mahmutgazi, Denizli province, Western Turkey. *Neues Jahrbuch für Geologie und Paläontologie – Abhandlungen* 284 (3): 241–257.
- Geraads, D., D.R. Begun, and E. Güleç. 2003. The middle Miocene hominoid site of Çandır, Turkey: general paleoecological conclusions from the mammalian fauna. *Courier Forschungsinstitut Senckenberg* 240: 241–250.

- Geraads, D., T. Kaya, and S. Mayda. 2005. Late Miocene large mammals from Yulafli, Thrace region, Turkey, and their biogeographic implications. *Acta Palaeontologica Polonica* 50 (3): 523–544.
- Geraads, D., T. Kaya, and V. Tuna. 2004. A skull of *Machairodus giganteus* (Felidae, Mammalia) from the Late Miocene of Turkey. *Neues Jahrbuch für Geologie und Paläontologie Monatshefte* 2: 95–110.
- Ghaffar, A., and M. Akhtar. 2004. A new addition to the Siwalik Carnivora from the tertiary rocks of Pakistan. *Pakistan Journal of Biological Sciences* 7 (3): 328–330.
- Ginsburg, L., and J. Morales. 1996. *Lartetictis* and *Adroverictis*, nouveaux genres de Melinae (Mustelidae, Carnivora, Mammalia) du Miocène de l’Ancien Monde. *Bulletin du Muséum d’Histoire Naturelle, Paris*, 18 (4): 663–671.
- Ginsburg, L., R. Ingavat, and P. Tassy. 1983. *Siamogale thailandica*, nouveau Mustelidae (Carnivora, Mammalia) néogène du Sud-Est asiatique. *Bulletin de la Société Géologique de France* 25 (6): 953–956.
- Grohé, C. In press. Carnivora. In F. Bibi, B. Kraatz, M. Beech, and A. Hill (editors), *Sands of Time: Late Miocene Fossils from the Baynunah Formation, U.A.E.*. Cham (Switzerland): Springer.
- Grohé, C., et al. 2010. New data on Mustelidae (Carnivora) from Southeast Asia: *Siamogale thailandica*, a peculiar otter-like mustelid from the late Middle Miocene Mae Moh Basin, northern Thailand. *Naturwissenschaften* 97: 1003–1015.
- Grohé, C., et al. 2013. The oldest Asian *Sivaonyx* (Lutrinae, Mustelidae): a contribution to the evolutionary history of bunodont otters. *Palaeontologia Electronica* 16.3.29A: 1–13.
- Jablonski, N.G., et al. 2014. The site of Shuitangba (Yunnan, China) preserves a unique, terminal miocene fauna. *Journal of Vertebrate Paleontology* 34 (5): 1251–1257.
- Jiangzuo, Q., C. Li, S. Wang, and D. Sun. 2019. *Amphicyon zhanxiangi*, sp. nov., a new amphicyonid (Mammalia, Carnivora) from northern China. *Journal of Vertebrate Paleontology*. [DOI:10.1080/02724634.2018.1539857]
- Jiangzuo, Q., C. Li, X. Zhang, S. Wang, J. Ye, and Y. Li. 2018. Diversity of Amphicyonidae (Carnivora, Mammalia) in the Middle Miocene Halamagai formation in Ulungur River area, Xinjiang, Northwestern China. *Historical Biology*. [DOI:10.1080/08912963.2018.1477142]
- Kaakinen, A.P., et al. 2013. Stratigraphy and Paleocology of the Classical Dragon Bone Localities of Baode County, Shanxi Province. In X. Wang, L.J. Flynn, and M. Fortelius (editors), *Fossil Mammals of Asia: Neogene Biostratigraphy and Chronology*: 203–217. New York: Columbia University Press.
- Kansou, M. 1961. Découverte de vertébrés pontiens au Liban dans la plaine de Békaa. *Bulletin Scientifique, Conseil des Académies de la RFP Yougoslavie, Zagreb* 6: 65.
- Kaya, T., D. Geraads, and V. Tuna. 2003. A new middle Miocene mammalian fauna from Mordogan (Western Turkey). *Paläontologische Zeitschrift* 77 (2): 293–302.
- Kaya, T., D. Geraads, and V. Tuna. 2005. A new late Miocene mammalian fauna in the Karaburun Peninsula (W Turkey). *Neues Jahrbuch für Geologie und Paläontologie* 236 (3): 321–349.
- Kaya, T., V. Tuna, and D. Geraads. 2001. A new late Orleanian/early Astaracian mammalian fauna from Kultak (Milas-Muğla), southwestern Turkey. *Geobios* 34 (6): 673–680.
- Kaya, T.T., et al. 2012. Şerefköy-2, a new Late Miocene mammal locality from the Yatağan Formation, Muğla, SW Turkey. *Comptes Rendus Palevol* 11: 5–12.
- Kohno, N. 1997. The first record of an amphicyonid (Mammalia: Carnivora) from Japan, and its implication for amphicyonid paleobiogeography. *The Paleontological Research* 1 (4): 311–315.

- Koufos, G.D., S. Mayda, and T. Kaya. 2018. New carnivoran remains from the Late Miocene of Turkey. *Palaontologische Zeitschrift* 92: 131–162.
- Li, Y., and N. Spassov. 2017. A new species of *Paramachaerodus* (Mammalia, Carnivora, Felidae) from the late Miocene of China and Bulgaria, and revision of *Promegantereon* Kretzoi, 1938 and *Paramachaerodus* Pilgrim, 1913. *Palaontologische Zeitschrift*. [DOI:10.1007/s12542-017-0371-7]
- Malez, M., and I. Crnolatac. 1961. Relations stratigraphiques et paléontologiques du gisement de la faune à *Hipparion* près de Kefraya (Békaa, Liban). *Bulletin Scientifique, Conseil des Académies de la RFP Yougoslavie, Zagreb* 6: 97–98.
- Mayda, S., G.D. Koufos, T. Kaya, and A. Gul. 2015a. New carnivore material from the middle Miocene of Turkey. Implications on biochronology and palaeoecology. *Geobios* 48: 9–23.
- Mayda, S., A.S. Erol, and A.Y. Yavuz. 2015b. Carnivora from Çankiri-Çorakyerler hominoid locality. 68th Geological Congress of Turkey, 6–10 april 2015, Ankara, Turkey.
- Mein, P., and L. Ginsburg. 1997. Les mammifères du gisement miocène inférieur de Li Mae Long, Thaïlande : systématique, biostratigraphie et paléoenvironnement. *Geodiversitas* 19: 783–844.
- Meladze, G. 1967. The *Hipparion* fauna from Arkneti and Bazaleti. Tbilisi, Mezniereba Publ. House (in Russian).
- Morales, J., and M. Pickford. 2011. A new paradoxurine from the Late Miocene Siwaliks of India and a review of the bunodont viverrids of Africa. *Geobios* 44: 271–277.
- Nagel, D. 2003. Carnivora from the middle Miocene hominoid locality of Çandir (Turkey). *Courier Forschungsinstitut Senckenberg* 240: 113–132.
- Nanda, A.C., and R.K. Sehgal. 2005. Recent advances in paleontology and magnetostratigraphic aspects of the Siwalik group of Northwestern Himalaya. *Himalayan geology* 26 (1): 93–102.
- Ogino, S., N. Egi, Zin-Maung-Maung-Thein, Thaung-Htike, and M. Takai. 2011. New species of *Agriotherium* (Mammalia, Carnivora) from the late Miocene to early Pliocene of central Myanmar. *Journal of Asian Earth Sciences* 42: 408–414.
- Özkurt, Ş.Ö., E. Güleç, and A.C. Erkman. 2015. Carnivores from the Late Miocene of Hayranlı (Hayranlı, Sivas, Turkey). *Turkish Journal of Zoology* 39: 842–867.
- Patnaik, R. 2013. Indian Neogene Siwalik mammalian biostratigraphy: An overview. *In* X. Wang, L.J. Flynn, and M. Fortelius (editors), *Fossil Mammals of Asia: Neogene Biostratigraphy and Chronology*: 423–444. New York: Columbia University Press.
- Peigné, S. 2016. Carnivora. *In* Sen S. (editor), *Late Miocene mammal locality of Kuçukçekmece, European Turkey*. *Geodiversitas* 38 (2): 197–224.
- Pickford, M. 2007. Revision of the Mio-Pliocene bunodont otter-like mammals of the Indian Subcontinent. *Estudios geológicos* 63 (1): 83–127.
- Pilbeam, D.R., A.K. Behrensmeyer, J.C. Barry, and S.M. Ibrahim Shah. 1979. Miocene Sediments and Faunas of Pakistan. *Postilla* 179: 1–45.
- Pilgrim, G.E. 1932. The fossil Carnivora of India. *Memoirs of the Geological Survey of India, Palaeontologia indica* 18: 1–232.
- Qi, T. 1989. Miocene Carnivores from Altai Region, Xinjiang. *Vertebrata Palasiatica* 27 (2): 133–139.
- Qiu, Z.-X., and Z.-D. Qiu. 1995. Chronological sequence and subdivision of Chinese Neogene mammalian faunas. *Palaeogeography Palaeoclimatology Palaeoecology* 116: 41–70.
- Qiu, Z.-X., W.-L. Huang, and Z.-H., Guo. 1979. Hyaenidae of the Qingyang (K'ingyang) *Hipparion* fauna. *Vertebrata Palasiatica* 17 (3): 200–221.

- Qiu, Z.-X., et al. 2013a. Neogene land mammal stages/Ages of China: toward the goal to establish an Asian land mammal stage/Age scheme. *In* X. Wang, L.J. Flynn, and M. Fortelius (editors), *Fossil Mammals of Asia: Neogene Biostratigraphy and Chronology*: 29–90. New York: Columbia University Press.
- Qiu, Z., X. Wang, and Q. Li. 2013b. Neogene faunal succession and biochronology of Central Nei Mongol (Inner Mongolia). *In* X. Wang, L.J. Flynn, and M. Fortelius (editors), *Fossil Mammals of Asia: Neogene Biostratigraphy and Chronology*: 155–186. New York: Columbia University Press.
- Salminen, J. 2016. Preliminary magnetostratigraphic results from the late Miocene Maragheh Formation, NW Iran. *Palaeobiodiversity and Palaeoenvironments* 96 (3): 433–443.
- Saraç, G., T. Kaya, and D. Geraads. 2002. *Ancylotherium pentelicum* (Perissodactyla, Mammalia) from the Upper Miocene of central and western Turkey. *Geobios* 35: 241–251.
- Sein, C., and T. Thein. 2011. A New Amphicyonid (Mammalia, Carnivora) from the Ayeyarwady Formation of Central Myanmar. *Universities Research Journal* 4 (5): 47–57.
- Şenyürek, M. 1954a. A study of a skull of *Promephitis* from the Pontian of Küçükoyzgat. *Bulleten* 18 (71): 279–315.
- Şenyürek, M. 1954b. A study of the remains of *Crocuta* from the Küçükoyzgat district. *Ankara Üniversitesi Dil ve Tarih-Cografya Fakültesi Dergisi* 12 (3-4): 29–74.
- Şenyürek, M. 1957. A new species of *Epimachairodus* from Küçükoyzgat. *Bulleten* 21 (81): 1–60.
- Şenyürek, M. 1960. The Pontian Ictitheres from the Elmadağ District. *Publications of the Faculty of Languages, History and Geography, University of Ankara, Anatolia* 5 (Supplement 1): 1–223.
- Sotnikova, M.V., A.E. Dodonov, and A.V. Pen'kov. 1997. Upper Cenozoic bio-magnetic stratigraphy of Central Asian mammalian localities. *Palaeogeography, Palaeoclimatology, Paleoecology* 133: 243–258.
- Spassov, N., and D. Geraads. 2011. A skull of *Simocyon primigenius* (Roth & Wagner, 1854) (Carnivora, Ailuridae) from the late Miocene of Karaslari (Republic of Macedonia), with remarks on the systematics and evolution of the genus. *Neues Jahrbuch für Geologie und Paläontologie* 262: 151–161.
- Takai, M., H. Saegusa, Thaung-Htike, and Zin-Maung-Maung-Thein. 2006. Neogene mammalian fauna in Myanmar. *Asian Paleoprimateology* 4: 143–172.
- Teilhard de Chardin, P. 1926. Description de mammifères tertiaires de Chine et de Mongolie. *Annales de Paléontologie* 15: 1–52.
- Thomas, H., S. Sen, and G. Ligabue. 1980. La faune miocène de la formation Agha Jari du Jebel Hamrin (Irak). *Proceedings of the Koninklijke Nederlandse Akademie van Wetenschappen B* 83: 269–287.
- Thomas, H., P. Taquet, G. Ligabue, and C. Del'Agnoia. 1978. Découverte d'un gisement de vertébrés dans les dépôts continentaux du Miocène moyen du Hasa (Arabie Saoudite). *Compte Rendu Sommaire des séances de la Société Géologique de France* 2: 69–72.
- Titov, V.V., and A.S. Tesakov. 2013. Late Miocene (Turolian) vertebrate faunas from Southern European Russia. *In* X. Wang, L.J. Flynn, and M. Fortelius (editors), *Fossil Mammals of Asia: Neogene Biostratigraphy and Chronology*: 538–545. New York: Columbia University Press.
- Tleuberdina, P., and A. Forsten. 2001. *Anchitherium* (Mammalia, Equidae) from Kazakhstan, Central Asia. *Geobios* 34 (4): 449–456.
- Tseng, Z.J., and X. Wang. 2007. The first record of the Late Miocene *Hyaenictitherium hyaenoides* Zdansky (Carnivora: Hyaenidae) in Inner Mongolia and an evaluation of the genus. *Journal of Vertebrate Paleontology* 27(3): 699–708.

- Tseng, Z.J., J.K. O'Connor, X. Wang, and D.R. Prothero. 2009. The first Old World occurrence of the North American mustelid *Sthenictis* (Mammalia, Carnivora). *Geodiversitas* 31 (4): 743–751.
- Tseng, Z.J., et al. 2014. Himalayan fossils of the oldest known pantherine establish ancient origin of big cats. *Proceedings of the Royal Society B*. 281 (1774): 20132686.
- Valenciano, A., S. Mayda, and B. Alpagut. 2019a. First record of *Lartetictis* (Carnivora, Mustelidae, Lutrinae) in Turkey from the middle hominoid locality of Paşalar. *Historical Biology*. [DOI: 10.1080/08912963.2019.1588894]
- Valenciano, A., Q. Jiangzuo, S. Wang, C. Li, X. Zhang, and J. Ye. 2019b. First record of *Hoplictis* (Carnivora, Mustelidae) in East Asia from the Miocene of the Ulungur river area, Xinjiang, Northwest China. *Acta Geologica Sinica* 93(2): 251–264.
- Vangengeim, E.A., et al. 1993. On the age of mammalian fauna from the Karabulak Formation of the Kalmakpai river (Zaisan depression, Eastern Kazakhstan). *Stratigraphy and Geological Correlation* 1 (2): 38–45.
- Viranta, S., and L. Werdelin. 2003. Carnivora. In M. Fortelius, J. Kappelman, S. Sen, and R.-L. Bernor (editors), *Geology and Palaeontology of the Miocene Sinap Formation, Turkey*: 178–193. New York: Columbia University Press.
- Vislobokova, I., M. Sotnikova, and A. Dodonov. 2001. Late Miocene - Pliocene mammalian faunas of Russia and neighbouring countries. *Bolletino della Societa Paleontologica Italiana* 40 (2): 307-313.
- Wang, X. 1997. New cranial material of *Simocyon* from China, and its implications for phylogenetic relationship to the red panda (*Ailurus*). *Journal of Vertebrate Paleontology* 17 (1): 184–198.
- Wang, X., and Z. Qiu. 2004. Late Miocene *Promephitis* (Carnivora, Mephitidae) from China. *Journal of Vertebrate Paleontology* 24 (3): 721–731.
- Wang, X., L.J. Flynn, and M. Fortelius. 2013a. Toward a continental Asian biostratigraphic and geochronologic framework. In X. Wang, L.J. Flynn, and M. Fortelius (editors), *Fossil Mammals of Asia: Neogene Biostratigraphy and Chronology*: 1–28. New York: Columbia University Press.
- Wang, X., Z. Qiu, and N.D. Opdyke. 2003. Litho-, bio-, and magnetostratigraphy and paleoenvironment of Tunggur Formation (Middle Miocene) in central Inner Mongolia, China. *American Museum Novitates* 2411: 1–31.
- Wang, X., Z.J. Tseng, and T. Takeuchi. 2012. Zoogeography, molecular divergence, and the fossil record—the case of an extinct fisher, *Pekania palaeosinensis* (Mustelidae, Mammalia), from the Late Miocene Baogeda Ula Formation, Nei Mongol. *Vertebrata Palasiatica* 50 (3): 293–307.
- Wang, X., et al. 1998. Carnivora from middle Miocene of Northern Junggar Basin, Xinjiang autonomous region, China. *Vertebrata Palasiatica* 36: 218–243.
- Wang, X., et al. 2011. Early explorations of Qaidam Basin (Tibetan Plateau) by Bridger Bohlin – Reconciling classic vertebrate fossil localities with modern biostratigraphy. *Vertebrata Palasiatica* 49 (3): 285–310.
- Wang, X., et al. 2013b. Neogene mammalian biostratigraphy and geochronology of the Tibetan Plateau. In X. Wang, L.J. Flynn, and M. Fortelius (editors), *Fossil Mammals of Asia: Neogene Biostratigraphy and Chronology*: 274–292. New York: Columbia University Press.
- Wang, X., et al. 2018. A new otter of giant size, *Siamogale melilutra* sp. nov. (Lutrinae: Mustelidae: Carnivora), from the latest Miocene Shuitangba site in north-eastern Yunnan, south-western China, and a total-evidence phylogeny of lutrines. *Journal of Systematic Palaeontology* 16 (1): 39–65.

- Wang, X., et al. 2020. A new species of *Tungurictis* (Carnivora, Hyaenidae) from middle Miocene of Junggar Basin, northwestern China and early divergence of basal hyaenids in East Asia. *Geodiversitas* 42 (3): 29–45.
- Werdelin, L. 1988. Studies of fossil hyaenas: the genera *Thalassictis* Gervais ex Nordmann, *Palhyaena* Gervais, *Hyaenictitherium* Kretzoi, *Lycyaena* Hensel and *Palinhyaena* Qiu, Huang & Guo. *Zoological Journal of the Linnean Society* 92: 211–265.
- West, R.M., J.R. Lukacs, J.J. Munthe, and S.T. Hussain. 1978. Vertebrate Fauna from Neogene Siwalik Group, Dang Valley, Western Nepal. *Journal of Paleontology* 52 (5): 1015–1022.
- Zhang, Z. 2005. New materials of *Dinocrocuta* (Percrocutidae, Carnivora) from Lantian, Shaanxi Province, China, and remarks on the late Miocene biochronologic correlation. *Geobios* 38: 685–689.
- Zhang, Z., et al. 2013. Mammalian biochronology of the Late Miocene Bahe Formation. In X. Wang, L.J. Flynn, and M. Fortelius (editors), *Fossil Mammals of Asia: Neogene Biostratigraphy and Chronology*: 187–202. New York: Columbia University Press.
- Zheng, S. 1982. Some Pliocene mammalian fossils from Songshan-2 and -3 (Tianzhu, Gansu) and the Songshan fauna. *Vertebrata Palasiatica* 20 (3): 216–227.
- Zdansky, O. 1924. Jungtertiäre Carnivoren China. *Palaeontologia Sinica* 2 (1): 1–149.
- Zin-Maung-Maung-Thein, et al. 2011. Stable isotopes of the tooth enamel of Chaingzauk mammalian fauna (late Neogene, Myanmar) and its implication to paleoenvironment and paleogeography. *Palaeogeography, Palaeoclimatology, Palaeoecology* 300: 11–22.