PENNARAPTORAN THEROPOD DINOSAURS PAST PROGRESS AND NEW FRONTIERS

Edited by

MICHAEL PITTMAN Vertebrate Palaeontology Laboratory Division of Earth and Planetary Science The University of Hong Kong, Hong Kong

XING XU

Key Laboratory of Vertebrate Evolution and Human Origins Institute of Vertebrate Paleontology & Paleoanthropology and CAS Center for Excellence in Life and Paleoenvironment, Beijing

BULLETIN OF THE AMERICAN MUSEUM OF NATURAL HISTORY Number 440, 353 pp., 58 figures, 46 tables Issued August 21, 2020

Copyright © American Museum of Natural History 2020

ISSN 0003-0090

CONTENTS

| Introduction |
|---|
| Section 1. Systematics, Fossil Record, and Biogeography |
| Chapter 2. The fossil record of Mesozoic and Paleocene pennaraptorans |
| Chapter 3. The impact of unstable taxa in coelurosaurian phylogeny and resampling support measures for parsimony analyses |
| Chapter 4. The biogeography of coelurosaurian theropods and its impact on their evolutionary history |
| Chapter 5. Timing the extant avian radiation: the rise of modern birds, and the importance of modeling molecular rate variation |
| Section 2. Anatomical Frontiers |
| Chapter 7. Tooth vs. beak: the evolutionary developmental control of the avian feeding |
| apparatus |
| Chapter 8. Functional morphology of the oviraptorosaurian and scansoriopterygid skull 229 Waisum Ma, Michael Pittman, Stephan Lautenschlager, Luke E. Meade, and Xing Xu |
| Chapter 9. Fossil microbodies are melanosomes: evaluating and rejecting the 'fossilised decay- associated microbes' hypothesis |

| S | Cection 3. Early-Flight Study: Methods, Status, and Frontiers |
|---|--|
| | Chapter 11. High flyer or high fashion? A comparison of flight potential among small- bodied paravians |
| | Chapter 12. Navigating functional landscapes: a bird's eye view of the evolution of avialan flight |
| | Chapter 13. Laser-stimulated fluorescence refines flight modeling of the Early Cretaceous bird <i>Sapeornis</i> |
| | Chapter 14. Pectoral girdle morphology in early-diverging paravians and living ratites: implications for the origin of flight |

PREFACE

The origin of birds and flight was a major event in the history of life. A wealth of spectacular fossils of early birds and their closest relatives has demonstrated that birds are maniraptoran theropod dinosaurs, with Pennaraptora being the most relevant theropod group to the "dinosaurbird" transition. Pennaraptora comprises birds themselves as well as the pennaceous feathered dromaeosaurids, troodontids, scansoriopterygids, and oviraptorosaurians. Fossils and neontological insights show that many salient avian traits originated deep within theropod evolutionary history, accumulating over a significant temporal and phylogenetic interval and often appearing in a complex mosaic across phylogeny. This includes endothermic physiology, unique reproductive strategies, as well as flight itself. Hallmark features necessary for flight appeared among pennaraptoran dinosaurs including a laterally oriented, long, and robust forelimb; a refined "flight ready" brain; and large, vaned flight feathers. Proxies for modern flight capability, modelling work and functional morphology support flight and near-flight capabilities among paravian pennaraptorans, with powered flight probably evolving independently multiple times. However, in order to deepen our understanding of avian and flight origins as well as other important pennaraptoran evolutionary events, more progress is needed in achieving better systematic consensus both within and between clades.

In this context, the inaugural discussionfocused International Pennaraptoran Dinosaur Symposium (IPDS) was held at the University of Hong Kong between March 29 and April 1, 2018, with the goal of making substantial advances in our understanding of pennaraptoran palaeobiology and evolution. The conference documented past progress, worked toward consensus on key unresolved issues, and broke new ground in the field. This volume curates the main outcomes of the IPDS symposium including priority areas identified for future research. The volume involved 49 experts from more than 10 countries whose views cover much of the current discussion on this topic. The volume is made up of 14 chapters organized in three sections:

SECTION ONE: SYSTEMATICS, FOSSIL RECORD, AND BIOGEOGRAPHY: This section surveys the pennaraptoran fossil record and underscores parts where further attention is likely to make headway in answering pressing questions in the field. The current state of pennaraptoran systematics is presented, providing the context needed to understand the group's evolution. Areas of uncertainty and controversy are highlighted and suggested improvements proposed. This section includes a chapter dedicated to improving how rogue taxa/ wildcards are identified in phylogenetic analyses, which is of interest to the broader palaeontological community. Section one also uses an updated coelurosaurian phylogeny to present the first quantitative palaeobiogeographic analysis of the Coelurosauria. This allowed identification of key tectonic drivers of evolution, providing a stronger basis for investigating evolutionary drivers among pennaraptorans as well as non-pennaraptoran theropods, other dinosaur groups, and Mesozoic vertebrates more generally.

SECTION TWO: ANATOMICAL FRONTIERS: This section focuses on recent discoveries in pennaraptoran anatomy, particularly of the hand and head. It explores the implications this knowledge has and will have on our understanding of pennaraptoran palaeobiology and evolution. These discoveries involve a wide range of adopted approaches including geometric morphometrics, mechanical advantage calculations, and evo-devo approaches as well as the phylogenetic context provided in section one. The world of fossil pennaraptorans has become technicolored in recent years thanks to the advent of melanosome-based paleocolor reconstruction. As an important reappraisal of this work, an actuo-paleontological experiment is presented that quantitatively tests the premise of this method for the first time.

SECTION THREE: EARLY FLIGHT STUDY: METH-ODS, STATUS, AND FRONTIERS: This section begins by detailing the methods currently available for studying early theropod flight and discusses the priorities to address in future methodological development work. As an example, a methodological frontier is explored by marrying recent advances in soft-tissue imaging with quantitative methods of early flight study to create a new framework on which to build. Section three also covers recent efforts to identify the small pennaraptorans that first took to the skies, what their flight capabilities were and how their flight might have been acquired. A new broader context is proposed for flight behavior in a conceptual chapter about its functional landscape. Wing-assisted incline running (WAIR), a behavior seen in modern birds, is part of this functional landscape and a proposed stage of early flight development. To stimulate further exploration of this functional landscape, chapter 14 argues that this behavior is a later innovation instead on the basis of experimental data collected from modern ostriches.

We would like to thank our contributing authors for realizing this ambitious project, which was made possible through the support of Kenneth H.C. Fung, Trustee of Sir Kenneth Fung Ping Fan Foundation and First Initiative Foundation. The Faculty of Science of the University of Hong Kong and the Division of Paleontology at the American Museum of Natural History (especially Mark A. Norell) are also thanked for their support. We would like to thank our reviewers James Clark and Fernando Novas as well as Robert Dudley for his comments on section three of the volume. Their feedback greatly improved the quality of the volume. Journal staff especially Robert Voss and Mary Knight are thanked for their great help and patience throughout the project. Marianne E. Phillips is thanked for proofreading multiple drafts of the text. We hope you enjoy the volume and that it stimulates our science to even greater heights.

> Michael Pittman and Xing Xu March 9, 2020