

ARCTIC MAMMALS.

1914

No 2500 -



Arakunlei April 15. 1914

No. 2500. White bearded Colobus

52165

♂ TL. 1340. LT. 720. LH. 190. Ht. 40.

Skin & skull.

Penge 3. April 21/1914

No. 2501. Black faced Cercopithecus

52666

✓ ♂ TL. 1260. LT. 745. LH. 180. Ht. 40.

Skin & skull

Shot from a band of about 20,  
in trees near a river bank

No. 02501. <sup>Arakunlei May 10.</sup> Hylochoerus

53667

♀ ad. Skull only

No. 2502. <sup>Arakunlei June 10.</sup> Hylochoerus

53668

♂ TL. 1840. LT. 350. LH. 290. Ht. 160.

Ht. 650. T. P. 600. LB. 108.

Skin & skull.

No. 02502. Hylochoerus

53669

♂ juv. Skull only.

No. 2503. <sup>Penge 13.</sup> Potto.

52688

✓ ♀ ad. TL. 415. LT. 650. LH. 74. Ht. 24

was sitting in the branches of  
a small tree in the forest with a  
well grown young one clasped  
to her breast (see next list). When  
a man climbed the tree they  
tumbled to the ground, <sup>separately</sup>  
♀ tried to run off. They gave a  
screaking noise when molested  
but not very loud



Arakuri June 23/1914

No. 2504 ✓ Potos. yg of preceding.  
51174

Has been prep. like small mammals.  
June 26  
No. 2505. *Hylochoerus*  
53670 ♀ no meas.

July 2  
No. 2506. *Hylochoerus*  
53671 ♂ in. TL. 1580. LT. 370. LH 287.

July 5  
No. 2507. *Potamochoerus*  
53703 ♂ TL. 1500. LT. 395. LH. 240. LT. 200.

Skin & skull.

July 14  
No. 2508. Civet (*Civettus civetz*) (normal phase) no skull.  
51814 flat skin prep. by retzies.

No. 2509 civet (*palaeosciac* spec)  
51817 flat skin prep by retzies.

No. 2510. Caracal (from Penge, N. Zulul)  
51999 flat skin prep. by retzies.

Bataguru, July 27.  
No. 2511. *Cercopithecus* black underside.

Potos. 52452  
TL. 1300. LT. 755. LH 172. H 42. 42. Skin & skull (from Penge, N. Zulul)

No. 2511. ✓ Chimpanzee juv. alt. 12 years.  
51210. Skull only (from Pawa (Nedji))

No. 2512. Reddish Colobus

No. 2513. Reddish Colobus

No. 2514. Reddish Colobus - all pre

Shot on the road from  
They might have been 19. 20. & 21.

Awakulu Aug. 1914.

2512. Reddish Colobus

52285

✓ ♀ TL. 1260. LT. 720. LH. 196. HE. 38.

shot right near the Post

they are fairly common.

2513. Cercopithecus Black occip.

52371

✓ ♂ TL. 1600. LT. 1045. LH. 174. HE. 46.

Skin & skull.

Very large spec.

2514 Cercopithecus Black occip.

52372

✓ ♀ TL. 1135. LT. 687. LH. 135. HE. 35

Skin & skull.

2515. Reddish Colobus (considerably  
52286  
✓ lighter in color than No. 2512)  
shot five miles northwest  
of Awakulu

♀ was shot with the rifle

skin & skull.

No. 2516. Potamochoerus

53709

♂ scalp & skull.

No. 02516. Elephant's skin of  
51935  
foot from Awakulu, May 10/14  
showing the holes made by  
fly larvae living in the skin.  
Some of these larvae have been  
preserved in a test tube in alcohol



647 Awakuli Aug. 1914

52487 2517. *Cercopithecus dentiventris bellii*  
✓ ♂ TL. 1320. LT. 850. LH. 153. #236.  
Skin & skull.

52373 2518. *Cercopithecus blacki occip.*  
✓ ♂ TL. 1380 LT. 910. LH. 152. #244.  
Skin & skull.

52374 2519. *Cercopithecus blacki occip.*  
✓ ♀ TL. 1420. LT. 765. LH. 134. #240.  
Skin & skull.

52490 2520. *Cercopithecus dentiventris bellii*  
✓ ♀ TL. 1073. LT. 675. LH. 124. #233.  
Skin & skull.

52619 2521. *Black Cercopithecus*  
Photo ✓ ♂ TL. 1365. LT. 825. LH. 179. #240.  
Skin & skull.

52620 2522. *Black cercopithecus*  
✓ ♀ TL. 1395. LT. 895. LH. 173. #240.  
Skin & skull.

51948 2523. Elephant dentition  
from Panga  
2 molars & 1 tusk

53770 02523 dentition of *Hippopotamus*  
from Awakuli

51946 02523 small Elephant tusk from  
Medje

53771 02523 1 large *Hippopotamus* tusk  
from Panga

02523 Two Elephanttus from  
51947

Medje  
near Tanja Sept 20. + R.

No. 2524

52665 black faced gray Cercopithecus  
♂ TL. 1335. LT. 755. LH. 191.  
#S. 435. #E. 45.

perio back of pale pinkish  
scrotum, ischial callosities  
dirty brownish, face black  
feet dark gray nearly black  
Skin & skull

No. 2525. (shot a day from

52422 Banalia on the shores  
of the Kurvini

White bearded Cercopithecus  
♂ TL. 1170. LT. 630. LH. 155  
#4.34

Skin & skull

make low sound

hum - hum - hum -

No 2526. Black light whiskered  
52630 Cercopithecus, was kept

in captivity in Stanleyville  
said from the south of Stanleyville  
between Stanleyville & Kasongo  
an extremely lively creature



W. 2526. He was continually  
running forth & back  
throwing back his head in  
curious jerky movement  
that seemed like lengthening  
his pointed crest of black  
hair. He too used his  
tail as a support twisting  
it in half a spiral around  
a pole or when standing  
on his hind legs he  
would atop suddenly  
& erect himself full height  
supported, more by  
his tail. So small he was  
he would make at times  
a terrible noisy, by  
it shrill voice - keerr  
kerr - or kerr - kerr -  
followed in rapid  
succession. He of  
course had several  
notes. One of evident  
satisfaction was a low  
sound somewhat like  
ow - ow - ow. Skin 9



2526. / complete skeleton  
see Photographs.

2526. ♂ Tl. 820. Et. 470.

L#  $1\frac{30}{40}$  H# 37.

ears & face black, eyes light  
brown with small round  
pupil.

2527. a black limbed & black <sup>underside</sup>  
bellied cercopithecus.

with yellowish brown &  
black ringed hair on back  
grayish black tipped tail  
face & ears blackish brown  
& relatively large <sup>med</sup> brown eyes.  
The head on top & sides with  
such long & smooth a  
sort of pendulous hair that  
made ears invisible &  
in combination with the  
white line down its nose  
gave him a rather owl-like  
look. He was the most  
gentle creature to be thought  
of especially in the evening  
he was very much human  
like to be allowed to sit

2529  
on ones leg. He often showed  
a curious habit of turning  
his food between his hands  
somewhat like a rac

but biting away the outer side  
without any consideration  
if it was clean or not or  
if it had a peal or not.

♀ TL. 700. LT. 420. LH. 110  
#S. 200. LG. 35.

Skin on abdomen bluish  
like his white whiskered  
relative a captive of  
which I have also seen  
he pulled out the flower  
stalk of grasses eating  
the tender parts below.

He was in spite of its apparent  
half ~~way~~ sleepy and  
extremely rapid in his  
movements & took  
sudden leaps.

He would feed on corn, a sort  
of pumpkin, but would not  
touch the ~~any~~ much beloved  
peanuts ~~by~~ all other monkeys



(as) from the Kwadistries  
No. 2528. Two *Cercopithecus*

52570

52571

Kanti, flat skins,  
presented by Mr. Balley

No. 2527. A single spiral  
51936 forming tusk of an  
elephant female; the  
other said to have  
been normal, & larger  
from the region of Bani  
(near Mwenzi)

No. 2527. Skull of *Hyaenobates* from  
53672. *flavipalpis* (Barnard)

No. 2528. *Hippopotamus*, ♂  
53775 skull only, killed near  
the falls at Stanleyville  
March 1915.

Stanleyville April 1915.

No. 2529. Black *Cercopithecus*  
52631 like No. 2526

♂ TL. 780. LT. 480. LH. 114. HS. 190.

H. E. 38 (common <sup>in the forest</sup> south of Stanleyville)

Skin skull & leg bones

No. 2530. dark bellied *Cercopithecus*  
52464

♀ TL. 615. LT. 347. LH. 92.

HS. 175. H. E. 32.

Skin & skull & leg bones.

Lived to kill the grass & beat the under

portions at each end of the  
sections. It became  
particularly lively at dusk,  
though he slept throughout  
the night. He also was  
extremely fond of grasshoppers  
& other insects he chased  
deliberately in the grass &  
spent always considerable  
time in eating them, throwing  
away the wings & other extraneous  
~~sections~~ <sup>parts</sup>, but chewing up  
the legs. He carried  
its tail upward giving an  
inward curve to the tail  
when standing on its  
hind limbs in the grass  
to look about over the  
tops of the grass. He always  
used its tail as a support  
when jumping on the grass  
it was very noticeable  
how much practical  
use he made of his  
tail, by leaning upon &  
curling it slightly



hearer  
about the branches  
His most common note was  
a low grunting noise

Urr - Urr - Urr - through  
when he had something  
good to feed <sup>on</sup> he would  
always give a clear  
chirping sound which  
he much increased when  
he saw a dog. He usually  
sought <sup>for</sup> refuge upon a tree  
he also run towards the  
black people for protection.

2531. 2532. 2533. Three skins  
of yg. Bongo bought  
from the natives at  
Stanleyville. They come  
from the same village  
& were, according to the  
statement of natives,  
killing during the same hunt.  
2534. 2535 two embryos of Tyto  
from Masadi, Dec 1914.

2536. <sup>Two by</sup> first skin of clawless Otter  
7000. Res. Colobus 2 ad. Lukolela. Dec 17-1914  
1911. 52337  
TL 1270. TL 690. LH 170. LE 35.  
2531. Zambi - Apr. 1915. <sup>See 27.</sup> <sup>Leopards</sup>  
<sup>had killed Cercopithecus in the same place</sup>  
<sup>cephalus</sup>

538  
7001 Red Colobus 7im - Lkalea, Dec. 17 - 1914

53338

T.L. 1040 L.T. 8.5<sup>585</sup> L.H. 150 L.E. 34

iris in both specimens light brown, ischial callus, etc. dusky-greenish. Stomach contained light green vegetable matter, probably chewed up leaves.

5338  
7002 Hyrax - 9ad. Matadi, Dec. 27 - 1914

53800

T.L. 522 L.T. abt 12 L.H. 6.8 L.E. 3.5 H.S. 16 H.P. 16

L.B. 33 2 embryos in uterus - Stomach contained leaves, well chewed up, and with a slightly aromatic smell. Iris blackish, skin of nose, eyelids, ears & soles of feet black. The tail does not protrude, and cannot be bent upward, hence the difficulty in measuring it.

5340  
7003 Hyrax - 7im - Matadi, Dec. 27 - 14

53801

T.L. 43 L.T. abt 1 L.H. 6.0 L.E. 3.0

Stomach contained leaves, like preceding (neither had eaten any grass as far as I could see)

5340  
7004 Bushbuck - 9ad. Roma - Jan. 16 - 1915 (1 footed)

53226

53227

T.L. 130.5 L.T. 24 L.H. 33, L.E. 13 H.S. 65

H.P. 70, L.B. 65

Rather common, hiding in long grass and bushes, especially in hollows.

5340  
7005 Reedbuck 3ad - Roma - Jan 17 - 1915

53290

T.L. 155 L.T. 29 H. 48.5 L.E. 16.5

Iris brown, rather light exteriorly, darkest and with a slight purplish tinge near pupil, which is elongated, horizontally - not uncommon,



especially in broad valleys with long grass.

<sup>(2544)</sup>  
7006. Manatee, Aug. 1915. Banana  
53939 Manatee, skin & complete skeleton

2544 Genetta

Native skins presented  
by Dr. Girdling Johnson  
Bolobo

2545 Pangolin  
53862

2546 yng Hyrax  
53807

December 1914.


2547 Squirrel ✓

2548 Otter  
51830


2549 Serval presented by Mr. R.

51792 Van Saceghem, Vétérinaire.  
shot in the savannah

Zaire, July 1915.







- 1327 *Atherura*  
 1358 *Potamochoerus*  
 1594 *Peromyscus*  
 1285 *Atherura*  
 1390 *genetta*  
 1490 *Okapi* ♀. head legs etc.  
 1291 *genetta*  
 1335 *genetta*  
 1355 *Potamochoerus*  
 1314 *genetta*  
 1334 *genetta* ♂ juv.  
 1377 *Potamochoerus* juv.  
 223 large rat

numbers on sheet  
 tin, found in bottom  
 of iron storage box.





RE MAMMALS

1914

No 2500 -

Long Congo Exp.  
(Large Mammals)  
Nos. 2500 to 2549  
7000 7006